VALIDATED DATA FOR SDGs 107, 109, 110, 112-117, 119, 121, 123, 127, 130

OF THE
CAMP EDWARDS
IMPACT AREA GROUNDWATER STUDY

MASSACHUSETTS MILITARY RESERVATION
CAPE COD, MASSACHUSETTS

Prepared for

NATIONAL GUARD BUREAU
ARLINGTON, VIRGINIA

Prepared by

OGDEN ENVIRONMENTAL AND ENERGY SERVICES
239 Littleton Road, Suite 1B
Westford, Massachusetts 01886

June 1999

VALIDATED DATA FOR SDGs 107, 109, 110, 112-117, 119, 121, 123, 127, 130

OF THE
CAMP EDWARDS
IMPACT AREA GROUNDWATER STUDY

MASSACHUSETTS MILITARY RESERVATION
CAPE COD, MASSACHUSETTS

Prepared for

NATIONAL GUARD BUREAU
ARLINGTON, VIRGINIA

Prepared by

OGDEN ENVIRONMENTAL AND ENERGY SERVICES
239 Littleton Road, Suite 1B
Westford, Massachusetts 01886

June 1999

VALIDATED DATA FOR SDGs 107, 109, 110, 112-117, 119, 121, 123, 127, 130

OF THE
CAMP EDWARDS
IMPACT AREA GROUNDWATER STUDY

MASSACHUSETTS MILITARY RESERVATION
CAPE COD, MASSACHUSETTS

Prepared for

NATIONAL GUARD BUREAU
ARLINGTON, VIRGINIA

Prepared by

OGDEN ENVIRONMENTAL AND ENERGY SERVICES
239 Littleton Road, Suite 1B
Westford, Massachusetts 01886

June 1999

TABLE OF CONTENTS

Group	Analytical Group	Matrix	EPA Method	Database Reference	Pages
A	Explosives	Water	8330	8330N	1-16
B	Explosives	Profile	8330	8330N	1-20
C	Explosives	Soil	8330	8330N	1
D	Volatiles	Water	OLC02.1 504-EDB 8021-MTBE	OC21V 504 8021W	1-23
E	Volatiles	Profile	OLC02.1	OC21V	1-38
F	Volatiles	Soil	OLM03.2 8021-EDB, MTBE	OM31V 8021S	1-2
G	Semivolatiles	Water	OLC02.1	OC21B	1-33
H	Semivolatiles	Soil	OLM03.2	OM31B	1-3
I	Pesticides/ Herbicides	Water	OLC02.1/8151	OL21P/8151	1-27
J	Pesticides/ Herbicides	Soil	OLM03.2/8151	OM31P/8151	1-2
K	Metals/Wet Chemistry	Water	ILM04.0	Various	1-28
L	Metals/Wet Chemistry	Soil	ILM04.0	Various	1-2

QUALIFICATION CODE REFERENCE TABLE

Qualifier	Organics	Inorganics
H	Holding times were exceeded.	Holding times were exceeded.
S	Surrogate recovery was outside QC limits.	The sequence or number of standards used for the calibration was incorrect.
C	Calibration %RSD or %D were noncompliant.	Correlation coefficient is <0.995.
R	Calibration RRF was <0.05.	%R for calibration is not within control limits.
B	Presumed contamination from preparation (method) blank.	Presumed contamination from preparation (method) or calibration blank.
L	Not applicable.	Laboratory Control Sample %R were not within control limits.
Q	MS/MSD recovery was poor or RPD high.	MS recovery was poor.
E	Not applicable.	Duplicates showed poor agreement.
I	Internal standard performance was unsatisfactory.	ICP ICS results were unsatisfactory.
A	Not applicable.	ICP Serial Dilution %D were not within control limits.
M	Tuning (BFB or DFTPP) was noncompliant.	Not applicable.
T	Presumed contamination from trip blank.	Not applicable.
+	False positive - reported compound was not present.	Not applicable.
-	False negative - compound was present but not reported.	Not applicable.
F	Presumed contamination from FB or ER.	Presumed contamination from FB or ER.
$	Reported result or other information was incorrect.	Reported result or other information was incorrect.
?	TIC identity or reported retention time has been changed.	Not applicable.
D	The analysis with this flag should not be used because another more technically sound analysis is available.	The analysis with this flag should not be used because another more technically sound analysis is available.
P	Instrument performance for pesticides was poor.	Post Digestion Spike recovery was not within control limits.
*#	Unusual problems found with the data that have been described in Section 1, "Data Validation Findings." The number following the asterisk (*) will indicate the subsection where a description of the problem can be found.	Unusual problems found with the data that have been described in Section 1, "Data Validation Findings." The number following the asterisk (*) will indicate the subsection where a description of the problem can be found.

DATA QUALIFIER REFERENCE TABLE

Qualifier	Organics	Inorganics
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.	The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.	The associated value is an estimated quantity.
N	The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification."	Not applicable.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.	Not applicable.
UJ	The analyte was not deemed above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.	The material was analyzed for, but was not detected. The associated value is an estimate and may be inaccurate or imprecise.
R	The sample results are rejected due to serious deficiencies in the ability to analyze the sample and to meet quality control criteria. The presence or absence of the analyte cannot be verified.	The data are unusable. (Note: Analyte may or may not be present).

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	03MW0060				28MW0106				90MW0022				90WT0004				LRMW9515			
LAB_EPA_NO	AA579				AA910				AA585				AA584				AA205			
Date Sampled	2/18/99				3/23/99				2/16/99				2/16/99				3/24/99			
Depth	35-40				0-10				80-85				3-13				80-92			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		***0.77***		***J***	***S***	0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		***5.40***				0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	UJ	*4	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	UJ	*4	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	UJ	*4	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	95-6				LRMW0003				WL01S				WL01D				WL01M1			
LAB_EPA_NO	AA203				AA916				AA495				AA500				AA715			
Date Sampled	3/24/99				3/25/99				2/22/99				2/8/99				2/24/99			
Depth	62-74				73-83				0-10				174-184				60-65			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		***0.63***		***J***	****9***	0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		***2.80***				0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL01M1				WL10S				WL10M				WL10D				WL13S			
LAB_EPA_NO	AA716				AA571				AA569				AA567				AA832			
Date Sampled	2/24/99				2/23/99				2/23/99				2/12/99				3/11/99			
Depth	60-65				0-10				135-140				177-187				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C,*4	0.25	U	UJ	C,*4	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL13D				WL13D				WL16S				WL17S				WL17D			
LAB_EPA_NO	AA828				AA829				AA803				AA840				AA836			
Date Sampled	3/11/99				3/11/99				3/10/99				3/11/99				3/11/99			
Depth	140-145				140-145				0-10				0-10				197-207			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL17D				WL18S				WL18M2				WL18M1				WL18D			
LAB_EPA_NO	AA837				AA847				AA856				AA849				AA857			
Date Sampled	3/11/99				3/12/99				3/16/99				3/12/99				3/16/99			
Depth	197-207				0-10				170-175				178-183				223-233			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL19S				WL19S				WL19D				WL20				WL21S			
LAB_EPA_NO	AA539				AA539DL				AA537				AA574				AA886			
Date Sampled	2/12/99				2/12/99				2/11/99				2/12/99				3/19/99			
Depth	0-10				0-10				251-256				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	70.00	E	R	D	***71.00***	***D***			0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	240.00	E	R	D	***250.00***	***D***			0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	UJ	S	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	UJ	S	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	UJ	S	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	UJ	S	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	***7.20***		***J***	***S***	6.90	D	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	***4.00***		***J***	***S,*9***	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	***2.90***		***J***	***S,*9***	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	UJ	S	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	***0.25***		***J***	***S***	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	UJ	S	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	UJ	S	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	UJ	S	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	UJ	S	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	UJ	S	7.50	U	R	D	0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C,S	3.80	U	R	D	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	UJ	S	150.00	U	R	D	10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	UJ	S	75.00	U	R	D	5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL21D				WL22				WL23S				WL23D				WL23D			
LAB_EPA_NO	AA884				AA845				AA851				AA858				AA859			
Date Sampled	3/19/99				3/12/99				3/12/99				3/17/99				3/17/99			
Depth	130-140				0-10				0-10				146-156				146-156			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL23M3				WL23M2				WL23M1				WL23M1				WL24			
LAB_EPA_NO	AA863				AA862				AA860				AA861				AA887			
Date Sampled	3/17/99				3/18/99				3/18/99				3/18/99				3/22/99			
Depth	153-163				63-73				99-109				99-109				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		***4.40***				***4.70***				0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL25				WL26				WL27				WL28				WL29			
LAB_EPA_NO	AA852				AA853				AA868				AA869				AA888			
Date Sampled	3/17/99				3/17/99				3/18/99				3/19/99				3/22/99			
Depth	0-10				0-10				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANIT	***0.32***				***0.30***				0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	***4.10***				***0.49***		***J***	****9***	***0.39***		***J***	****9***	0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANIT	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL31M				WL31M				WL31D				WL31D				WL31S			
LAB_EPA_NO	AA415				AA415DL				AA418				AA419				AA417			
Date Sampled	2/2/99				2/2/99				2/1/99				2/1/99				2/1/99			
Depth	113-123				113-123				133-138				133-138				98-103			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	25.00	E	R	D	***27.00***	***D***			0.25	U	U		0.25	U	U		23.00	E	R	D
HEXAHYDRO-1,3,5-TRINITRO-1,	340.00	E	R	D	***370.00***	***D***			0.25	U	U		0.25	U	U		200.00	E	R	D
1,3,5-TRINITROBENZENE	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		0.26		U	+
4-AMINO-2,6-DINITROTOLUENE	***1.30***		***J***	***S,*9***	5.00	U	R	D	0.25	U	U		0.25	U	U		***1.50***		***J***	***S,*9***
2-AMINO-4,6-DINITROTOLUENE	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		***1.80***		***J***	***S***
2,6-DINITROTOLUENE	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		***0.39***		***J***	***S,*9***
PICRIC ACID	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	UJ	S	5.00	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	UJ	S	10.00	U	R	D	0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C,S	5.00	U	R	D	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	UJ	S	200.00	U	R	D	10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	UJ	S	100.00	U	R	D	5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL31S				WL32S				WL32M				WL32D				WL33S			
LAB_EPA_NO	AA417DL				AA422				AA423				AA424				AA463			
Date Sampled	2/1/99				2/3/99				2/3/99				2/2/99				2/4/99			
Depth	98-103				146.5-151.5				161.5-171.5				181.5-186.5				146.5-151.5			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	***24.00***	***D***			0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	***210.00***	***D***			0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENI	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENI	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	3.80	U	R	D	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENI	7.50	U	R	D	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENI	3.80	U	R	D	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	150.00	U	R	D	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	75.00	U	R	D	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL33M				WL33M				WL33D				WL34M3				WL34M2			
LAB_EPA_NO	AA465				AA466				AA464				AA661				AA660			
Date Sampled	2/3/99				2/3/99				2/3/99				2/19/99				2/19/99			
Depth	161.5-171.5				161.5-171.5				181.5-186.5				34-44				55-65			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		***0.30***			
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		***6.20***			
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL34MI				WL35M3				WL35M2				WL35M2				WL35MI			
LAB_EPA_NO	AA659				AA665				AA663				AA664				AA662			
Date Sampled	2/19/99				2/22/99				2/22/99				2/22/99				2/19/99			
Depth	75-85				0-10				14-24				14-24				69-79			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL47D				WL05S				WL05D				WL05M2				WL07S			
LAB_EPA_NO	AA924				AA484				AA479				AA487				AA627			
Date Sampled	3/25/99				2/8/99				2/9/99				2/8/99				2/18/99			
Depth	100-110				0-10				220-225				95-100				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	*4
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	*4
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	*4
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	WL07M2				WL07D				WL07M1				WL08				SMR-2			
LAB_EPA_NO	AA623				AA621				AA625				AA721				AA917			
Date Sampled	2/24/99				2/19/99				2/23/99				2/24/99				3/25/99			
Depth	137-142				227-337				67-72				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	UJ	*4	0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	UJ	*4	0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	*4	0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C,*4	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP A: EXPLOSIVES (WATER)

LOCID	USFW228040				USFW241098															
LAB_EPA_NO	AA242				AA244				Intentionally blank				Intentionally blank				Intentionally blank			
Date Sampled	2/11/99				2/10/99															
Depth	20-20				42-45															
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U													
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U													
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U													
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U													
TETRYL	0.25	U	U		0.25	U	U													
NITROBENZENE	0.25	U	U		0.25	U	U													
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U													
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U													
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U													
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U													
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U													
PICRIC ACID	0.25	U	U		0.25	U	U													
2-NITROTOLUENE	0.25	U	U		0.25	U	U													
4-NITROTOLUENE	0.25	U	U		0.25	U	U													
3-NITROTOLUENE	0.25	U	U		0.25	U	U													
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U													
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C												
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U													
NITROGLYCERIN	5.00	U	U		5.00	U	U													

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL41M1				WL41M1				WL41M1				WL41M1				WL41M1			
LAB_EPA_NO	AA505				AA506				AA507				AA508				AA509			
Date Sampled	2/11/99				2/11/99				2/11/99				2/12/99				2/12/99			
Depth	135-135				135-135				141-141				151-151				161-161			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	1.70		U	+	0.25	U	U		0.25	U	U		0.87		U	+	0.70		U	+
1,3-DINITROBENZENE	7.00		U	+	0.25	U	U		0.25	U	U		0.75		U	+	1.20		U	+
TETRYL	***0.34***		***J***	***S***	***0.47***		***J***	***S***	0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.41		U	+	0.51		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	2.40		U	+	2.80		U	+	0.40		U	+	0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		12.00		U	+	22.00	E	U	+
2-NITROTOLUENE	0.27		U	+	0.39		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.99		U	+	1.10		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	2.90		U	+	3.10		U	+	0.99		U	+	0.62		U	+	0.74		U	+
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		18.00		U	+
NITROGLYCERIN	370.00		U	+	410.00	E	U	+	140.00		U	+	85.00		U	+	120.00		UJ	Q,+

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL41M1				WL41M1				WL41M1				WL41M1				WL41M1			
LAB_EPA_NO	AA510				AA511				AA512				AA513				AA514			
Date Sampled	2/12/99				2/12/99				2/16/99				2/16/99				2/16/99			
Depth	171-171				181-181				191-191				201-201				201-201			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.44		U	+	0.95		U	+	0.25	U	U		0.34		U	+	0.25	U	U	
1,3-DINITROBENZENE	1.00		U	+,$	1.20		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.29		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	15.00		U	+	19.00		U	+	0.89		U	+	2.30		U	+	0.89		U	+
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.36		U	+	0.45		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.68		U	+	0.64		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		11.00		U	+	10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	98.00		U	+	140.00		U	+	20.00		U	+	44.00		U	+	44.00		U	+

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL41MI				WL41MI				WL41MI				WL41MI				WL41MI			
LAB_EPA_NO	AA515				AA516				AA517				AA518				AA519			
Date Sampled	2/16/99				2/16/99				2/16/99				2/17/99				2/17/99			
Depth	211-211				221-221				231-231				241-241				253-253			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.55		U	+	0.90	P	U	+	0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.51		U	+	0.38	P	U	+	0.76	P	U	+
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.91		U	+	0.38	P	U	+	0.99		U	+
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	*4	0.25	U	UJ	*4
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		***0.40***		***J***	***S***	***0.61***	***P***	***J***	***S***	0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		***0.53***	***P***	***J***	***S***	0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.54		U	+	3.00		U	+	11.00		U	+	0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		1.50		U	+	0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		1.80		U	+	0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		44.00		U	+	280.00		U	+	370.00	P	U	+	46.00	P	U	+

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL42M3				WL42M3				WL42M3				WL42M3				WL42M3			
LAB_EPA_NO	AA546				AA547				AA548				AA549				AA564			
Date Sampled	2/12/99				2/12/99				2/12/99				2/12/99				2/12/99			
Depth	100-100				110-110				120-120				130-130				130-130			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.65		U	+	0.50		U	+	0.48		U	+	0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.67		U	+	0.25	U	U		0.56		U	+	0.34		U	+	0.25	U	U	
2,6-DINITROTOLUENE	***0.79***		***J***	***S***	0.25	U	U		***0.61***		***J***	***S***	***0.30***		***J***	***S***	0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.48		U	+	0.25	U	U		0.34		U	+	0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.64		U	+	0.33		U	+	0.64		U	+	0.38		U	+	0.52		U	+
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	80.00		U	+	24.00		U	+	76.00		U	+	56.00		U	+	49.00		U	+
NITROGLYCERIN	180.00		U	+	91.00		U	+	160.00		U	+	80.00		U	+	61.00		U	+

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL42M3				WL42M3				WL42M3				WL42M3				WL42M3			
LAB_EPA_NO	AA550				AA551				AA552				AA553				AA554			
Date Sampled	2/12/99				2/12/99				2/16/99				2/16/99				2/17/99			
Depth	140-140				150-150				160-160				170-170				180-180			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANIT	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.27		U	+	0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	*4
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.40		U	+	0.47		U	+	0.79		U	+	0.67		U	+	0.25	U	U	
2,6-DINITROTOLUENE	***0.53***		***J***	***S***	***0.57***		***J***	***S***	***0.96***		***J***	***S***	***0.95***		***J***	***S***	0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.31		U	+	0.36		U	+	0.50		U	+	0.45		U	+	0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.35		U	+	0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.34		U	+	0.25	U	U		0.54		U	+	0.26		U	+	0.26	P	U	+
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	48.00		U	+	38.00		U	+	49.00		U	+	10.00	U	U		10.00	U	U	
NITROGLYCERIN	94.00		U	+	120.00		U	+	140.00		U	+	100.00		U	+	46.00		U	+

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL42M3				WL42M3				WL42M3				WL42M3				WL42M3			
LAB_EPA_NO	AA555				AA556				AA557				AA558				AA559			
Date Sampled	2/17/99				2/17/99				2/17/99				2/17/99				2/17/99			
Depth	190-190				200-200				210-210				220-220				230-230			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESUET	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANIT	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	JP	U	+,$	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	1.10	P	U	+	0.25	U	U		0.48		U	+	0.46	P	U	+	0.25	U	U	
3-NITROTOLUENE	1.80	P	U	+	0.25	U	U		0.48	P	U	+	1.10	P	U	+	0.28	P	U	+
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	UJ	Q	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	R	Q	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANIT	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL42M3				WL42M3				WL43M1				WL43M1				WL43M1			
LAB_EPA_NO	AA544				AA545				AA429				AA430				AA431			
Date Sampled	2/12/99				2/12/99				2/4/99				2/4/99				2/4/99			
Depth	80-80				90-90				130-130				130-130				145-145			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	3.50		U	+	3.00		U	+	0.25	U	U		0.48		U	+	0.25	U	U	
1,3-DINITROBENZENE	1.20		U	+	0.36		U	+	0.25	U	U		1.00		U	+	0.93		U	+
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.90		U	+	0.44		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	1.70		U	+	0.56		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	***1.90***		***J***	***S***	***0.59***		***J***	***S***	0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	3.10		U	+	0.38		U	+	9.40		U	+	12.00		U	+	5.20		U	+
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.65		U	+	0.40		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	***6.30***		***J***	***S***	1.20		U	+	0.88		U	+	0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	610.00	E	U	+	69.00		U	+	10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	630.00	E	U	+	250.00		U	+	72.00		U	+	5.00	U	U		150.00		U	+

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL43M1				WL43M1				WL43M1				WL43M1				WL43M1			
LAB_EPA_NO	AA432				AA435				AA436				AA437				AA438			
Date Sampled	2/4/99				2/8/99				2/8/99				2/8/99				2/8/99			
Depth	155-155				185-185				195-195				205-205				215-215			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.50		U	+	0.25	U	U		0.28		U	+
1,3,5-TRINITROBENZENE	0.25	U	U		0.28		U	+	0.25	U	U		0.28		U	+	0.25	U	U	
1,3-DINITROBENZENE	0.75		U	+	0.25		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	4.30		U	+	3.00		U	+	1.20		U	+	0.79		U	+	1.50		U	+
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	97.00		U	+	48.00		U	+	14.00		U	+	13.00		U	+	36.00		U	+

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL43M1				WL43M1				WL43M1				WL43M1				WL43M1			
LAB_EPA_NO	AA439				AA440				AA441				AA442				AA443			
Date Sampled	2/9/99				2/9/99				2/9/99				2/9/99				2/9/99			
Depth	225-225				235-235				245-245				255-255				265-265			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.55		U	+	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	8.20		U	+	13.00		U	+	5.00	U	U		5.00	U	U		19.00		U	+

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL43M1				WL46M1				WL46M1				WL46M1				WL46M1			
LAB_EPA_NO	AA444				AA591				AA592				AA593				AA594			
Date Sampled	2/9/99				2/18/99				2/19/99				2/19/99				2/19/99			
Depth	275-275				158-160				175-180				175-180				185-190			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.44		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	UJ	*4	0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	UJ	C	0.25	U	UJ	*4	0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.77		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.55		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	UJ	*4	0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	***0.50***		***J***	***C,S,*9***	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		13.00		U	+	10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		110.00		U	+	5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL46M1				WL46M1				WL46D				WL46D				WL50D			
LAB_EPA_NO	AA595				AA596				AA235				AA238				AA069			
Date Sampled	2/19/99				2/19/99				1/28/99				2/2/99				2/1/99			
Depth	195-200				225-230				367-367				397-397				123-123			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		1.40		U	+	0.25	U	U		0.34		U	+
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		1.70		U	+
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL50D				WL50D				WL50D				WL50D				WL50D			
LAB_EPA_NO	AA070				AA414				AA071				AA072				AA073			
Date Sampled	2/1/99				2/1/99				2/2/99				2/2/99				2/2/99			
Depth	130-135				130-135				140-145				150-155				160-165			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL50D				WL50D				WL50D				WL50D				WL50D			
LAB_EPA_NO	AA074				AA075				AA076				AA077				AA078			
Date Sampled	2/2/99				2/2/99				2/3/99				2/3/99				2/3/99			
Depth	170-175				180-185				190-195				200-205				210-215			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		***2.80***				***4.80***			
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		***1.00***			
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	UJ	Q	0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL50D				WL50D				WL50D				WL50D				WL51D			
LAB_EPA_NO	AA079				AA080				AA081				AA082				AA110			
Date Sampled	2/3/99				2/3/99				2/4/99				2/4/99				1/28/99			
Depth	220-225				230-235				240-245				250-255				300-305			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
HEXAHYDRO-1,3,5-TRINITRO-1,	***3.90***				0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
4-AMINO-2,6-DINITROTOLUENE	***0.34***		***J***	****9***	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	C
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	UJ	C
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	C

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL51D				WL52M1				WL52M1				WL52M1				WL52M1			
LAB_EPA_NO	AA111				AA529				AA530				AA531				AA534			
Date Sampled	1/28/99				2/11/99				2/12/99				2/12/99				2/12/99			
Depth	310-315				150-150				160-165				180-185				180-185			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	UJ	C	1.20		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	UJ	C	0.36		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
TETRYL	0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	UJ	C	0.36		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	UJ	C	1.70		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
PICRIC ACID	0.25	U	U		2.90		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	UJ	C	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C
PENTAERYTHRITOL TETRANITI	10.00	U	UJ	C	10.00	U	UJ	Q	10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL52M1				WL52D				WL52D				WL54D				WL55D			
LAB_EPA_NO	AA532				AA035				AA036				AA630				AA673			
Date Sampled	2/16/99				1/28/99				1/28/99				2/22/99				2/22/99			
Depth	190-195				360-365				374-379				155-157				135-137			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.37		U	+	0.96		UJ	S,+
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
TETRYL	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.43		U	+	0.34		UJ	S,+
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	S
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	C	0.25	U	U		0.25	U	UJ	S
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	UJ	S
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C,S
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	UJ	C	10.00	U	U		10.00	U	UJ	S
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	U		5.00	U	UJ	S

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL55D				WL55D				WL55D				WL59M1				WL59M1			
LAB_EPA_NO	AA674				AA676				AA679				AA599				AA599DL			
Date Sampled	2/22/99				2/22/99				2/23/99				2/22/99				2/22/99			
Depth	145-145				155-155				180-185				135-135				135-135			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	UJ	S	***0.62***		***J***	***S,*9***	0.75	U	R	D
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	UJ	S	0.60		U	+	0.98	D	R	D
1,3,5-TRINITROBENZENE	0.66		U	+	0.25	U	U		0.25	U	UJ	S	2.00		U	+	2.00	D	R	D
1,3-DINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	UJ	S,*4	2.80		U	+	2.90	D	R	D
TETRYL	0.25	U	U		0.25	U	U		0.25	U	UJ	S	0.25	U	U		0.75	U	R	D
NITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	UJ	S,*4	0.25	U	U		0.75	U	R	D
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	S	46.00	E	R	D	***47.00***	***D***	***J***	***S***
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	S	0.25	U	U		0.75	U	R	D
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	S	0.25	U	U		0.75	U	R	D
2,6-DINITROTOLUENE	0.25	J	U	+	0.25	U	U		0.25	U	UJ	S	1.70		U	+	1.70	D	R	D
2,4-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	S,*4	0.25	U	U		0.75	U	R	D
PICRIC ACID	0.28		U	+	0.25	U	U		0.25	U	UJ	S	5.40		U	+	5.20	D	R	D
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	S	0.25	U	U		0.75	U	R	D
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	S	0.76		U	+	0.75	U	R	D
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	UJ	S	3.20		U	+	0.75	U	R	D
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	UJ	S	0.50	U	U		1.50	U	R	D
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C	0.25	U	UJ	C	0.25	U	UJ	C,S,*4	0.25	U	UJ	C	0.75	U	R	D
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	UJ	S	10.00	U	U		30.00	U	R	D
NITROGLYCERIN	5.00	U	U		5.00	U	U		5.00	U	UJ	S	170.00		U	+	160.00	D	R	D

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL59M1				WL59M1				WL59M1				WL59M1				WL59M1			
LAB_EPA_NO	AA600				AA601				AA602				AA603				AA604			
Date Sampled	2/23/99				2/23/99				2/23/99				2/23/99				2/23/99			
Depth	146-146				146-146				156-156				166-166				176-176			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.27		U	+	0.28		U	+	0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.75		UJ	*4,+	0.69		UJ	*4,+	0.25	U	UJ	*4	0.25	U	UJ	*4	0.31		UJ	*4,+
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
NITROBENZENE	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4
2,4,6-TRINITROTOLUENE	***2.90***		***J***	****9***	***2.60***		***J***	****9***	***19.00***				***0.95***		***J***	****9***	0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		***0.30***				0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	UJ	*4,+	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C,*4	0.25	U	UJ	C,*4	0.25	U	UJ	C,*4	0.25	U	UJ	C,*4	0.25	U	UJ	C,*4
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	41.00		U	+	40.00		U	+	11.00		U	+	21.00		U	+	33.00		U	+

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL59M1				WL59M1				WL59M1				WL59M1				WL59M1			
LAB_EPA_NO	AA605				AA606				AA607				AA608				AA609			
Date Sampled	2/23/99				2/23/99				2/23/99				2/23/99				2/23/99			
Depth	186-186				196-196				196-196				206-206				216-216			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3,5-TRINITROBENZENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
1,3-DINITROBENZENE	0.25	U	UJ	*4	0.34		UJ	*4,+	0.29		UJ	*4,+	0.25	J	UJ	*4,+	0.25	U	UJ	*4
TETRYL	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	UJ	*4
NITROBENZENE	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	U	
2,4,6-TRINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DINITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,4-DINITROTOLUENE	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4	0.25	U	UJ	*4
PICRIC ACID	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
4-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
3-NITROTOLUENE	0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U		0.25	U	U	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C,*4	0.25	U	UJ	C,*4	0.25	U	UJ	C,*4	0.25	U	UJ	C,*4	0.25	U	UJ	C,*4
PENTAERYTHRITOL TETRANITI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
NITROGLYCERIN	17.00		U	+	54.00		U	+	42.00		U	+	38.00		U	+	18.00		U	+

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP B: EXPLOSIVES (PROFILE)

LOCID	WL59M1				Intentionally blank				Intentionally blank				Intentionally blank				Intentionally blank			
LAB_EPA_NO	AA610																			
Date Sampled	2/23/99																			
Depth	226-226																			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/L)																				
OCTAHYDRO-1,3,5,7-TETRANITI	0.25	U	U																	
HEXAHYDRO-1,3,5-TRINITRO-1,	0.25	U	U																	
1,3,5-TRINITROBENZENE	0.25	U	U																	
1,3-DINITROBENZENE	0.25	J	UJ	*4,+																
TETRYL	0.25	U	U																	
NITROBENZENE	0.25	U	UJ	*4																
2,4,6-TRINITROTOLUENE	0.25	U	U																	
4-AMINO-2,6-DINITROTOLUENE	0.25	U	U																	
2-AMINO-4,6-DINITROTOLUENE	0.25	U	U																	
2,6-DINITROTOLUENE	0.25	U	U																	
2,4-DINITROTOLUENE	0.25	U	UJ	*4																
PICRIC ACID	0.25	U	U																	
2-NITROTOLUENE	0.25	U	U																	
4-NITROTOLUENE	0.25	U	U																	
3-NITROTOLUENE	0.25	U	U																	
2,6-DIAMINO-4-NITROTOLUENE	0.50	U	U																	
2,4-DIAMINO-6-NITROTOLUENE	0.25	U	UJ	C,*4																
PENTAERYTHRITOL TETRANITI	10.00	U	U																	
NITROGLYCERIN	29.00		U	+																

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP C: EXPLOSIVES (SOIL)

LOCID	BRICKPIT1				BRICKPIT1				BRICKPIT2				BRICKPIT2							
LAB_EPA_NO	AA727				AA728				AA729				AA730				Intentionally blank			
Date Sampled	2/24/99				2/24/99				2/24/99				2/24/99							
Depth	0-0				0-0				0-0				0-0							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8330N (UG/KG)																				
OCTAHYDRO-1,3,5,7-TETRANITI	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
HEXAHYDRO-1,3,5-TRINITRO-1,	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
1,3,5-TRINITROBENZENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
1,3-DINITROBENZENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
TETRYL	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
NITROBENZENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
2,4,6-TRINITROTOLUENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
4-AMINO-2,6-DINITROTOLUENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
2-AMINO-4,6-DINITROTOLUENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
2,6-DINITROTOLUENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
2,4-DINITROTOLUENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
PICRIC ACID	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
2-NITROTOLUENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
4-NITROTOLUENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
3-NITROTOLUENE	120.00	U	U		120.00	U	U		120.00	U	U		120.00	U	U					
2,6-DIAMINO-4-NITROTOLUENE	250.00	U	U		250.00	U	U		250.00	U	U		250.00	U	U					
2,4-DIAMINO-6-NITROTOLUENE	120.00	U	UJ	C	120.00	U	UJ	C	120.00	U	UJ	C	120.00	U	UJ	C				
PENTAERYTHRITOL TETRANITI	5000.00	U	U		5000.00	U	U		5000.00	U	U		5000.00	U	U					
NITROGLYCERIN	2500.00	U	U		2500.00	U	U		2500.00	U	U		2500.00	U	U					

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	03MW0060				28MW0106				28MW0106				LRMW9515				95-6			
LAB_EPA_NO	AA579				AA910				AA910RE				AA205				AA203			
Date Sampled	2/18/99				3/23/99				3/23/99				3/24/99				3/24/99			
Depth	35-40				0-10				0-10				80-92				62-74			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	9.20	U	U		9.80	U	U						9.80	U	U		9.70	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	U		0.50	U	UJ	C	0.50	U	R	D	0.50	U	UJ	C	0.50	U	UJ	C
OC21V (UG/L)																				
CHLOROMETHANE					1.00	U	U						1.00	U	U		1.00	U	U	
VINYL CHLORIDE					1.00	U	U						1.00	U	U		1.00	U	U	
BROMOMETHANE					1.00	U	U						1.00	U	U		1.00	U	U	
CHLOROETHANE					***1.00***								1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE					1.00	U	U						1.00	U	U		1.00	U	U	
ACETONE					5.00	U	U						5.00	U	U		5.00	U	U	
CARBON DISULFIDE					1.00	U	U						1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE					2.00	U	U						2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE					1.00	U	U						1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE					1.00	U	U						1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE					1.00	U	U						1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU					5.00	U	U						5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE					1.00	U	U						1.00	U	U		1.00	U	U	
CHLOROFORM					1.00	U	U						***3.00***				***1.00***			
1,1,1-TRICHLOROETHANE					1.00	U	U						1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE					1.00	U	U						1.00	U	U		1.00	U	U	
BENZENE					1.00	U	U						1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE					1.00	U	U						1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)					1.00	U	U						1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE					1.00	U	U						1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE					1.00	U	U						1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID		28MW0106		LRMW9515	95-6
LAB_EPA_NO	AA579	AA910	AA910RE	AA205	AA203
Date Sampled		3/23/99		3/24/99	3/24/99
Depth		0-10		80-92	62-74

Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE					1.00	U	U						1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4					5.00	U	U						5.00	U	U		5.00	U	U	
TOLUENE					1.00	U	U						1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE					1.00	U	U						1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE					1.00	U	U						1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE					1.00	U	U						1.00	U	U		1.00	U	U	
2-HEXANONE					5.00	U	U						5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE					1.00	U	U						1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE					1.00	U	U						1.00	U	U		1.00	U	U	
CHLOROBENZENE					1.00	U	U						1.00	U	U		1.00	U	U	
ETHYLBENZENE					1.00	U	U						1.00	U	U		1.00	U	U	
XYLENES, TOTAL					1.00	U	U						1.00	U	U		1.00	U	U	
STYRENE					1.00	U	U						1.00	U	U		1.00	U	U	
BROMOFORM					1.00	U	U						1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE					1.00	U	U						1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE					1.00	U	U						1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE					1.00	U	U						1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE					1.00	U	U						1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA					1.00	U	U						1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE					1.00	U	U						1.00	U	U		1.00	U	U	
VINYL ACETATE					1.00	U	U						1.00	U	U		1.00	U	U	
DIBROMOMETHANE					1.00	U	U						1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER					1.00	U	U						1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	LRMW0003				WL01S				WL01D				WL01MI				WL01MI			
LAB_EPA_NO	AA916				AA495				AA500				AA715				AA716			
Date Sampled	3/25/99				2/22/99				2/8/99				2/24/99				2/24/99			
Depth	73-83				0-10				174-184				60-65				60-65			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	9.20	U	U		11.00	U	U		9.40	U	U		9.50	U	U		9.80	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	UJ	C	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	R	R	5.00	U	U		5.00	U	R	R	5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***0.30***	***J***	***J***		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	***2.00***				1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	LRMW0003				WL01S				WL01D				WL01MI				WL01MI			
LAB_EPA_NO	AA916				AA495				AA500				AA715				AA716			
Date Sampled	3/25/99				2/22/99				2/8/99				2/24/99				2/24/99			
Depth	73-83				0-10				174-184				60-65				60-65			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL10S				WL10M				WL10D				WL13S				WL13D			
LAB_EPA_NO	AA571				AA569				AA567				AA832				AA828			
Date Sampled	2/23/99				2/23/99				2/12/99				3/11/99				3/11/99			
Depth	0-10				135-140				177-187				0-10				140-145			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	9.50	U	U		9.80	U	U		9.60	U	U		9.80	U	U		10.00	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		***2.00***				1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***0.80***	***J***	***J***		1.00	U	U		1.00	U	U		***2.00***				1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL10S				WL10M				WL10D				WL13S				WL13D			
LAB_EPA_NO	AA571				AA569				AA567				AA832				AA828			
Date Sampled	2/23/99				2/23/99				2/12/99				3/11/99				3/11/99			
Depth	0-10				135-140				177-187				0-10				140-145			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL13D				WL16S				WL17S				WL17D				WL17D			
LAB_EPA_NO	AA829				AA803				AA840				AA836				AA837			
Date Sampled	3/11/99				3/10/99				3/11/99				3/11/99				3/11/99			
Depth	140-145				0-10				0-10				197-207				197-207			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	9.70	U	U		9.60	U	U		9.40	U	U		9.60	U	U		9.80	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		1.00	U	U		***0.40***	***J***	***J***		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL13D				WL16S				WL17S				WL17D				WL17D			
LAB_EPA_NO	AA829				AA803				AA840				AA836				AA837			
Date Sampled	3/11/99				3/10/99				3/11/99				3/11/99				3/11/99			
Depth	140-145				0-10				0-10				197-207				197-207			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4-	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL18S				WL18M2				WL18M2				WL18M1				WL18D			
LAB_EPA_NO	AA847				AA855				AA856				AA849				AA857			
Date Sampled	3/12/99				3/16/99				3/16/99				3/12/99				3/16/99			
Depth	0-10				170-175				170-175				178-183				223-233			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	9.30	U	U						9.40	U	U		9.40	U	U		9.50	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	U						0.50	U	U		0.50	U	U		0.50	U	U	
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		5 00	U	U		5.00	U	U		***3.00***	***J***	***J***	***F***
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***2.00***				1.00	U	U		***2.00***				***0.50***	***J***	***J***		***0.70***	***J***	***J***	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	UJ	C
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		***4.00***				1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL18S				WL18M2				WL18M2				WL18M1				WL18D			
LAB_EPA_NO	AA847				AA855				AA856				AA849				AA857			
Date Sampled	3/12/99				3/16/99				3/16/99				3/12/99				3/16/99			
Depth	0-10				170-175				170-175				178-183				223-233			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		*0.80*	*J*	*J*		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL19S				WL19D				WL20				WL21S				WL21D			
LAB_EPA_NO	AA539				AA537				AA574				AA886				AA884			
Date Sampled	2/12/99				2/11/99				2/12/99				3/19/99				3/19/99			
Depth	0-10				251-256				0-10				0-10				130-140			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	9.60	U	U		9.90	U	U		9.50	U	U		9.50	U	U		9.90	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		***0.40***	***J***	***J***		1.00	U	U		***1.00***				***0.80***	***J***	***J***	
1,1,1-TRICHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL19S				WL19D				WL20				WL21S				WL21D			
LAB_EPA_NO	AA539				AA537				AA574				AA886				AA884			
Date Sampled	2/12/99				2/11/99				2/12/99				3/19/99				3/19/99			
Depth	0-10				251-256				0-10				0-10				130-140			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	***0.30***	***J***	***J***		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL22				WL23S				WL23D				WL23D				WL23M3			
LAB_EPA_NO	AA845				AA851				AA858				AA859				AA863			
Date Sampled	3/12/99				3/12/99				3/17/99				3/17/99				3/17/99			
Depth	0-10				0-10				146-156				146-156				153-163			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	9.40	U	U		9.70	U	U		10.00	U	U		9.60	U	U		10.00	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		***3.00***	***J***	***J***	***F***	5.00	U	U		***3.00***	***J***	***J***		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***4.00***				***0.70***	***J***	***J***		***0.40***	***J***	***J***		***0.40***	***J***	***J***		***1.00***			
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL22				WL23S				WL23D				WL23D				WL23M3			
LAB_EPA_NO	AA845				AA851				AA858				AA859				AA863			
Date Sampled	3/12/99				3/12/99				3/17/99				3/17/99				3/17/99			
Depth	0-10				0-10				146-156				146-156				153-163			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL23M2				WL23M1				WL23M1				WL24				WL25			
LAB_EPA_NO	AA862				AA860				AA861				AA887				AA852			
Date Sampled	3/18/99				3/18/99				3/18/99				3/22/99				3/17/99			
Depth	63-73				99-109				99-109				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	10.00	U	U		10.00	U	U		10.00	U	U		9.50	U	U		9.60	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***1.00***				1.00	U	U		1.00	U	U		***1.00***				1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	UJ	C
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL23M2				WL23MI				WL23MI				WL24				WL25			
LAB_EPA_NO	AA862				AA860				AA861				AA887				AA852			
Date Sampled	3/18/99				3/18/99				3/18/99				3/22/99				3/17/99			
Depth	63-73				99-109				99-109				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL26				WL27				WL28				WL29				WL47D			
LAB_EPA_NO	AA853				AA868				AA869				AA888				AA924			
Date Sampled	3/17/99				3/18/99				3/19/99				3/22/99				3/25/99			
Depth	0-10				0-10				0-10				0-10				100-110			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	9.60	U	U		9.60	U	U		9.80	U	U		9.70	U	U		9.60	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	UJ	C
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		***3.00***	***J***	***J***	***F,R***
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		***0.80***	***J***	***J***	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	UJ	C
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL26				WL27				WL28				WL29				WL47D			
LAB_EPA_NO	AA853				AA868				AA869				AA888				AA924			
Date Sampled	3/17/99				3/18/99				3/19/99				3/22/99				3/25/99			
Depth	0-10				0-10				0-10				0-10				100-110			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL05S				WL05D				WL05M2				WL07S				WL07M2			
LAB_EPA_NO	AA484				AA479				AA487				AA627				AA623			
Date Sampled	2/8/99				2/9/99				2/8/99				2/18/99				2/24/99			
Depth	0-10				220-225				95-100				0-10				137-142			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	9.80	U	U		9.40	U	U		9.80	U	U		9.60	U	U		10.00	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	UJ	S
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	R	R	5.00	U	R	R	5.00	U	R	R	5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		***2.00***				1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		***0.70***	***J***	***J***		***0.60***	***J***	***J***		***0.70***	***J***	***J***		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL05S				WL05D				WL05M2				WL07S				WL07M2			
LAB_EPA_NO	AA484				AA479				AA487				AA627				AA623			
Date Sampled	2/8/99				2/9/99				2/8/99				2/18/99				2/24/99			
Depth	0-10				220-225				95-100				0-10				137-142			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		***0.40***	***J***	***J***		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2a

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	WL07M2				WL07D				WL07M1				WL08				SMR-2			
LAB_EPA_NO	AA623RE				AA621				AA625				AA721				AA917			
Date Sampled	2/24/99				2/19/99				2/23/99				2/24/99				3/25/99			
Depth	137-142				227-337				67-72				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE					9.40	U	U		9.80	U	U		9.60	U	U		9.70	U	U	
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	R	D	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	UJ	C
OC21V (UG/L)																				
CHLOROMETHANE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE					5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	R
CARBON DISULFIDE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE					2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU					5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM					1.00	U	U		1.00	U	U		1.00	U	U		***0.60***	***J***	***J***	
1,1,1-TRICHLOROETHANE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	C
TRICHLOROETHYLENE (TCE)					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE					1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID		WL07D				WL07MI				WL08				SMR-2			
LAB_EPA_NO	AA623RE	AA621				AA625				AA721				AA917			
Date Sampled		2/19/99				2/23/99				2/24/99				3/25/99			
Depth		227-337				67-72				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																	
CIS-1,3-DICHLOROPROPENE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2-TRICHLOROETHANE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	USFW228040				USFW241098				Intentionally blank				Intentionally blank				Intentionally blank			
LAB_EPA_NO	AA242				AA244															
Date Sampled	2/11/99				2/10/99															
Depth	20-20				42-45															
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
504 (NG/L)																				
1,2-DIBROMOETHANE (ETHYLE	9.90	U	U		9.90	U	U													
8021W (UG/L)																				
TERT-BUTYL METHYL ETHER	0.50	U	U		0.50	U	U													
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U													
VINYL CHLORIDE	1.00	U	U		1.00	U	U													
BROMOMETHANE	1.00	U	U		1.00	U	U													
CHLOROETHANE	1.00	U	U		1.00	U	U													
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U													
ACETONE	5.00	U	U		5.00	U	U													
CARBON DISULFIDE	1.00	U	U		1.00	U	U													
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U													
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U													
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U													
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U													
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U													
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U													
CHLOROFORM	***0.60***	***J***	***J***		1.00	U	U													
1,1,1-TRICHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C												
CARBON TETRACHLORIDE	1.00	U	UJ	C	1.00	U	UJ	C												
BENZENE	1.00	U	U		1.00	U	U													
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U													
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U													
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U													
BROMODICHLOROMETHANE	1.00	U	UJ	C	1.00	U	UJ	C												

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP D: VOLATILES (WATER)

LOCID	USFW228040				USFW241098											
LAB_EPA_NO	AA242				AA244				Intentionally blank				Intentionally blank				Intentionally blank			
Date Sampled	2/11/99				2/10/99															
Depth	20-20				42-45															
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
CIS-1,3-DICHLOROPROPENE	1.00	U	UJ	C	1.00	U	UJ	C												
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U													
TOLUENE	1.00	U	U		1.00	U	U													
TRANS-1,3-DICHLOROPROPENE	1.00	U	UJ	C	1.00	U	UJ	C												
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U													
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U													
2-HEXANONE	5.00	U	UJ	C	5.00	U	UJ	C												
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U													
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U													
CHLOROBENZENE	1.00	U	U		1.00	U	U													
ETHYLBENZENE	1.00	U	U		1.00	U	U													
XYLENES, TOTAL	1.00	U	U		1.00	U	U													
STYRENE	1.00	U	U		1.00	U	U													
BROMOFORM	1.00	U	U		1.00	U	U													
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U													
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U													
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U													
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U													
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U													
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U													
VINYL ACETATE	1.00	U	U		1.00	U	U													
DIBROMOMETHANE	1.00	U	U		1.00	U	U													
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U													

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL41M1				WL41M1				WL41M1				WL41M1				WL41M1			
LAB_EPA_NO	AA505				AA506				AA507				AA508				AA509			
Date Sampled	2/11/99				2/11/99				2/11/99				2/12/99				2/12/99			
Depth	135-135				135-135				141-141				151-151				161-161			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	***33.00***		***J***	***F***	***34.00***		***J***	***F***	***42.00***		***J***	***F***	***15.00***		***J***	***F***	***46.00***		***J***	***F***
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	***9.00***				***9.00***				***15.00***				***6.00***				***8.00***			
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	***0.30***	***J***	***J***		***0.30***	***J***	***J***		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL41MI				WL41MI				WL41MI				WL41MI				WL41MI			
LAB_EPA_NO	AA505				AA506				AA507				AA508				AA509			
Date Sampled	2/11/99				2/11/99				2/11/99				2/12/99				2/12/99			
Depth	135-135				135-135				141-141				151-151				161-161			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		***0.30***	***J***	***J***	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL41M1				WL41M1				WL41M1				WL41M1				WL41M1			
LAB_EPA_NO	AA510				AA511				AA512				AA513				AA514			
Date Sampled	2/12/99				2/12/99				2/16/99				2/16/99				2/16/99			
Depth	171-171				181-181				191-191				201-201				201-201			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	***20.00***		***J***	***F***	***35.00***		***J***	***F***	***10.00***		***J***	***F***	***9.00***		***J***	***F***	***10.00***		***J***	***F***
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	***8.00***				***11.00***				5.00	U	U		***4.00***	***J***	***J***		***4.00***	***J***	***J***	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL41M1				WL41M1				WL41M1				WL41M1				WL41M1			
LAB_EPA_NO	AA510				AA511				AA512				AA513				AA514			
Date Sampled	2/12/99				2/12/99				2/16/99				2/16/99				2/16/99			
Depth	171-171				181-181				191-191				201-201				201-201			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

OEES Technical Information Systems RGEN Ver 2u

Depths are measured in feet below the ground surface.

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL41M1				WL41M1				WL41M1				WL41M1				WL41M1			
LAB_EPA_NO	AA515				AA516				AA517				AA518				AA519			
Date Sampled	2/16/99				2/16/99				2/16/99				2/17/99				2/17/99			
Depth	211-211				221-221				231-231				241-241				253-253			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		***0.60***	***J***	***J***		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	***6.00***		***J***	***F***	***15.00***		***J***	***F***	***26.00***		***J***	***F***	***26.00***				***56.00***			
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		***5.00***				***6.00***				***7.00***				5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL41M1				WL41M1				WL41M1				WL41M1				WL41M1			
LAB_EPA_NO	AA515				AA516				AA517				AA518				AA519			
Date Sampled	2/16/99				2/16/99				2/16/99				2/17/99				2/17/99			
Depth	211-211				221-221				231-231				241-241				253-253			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL42M3				WL42M3				WL42M3				WL42M3				WL42M3			
LAB_EPA_NO	AA546				AA547				AA548				AA549				AA564			
Date Sampled	2/12/99				2/12/99				2/12/99				2/12/99				2/12/99			
Depth	100-100				110-110				120-120				130-130				130-130			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	***0.80***	***J***	***J***		***1.00***				***1.00***				1.00	U	U		1.00	U	UJ	*8
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		***6.00***				5.00	U	U		5.00	U	UJ	*8
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	***3.00***	***J***	***J***		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	*8
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***0.90***	***J***	***J***		***1.00***				***1.00***				***2.00***				***2.00***			
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

L	LOCID	WL42M3				WL42M3				WL42M3				WL42M3				WL42M3			
L	LAB_EPA_NO	AA546				AA547				AA548				AA549				AA564			
D	Date Sampled	2/12/99				2/12/99				2/12/99				2/12/99				2/12/99			
D	Depth	100-100				110-110				120-120				130-130				130-130			
M	*Method* Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
O	***OC21V (UG/L) Continued***																				
	1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	2-HEXANONE	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	U		5.00	U	UJ	C
	DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
	2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

D Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL42M3				WL42M3				WL42M3				WL42M3				WL42M3			
LAB_EPA_NO	AA550				AA551				AA552				AA553				AA554			
Date Sampled	2/12/99				2/12/99				2/16/99				2/16/99				2/17/99			
Depth	140-140				150-150				160-160				170-170				180-180			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	***4.00***				***4.00***		***J***	****8***	***0.80***	***J***	***J***		***0.40***	***J***	***J***		***0.80***	***J***	***J***	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	***10.00***				***14.00***		***J***	****8***	5.00	U	U		5.00	U	U		***9.00***			
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		***5.00***		***J***	****8***	5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***1.00***				***1.00***				1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	C
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL42M3				WL42M3				WL42M3				WL42M3				WL42M3			
LAB_EPA_NO	AA550				AA551				AA552				AA553				AA554			
Date Sampled	2/12/99				2/12/99				2/16/99				2/16/99				2/17/99			
Depth	140-140				150-150				160-160				170-170				180-180			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	UJ	C
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

1 Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL42M3				WL42M3				WL42M3				WL42M3				WL42M3			
LAB_EPA_NO	AA555				AA556				AA557				AA558				AA559			
Date Sampled	2/17/99				2/17/99				2/17/99				2/17/99				2/17/99			
Depth	190-190				200-200				210-210				220-220				230-230			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		***3.00***				***1.00***				***0.60***	***J***	***J***	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
CARBON TETRACHLORIDE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL42M3				WL42M3				WL42M3				WL42M3				WL42M3			
LAB_EPA_NO	AA555				AA556				AA557				AA558				AA559			
Date Sampled	2/17/99				2/17/99				2/17/99				2/17/99				2/17/99			
Depth	190-190				200-200				210-210				220-220				230-230			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL42M3				WL42M3				WL43M1				WL43M1				WL43M1			
LAB_EPA_NO	AA544				AA545				AA429				AA430				AA431			
Date Sampled	2/12/99				2/12/99				2/4/99				2/4/99				2/4/99			
Depth	80-80				90-90				130-130				130-130				145-145			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	***1.00***				***3.00***				1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	***13.00***				***9.00***				***10.00***		***J***	***C,R***	***10.00***		***J***	***C,R***	***18.00***		***J***	***C,R***
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	***6.00***				***4.00***	***J***	***J***		***4.00***	***J***	***J***		***3.00***	***J***	***J***		***6.00***			
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***1.00***				***0.80***	***J***	***J***		***2.00***				***2.00***				1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL42M3				WL42M3				WL43M1				WL43M1				WL43M1			
LAB_EPA_NO	AA544				AA545				AA429				AA430				AA431			
Date Sampled	2/12/99				2/12/99				2/4/99				2/4/99				2/4/99			
Depth	80-80				90-90				130-130				130-130				145-145			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

1 Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL43M1				WL43M1				WL43M1				WL43M1				WL43M1			
LAB_EPA_NO	AA432				AA435				AA436				AA437				AA438			
Date Sampled	2/4/99				2/8/99				2/8/99				2/8/99				2/8/99			
Depth	155-155				185-185				195-195				205-205				215-215			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	***22.00***		***J***	***C,R***	***18.00***		***J***	***F,R***	***8.00***		***J***	***F,R***	***5.00***		***J***	***F,R***	***16.00***		***J***	***F,R***
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	***6.00***				5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL43M1	WL43M1	WL43M1	WL43M1	WL43M1
LAB_EPA_NO	AA432	AA435	AA436	AA437	AA438
Date Sampled	2/4/99	2/8/99	2/8/99	2/8/99	2/8/99
Depth	155-155	185-185	195-195	205-205	215-215
Method Analyte	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE
OC21V (UG/L) Continued					
1,1,2-TRICHLOROETHANE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
TETRACHLOROETHYLENE(PCE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
2-HEXANONE	5.00 U U	5.00 U U	5.00 U U	5.00 U U	5.00 U U
DIBROMOCHLOROMETHANE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,2-DIBROMOETHANE (ETHYLE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
CHLOROBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
ETHYLBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
XYLENES, TOTAL	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
STYRENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
BROMOFORM	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,1,2,2-TETRACHLOROETHANE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,3-DICHLOROBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,4-DICHLOROBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,2-DICHLOROBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,2-DIBROMO-3-CHLOROPROPA	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,2,4-TRICHLOROBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
VINYL ACETATE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
DIBROMOMETHANE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
2-CHLOROETHYL VINYL ETHER	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U

1 Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL43M1				WL43M1				WL43M1				WL43M1				WL43M1			
LAB_EPA_NO	AA439				AA440				AA441				AA442				AA443			
Date Sampled	2/9/99				2/9/99				2/9/99				2/9/99				2/9/99			
Depth	225-225				235-235				245-245				255-255				265-265			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	R	R	***6.00***		***J***	***R***	***10.00***		***J***	***R***	***14.00***		***J***	***R***	***16.00***		***J***	***R***
CARBON DISULFIDE	1.00	U	U		1.00	U	U		***1.00***				1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
CARBON TETRACHLORIDE	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	UJ	C
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL43M1				WL43M1				WL43M1				WL43M1				WL43M1			
LAB_EPA_NO	AA439				AA440				AA441				AA442				AA443			
Date Sampled	2/9/99				2/9/99				2/9/99				2/9/99				2/9/99			
Depth	225-225				235-235				245-245				255-255				265-265			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL43M1				WL46M1				WL46M1				WL46M1				WL46M1			
LAB_EPA_NO	AA444				AA591				AA592				AA593				AA594			
Date Sampled	2/9/99				2/18/99				2/19/99				2/19/99				2/19/99			
Depth	275-275				158-160				175-180				175-180				185-190			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	R	R	***12.00***				5.00	U	U		5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		***0.60***	***J***	***J***		***1.00***				***1.00***				***0.80***	***J***	***J***	
1,1,1-TRICHLOROETHANE	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		***0.70***	***J***	***J***	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL43M1				WL46M1				WL46M1				WL46M1				WL46M1			
LAB_EPA_NO	AA444				AA591				AA592				AA593				AA594			
Date Sampled	2/9/99				2/18/99				2/19/99				2/19/99				2/19/99			
Depth	275-275				158-160				175-180				175-180				185-190			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL46M1				WL46M1				WL46D				WL46D				WL50D			
LAB_EPA_NO	AA595				AA596				AA235				AA238				AA069			
Date Sampled	2/19/99				2/19/99				1/28/99				2/2/99				2/1/99			
Depth	195-200				225-230				367-367				397-397				123-123			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		***34.00***				***10.00***		***J***	***F***	***11.00***		***J***	***F***
CARBON DISULFIDE	1.00	U	U		1.00	U	U		***1.00***				1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		***5.00***				5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***1.00***				1.00	U	U		1.00	U	U		1.00	U	U		***1.00***			
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	***0.70***	***J***	***J***		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL46M1				WL46M1				WL46D				WL46D				WL50D			
LAB_EPA_NO	AA595				AA596				AA235				AA238				AA069			
Date Sampled	2/19/99				2/19/99				1/28/99				2/2/99				2/1/99			
Depth	195-200				225-230				367-367				397-397				123-123			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL50D				WL50D				WL50D				WL50D				WL50D			
LAB_EPA_NO	AA070				AA414				AA071				AA072				AA073			
Date Sampled	2/1/99				2/1/99				2/2/99				2/2/99				2/2/99			
Depth	130-135				130-135				140-145				150-155				160-165			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***1.00***				***0.90***	***J***	***J***		***1.00***				***2.00***				***2.00***			
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL50D	WL50D	WL50D	WL50D	WL50D
LAB_EPA_NO	AA070	AA414	AA071	AA072	AA073
Date Sampled	2/1/99	2/1/99	2/2/99	2/2/99	2/2/99
Depth	130-135	130-135	140-145	150-155	160-165
Method Analyte	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE
OC21V (UG/L) Continued					
1,1,2-TRICHLOROETHANE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
TETRACHLOROETHYLENE(PCE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
2-HEXANONE	5.00 U U	5.00 U U	5.00 U U	5.00 U U	5.00 U U
DIBROMOCHLOROMETHANE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,2-DIBROMOETHANE (ETHYLE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
CHLOROBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
ETHYLBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
XYLENES, TOTAL	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
STYRENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
BROMOFORM	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,1,2,2-TETRACHLOROETHANE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,3-DICHLOROBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,4-DICHLOROBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,2-DICHLOROBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,2-DIBROMO-3-CHLOROPROPA	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
1,2,4-TRICHLOROBENZENE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
VINYL ACETATE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
DIBROMOMETHANE	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U
2-CHLOROETHYL VINYL ETHER	1.00 U U	1.00 U U	1.00 U U	1.00 U U	1.00 U U

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL50D				WL50D				WL50D				WL50D				WL50D			
LAB_EPA_NO	AA074				AA075				AA076				AA077				AA078			
Date Sampled	2/2/99				2/2/99				2/3/99				2/3/99				2/3/99			
Depth	170-175				180-185				190-195				200-205				210-215			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	R	R	5.00	U	U		5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***2.00***				***2.00***				***1.00***				***1.00***				***0.50***	***J***	***J***	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	***0.20***	***J***	***J***		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	***0.50***	***J***	***J***		1.00	U	U		***0.30***	***J***	***J***		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL50D				WL50D				WL50D				WL50D				WL50D			
LAB_EPA_NO	AA074				AA075				AA076				AA077				AA078			
Date Sampled	2/2/99				2/2/99				2/3/99				2/3/99				2/3/99			
Depth	170-175				180-185				190-195				200-205				210-215			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	***0.20***	***J***	***J***		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL50D				WL50D				WL50D				WL50D				WL51D			
LAB_EPA_NO	AA079				AA080				AA081				AA082				AA110			
Date Sampled	2/3/99				2/3/99				2/4/99				2/4/99				1/28/99			
Depth	220-225				230-235				240-245				250-255				300-305			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		5.00	U	R	R	5.00	U	R	R	5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	*0.50*	*J*	*J*		*0.70*	*J*	*J*		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL50D				WL50D				WL50D				WL50D				WL51D			
LAB_EPA_NO	AA079				AA080				AA081				AA082				AA110			
Date Sampled	2/3/99				2/3/99				2/4/99				2/4/99				1/28/99			
Depth	220-225				230-235				240-245				250-255				300-305			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	C

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL51D				WL52M1				WL52M1				WL52M1				WL52M1			
LAB_EPA_NO	AA111				AA529				AA530				AA531				AA534			
Date Sampled	1/28/99				2/11/99				2/12/99				2/12/99				2/12/99			
Depth	310-315				150-150				160-165				180-185				180-185			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		***17.00***		***J***	***F***	5.00	U	U		5.00	U	U		5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		***4.00***	***J***	***J***		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		***0.80***	***J***	***J***		1.00	U	U		***1.00***				***1.00***			
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	C	1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL51D				WL52M1				WL52M1				WL52M1				WL52M1			
LAB_EPA_NO	AA111				AA529				AA530				AA531				AA534			
Date Sampled	1/28/99				2/11/99				2/12/99				2/12/99				2/12/99			
Depth	310-315				150-150				160-165				180-185				180-185			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	U		5.00	U	UJ	C
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	UJ	C	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL52M1				WL52D				WL52D				WL54D				WL55D			
LAB_EPA_NO	AA532				AA035				AA036				AA630				AA679			
Date Sampled	2/16/99				1/28/99				1/28/99				2/22/99				2/23/99			
Depth	190-195				360-365				374-379				155-157				180-185			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	5.00	U	U		5.00	U	U		5.00	U	U		***6.00***		***J***	***F***	5.00	U	U	
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	***2.00***				***0.70***	***J***	***J***		1.00	U	U		1.00	U	U		***2.00***			
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		***0.50***	***J***	***J***		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		***0.40***	***J***	***J***		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL52M1				WL52D				WL52D				WL54D				WL55D			
LAB_EPA_NO	AA532				AA035				AA036				AA630				AA679			
Date Sampled	2/16/99				1/28/99				1/28/99				2/22/99				2/23/99			
Depth	190-195				360-365				374-379				155-157				180-185			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	UJ	C	1.00	U	UJ	C	1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL59M				WL59M1				WL59M1				WL59M1				WL59M1			
LAB_EPA_NO	AA705				AA600				AA601				AA602				AA603			
Date Sampled	2/22/99				2/23/99				2/23/99				2/23/99				2/23/99			
Depth	135-135				146-146				146-146				156-156				166-166			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	***10.00***		***J***	***F***	***16.00***		***J***	***F***	***19.00***		***J***	***F***	***22.00***		***J***	***F***	***12.00***		***J***	***F***
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		***4.00***	***J***	***J***		***6.00***				***6.00***				***4.00***	***J***	***J***	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL59M				WL59M1				WL59M1				WL59M1				WL59M1			
LAB_EPA_NO	AA705				AA600				AA601				AA602				AA603			
Date Sampled	2/22/99				2/23/99				2/23/99				2/23/99				2/23/99			
Depth	135-135				146-146				146-146				156-156				166-166			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL59M1				WL59M1				WL59M1				WL59M1				WL59M1			
LAB_EPA_NO	AA604				AA605				AA606				AA607				AA608			
Date Sampled	2/23/99				2/23/99				2/23/99				2/23/99				2/23/99			
Depth	176-176				186-186				196-196				196-196				206-206			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL CHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ACETONE	***7.00***		***J***	***F***	***8.00***		***J***	***F***	***12.00***		***J***	***F***	***14.00***		***J***	***F***	***7.00***		***J***	***F***
CARBON DISULFIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U		2.00	U	U	
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U		***4.00***	***J***	***J***		***3.00***	***J***	***J***		5.00	U	U	
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOLUENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL59M1				WL59M1				WL59M1				WL59M1				WL59M1			
LAB_EPA_NO	AA604				AA605				AA606				AA607				AA608			
Date Sampled	2/23/99				2/23/99				2/23/99				2/23/99				2/23/99			
Depth	176-176				186-186				196-196				196-196				206-206			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L) Continued																				
1,1,2-TRICHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
TETRACHLOROETHYLENE(PCE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-HEXANONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBROMOCHLOROMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMOETHANE (ETHYLE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
CHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ETHYLBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
XYLENES, TOTAL	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
STYRENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
BROMOFORM	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,1,2,2-TETRACHLOROETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,3-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,4-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2-DIBROMO-3-CHLOROPROPA	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
1,2,4-TRICHLOROBENZENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
VINYL ACETATE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
DIBROMOMETHANE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
2-CHLOROETHYL VINYL ETHER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL59M1				WL59M1															
LAB_EPA_NO	AA609				AA610				Intentionally blank				Intentionally blank				Intentionally blank			
Date Sampled	2/23/99				2/23/99															
Depth	216-216				226-226															
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21V (UG/L)																				
CHLOROMETHANE	1.00	U	U		1.00	U	U													
VINYL CHLORIDE	1.00	U	U		1.00	U	U													
BROMOMETHANE	1.00	U	U		1.00	U	U													
CHLOROETHANE	1.00	U	U		1.00	U	U													
1,1-DICHLOROETHENE	1.00	U	U		1.00	U	U													
ACETONE	***7.00***		***J***	***F***	***5.00***		***J***	***F***												
CARBON DISULFIDE	1.00	U	U		1.00	U	U													
METHYLENE CHLORIDE	2.00	U	U		2.00	U	U													
TRANS-1,2-DICHLOROETHENE	1.00	U	U		1.00	U	U													
1,1-DICHLOROETHANE	1.00	U	U		1.00	U	U													
CIS-1,2-DICHLOROETHYLENE	1.00	U	U		1.00	U	U													
METHYL ETHYL KETONE (2-BU	5.00	U	U		5.00	U	U													
BROMOCHLOROMETHANE	1.00	U	U		1.00	U	U													
CHLOROFORM	1.00	U	U		1.00	U	U													
1,1,1-TRICHLOROETHANE	1.00	U	U		1.00	U	U													
CARBON TETRACHLORIDE	1.00	U	U		1.00	U	U													
BENZENE	1.00	U	U		1.00	U	U													
1,2-DICHLOROETHANE	1.00	U	U		1.00	U	U													
TRICHLOROETHYLENE (TCE)	1.00	U	U		1.00	U	U													
1,2-DICHLOROPROPANE	1.00	U	U		1.00	U	U													
BROMODICHLOROMETHANE	1.00	U	U		1.00	U	U													
CIS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U													
METHYL ISOBUTYL KETONE (4	5.00	U	U		5.00	U	U													
TOLUENE	1.00	U	U		1.00	U	U													
TRANS-1,3-DICHLOROPROPENE	1.00	U	U		1.00	U	U													

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP E: VOLATILES (PROFILE)

LOCID	WL59M1	WL59M1	Intentionally blank	Intentionally blank	Intentionally blank
LAB_EPA_NO	AA609	AA610			
Date Sampled	2/23/99	2/23/99			
Depth	216-216	226-226			
Method Analyte	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE	ANALYTICAL RESULT / LAB QUAL / REV QUAL / QUAL CODE
OC21V (UG/L) Continued					
1,1,2-TRICHLOROETHANE	1.00 U U	1.00 U U			
TETRACHLOROETHYLENE(PCE	1.00 U U	1.00 U U			
2-HEXANONE	5.00 U U	5.00 U U			
DIBROMOCHLOROMETHANE	1.00 U U	1.00 U U			
1,2-DIBROMOETHANE (ETHYLE	1.00 U U	1.00 U U			
CHLOROBENZENE	1.00 U U	1.00 U U			
ETHYLBENZENE	1.00 U U	1.00 U U			
XYLENES, TOTAL	1.00 U U	1.00 U U			
STYRENE	1.00 U U	1.00 U U			
BROMOFORM	1.00 U U	1.00 U U			
1,1,2,2-TETRACHLOROETHANE	1.00 U U	1.00 U U			
1,3-DICHLOROBENZENE	1.00 U U	1.00 U U			
1,4-DICHLOROBENZENE	1.00 U U	1.00 U U			
1,2-DICHLOROBENZENE	1.00 U U	1.00 U U			
1,2-DIBROMO-3-CHLOROPROPA	1.00 U U	1.00 U U			
1,2,4-TRICHLOROBENZENE	1.00 U U	1.00 U U			
VINYL ACETATE	1.00 U U	1.00 U U			
DIBROMOMETHANE	1.00 U U	1.00 U U			
2-CHLOROETHYL VINYL ETHER	1.00 U U	1.00 U U			

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP F: VOLATILES (SOIL)

LOCID	BRICKPIT1				BRICKPIT1				BRICKPIT2				BRICKPIT2							
LAB_EPA_NO	AA727				AA728				AA729				AA730				Intentionally blank			
Date Sampled	2/24/99				2/24/99				2/24/99				2/24/99							
Depth	0-0				0-0				0-0				0-0							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8021S (UG/KG)																				
1,2-DIBROMOETHANE (ETHYLE	0.53	U	U		0.57	U	U		0.53	U	U		0.54	U	U					
TERT-BUTYL METHYL ETHER	0.53	U	U		0.57	U	U		0.53	U	U		0.54	U	U					
OM31V (UG/KG)																				
CHLOROMETHANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
VINYL CHLORIDE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
BROMOMETHANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
CHLOROETHANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
ACETONE	***5.00***	***J***	***J***	***C***	10.00	U	UJ	C	***5.00***	***J***	***J***	***C***	***5.00***	***J***	***J***	***C***				
1,1-DICHLOROETHENE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
METHYLENE CHLORIDE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
CARBON DISULFIDE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
TOTAL 1,2-DICHLOROETHENE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
1,1-DICHLOROETHANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
METHYL ETHYL KETONE (2-BU	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
CHLOROFORM	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
1,1,1-TRICHLOROETHANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
CARBON TETRACHLORIDE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
1,2-DICHLOROETHANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
BENZENE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
TRICHLOROETHYLENE (TCE)	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
1,2-DICHLOROPROPANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
BROMODICHLOROMETHANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
METHYL ISOBUTYL KETONE (4	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
CIS-1,3-DICHLOROPROPENE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
TOLUENE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP F: VOLATILES (SOIL)

LOCID	BRICKPIT1				BRICKPIT1				BRICKPIT2				BRICKPIT2							
LAB_EPA_NO	AA727				AA728				AA729				AA730				Intentionally blank			
Date Sampled	2/24/99				2/24/99				2/24/99				2/24/99							
Depth	0-0				0-0				0-0				0-0							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OM31V (UG/KG) Continued																				
TRANS-1,3-DICHLOROPROPENE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
1,1,2-TRICHLOROETHANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
2-HEXANONE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
TETRACHLOROETHYLENE(PCE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
DIBROMOCHLOROMETHANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
CHLOROBENZENE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
ETHYLBENZENE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
XYLENES, TOTAL	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
STYRENE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
BROMOFORM	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					
1,1,2,2-TETRACHLOROETHANE	10.00	U	U		10.00	U	U		11.00	U	U		11.00	U	U					

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	28MW0106				LRMW9515				95-6				LRMW0003				WL01S			
LAB_EPA_NO	AA910				AA205				AA203				AA916				AA495			
Date Sampled	3/23/99				3/24/99				3/24/99				3/25/99				2/22/99			
Depth	0-10				80-92				62-74				73-83				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANILINE (PHENYLAMINE, AMIN	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
PHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHYL) ETHER (	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-CHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL ALCOHOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,2'-OXYBIS(1-CHLORO)PROPAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLPHENOL (O-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROETHANE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
N-NITROSODI-N-PROPYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-METHYLPHENOL (P-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
NITROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ISOPHORONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DIMETHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHOXY) METHA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZOIC ACID	20.00	U	UJ	C	20.00	U	UJ	C	20.00	U	UJ	C	20.00	U	UJ	C	20.00	U	U	
NAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROANILINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBUTADIENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLORO-3-METHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLNAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROCYCLOPENTADII	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4,6-TRICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	28MW0106				LRMW9515				95-6				LRMW0003				WL0IS			
LAB_EPA_NO	AA910				AA205				AA203				AA916				AA495			
Date Sampled	3/23/99				3/24/99				3/24/99				3/25/99				2/22/99			
Depth	0-10				80-92				62-74				73-83				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2-CHLORONAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROANILINE	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
DIMETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,6-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3-NITROANILINE	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROPHENOL	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
DIBENZOFURAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROPHENOL	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
FLUORENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROPHENYL PHENYL ETI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROANILINE	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
4,6-DINITRO-2-METHYLPHENOL	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
N-NITROSODIPHENYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-BROMOPHENYL PHENYL ETH	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PENTACHLOROPHENOL	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
PHENANTHRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBAZOLE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	28MW0106				LRMW9515				95-6				LRMW0003				WL01S			
LAB_EPA_NO	AA910				AA205				AA203				AA916				AA495			
Date Sampled	3/23/99				3/24/99				3/24/99				3/25/99				2/22/99			
Depth	0-10				80-92				62-74				73-83				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3,3'-DICHLOROBENZIDINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CHRYSENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-ETHYLHEXYL) PHTHALA†	***26.00***				5.00	U	U		5.00	U	U		***1.00***	***J***	***J***	***F***	***2.00***	***J***	***J***	
DI-N-OCTYLPHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(B)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(K)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)PYRENE	5.00	U	UJ	*5	5.00	U	UJ	*5	5.00	U	UJ	*5	5.00	U	UJ	*5	5.00	U	UJ	*5
INDENO(1,2,3-C,D)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBENZ(A,H)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(G,H,I)PERYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL01D				WL01M1				WL01M1				WL10S				WL10M			
LAB_EPA_NO	AA500				AA715				AA716				AA571				AA569			
Date Sampled	2/8/99				2/24/99				2/24/99				2/23/99				2/23/99			
Depth	174-184				60-65				60-65				0-10				135-140			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANILINE (PHENYLAMINE, AMIN	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
PHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHYL) ETHER (	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-CHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL ALCOHOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,2'-OXYBIS(1-CHLORO)PROPAN	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLPHENOL (O-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROETHANE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
N-NITROSODI-N-PROPYLAMINE	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-METHYLPHENOL (P-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
NITROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ISOPHORONE	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DIMETHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHOXY) METHA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZOIC ACID	20.00	U	U		21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U	
NAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROANILINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBUTADIENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLORO-3-METHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLNAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROCYCLOPENTADII	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4,6-TRICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL01D				WL01M1				WL01M1				WL10S				WL10M			
LAB_EPA_NO	AA500				AA715				AA716				AA571				AA569			
Date Sampled	2/8/99				2/24/99				2/24/99				2/23/99				2/23/99			
Depth	174-184				60-65				60-65				0-10				135-140			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	20.00	U	U		21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U	
2-CHLORONAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROANILINE	20.00	U	UJ	C	21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U	
DIMETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,6-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3-NITROANILINE	20.00	U	U		21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROPHENOL	20.00	U	U		21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U	
DIBENZOFURAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROPHENOL	20.00	U	U		21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
FLUORENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROPHENYL PHENYL ETI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROANILINE	20.00	U	U		21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U	
4,6-DINITRO-2-METHYLPHENOL	20.00	U	U		21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U	
N-NITROSODIPHENYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-BROMOPHENYL PHENYL ETH	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PENTACHLOROPHENOL	20.00	U	U		21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U	
PHENANTHRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBAZOLE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL01D				WL01M1				WL01M1				WL10S				WL10M			
LAB_EPA_NO	AA500				AA715				AA716				AA571				AA569			
Date Sampled	2/8/99				2/24/99				2/24/99				2/23/99				2/23/99			
Depth	174-184				60-65				60-65				0-10				135-140			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3,3'-DICHLOROBENZIDINE	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CHRYSENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-ETHYLHEXYL) PHTHALA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-OCTYLPHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(B)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(K)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)PYRENE	5.00	U	UJ	*5	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
INDENO(1,2,3-C,D)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBENZ(A,H)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(G,H,I)PERYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL10D				WL13S				WL13D				WL13D				WL16S			
LAB_EPA_NO	AA567				AA832				AA828				AA829				AA803			
Date Sampled	2/12/99				3/11/99				3/11/99				3/11/99				3/10/99			
Depth	177-187				0-10				140-145				140-145				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANILINE (PHENYLAMINE, AMIN	10.00	U	U		10.00	U	U		11.00	U	U		10.00	U	U		10.00	U	U	
PHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHYL) ETHER (	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-CHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL ALCOHOL	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	U		5.00	U	UJ	C
2,2'-OXYBIS(1-CHLORO)PROPAN	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLPHENOL (O-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROETHANE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
N-NITROSODI-N-PROPYLAMINE	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-METHYLPHENOL (P-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
NITROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ISOPHORONE	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DIMETHYLPHENOL	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHOXY) METHA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DICHLOROPHENOL	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZOIC ACID	21.00	U	U		20.00	U	UJ	C	22.00	U	UJ	C	20.00	U	UJ	C	20.00	U	UJ	C
NAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROANILINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBUTADIENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLORO-3-METHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLNAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROCYCLOPENTADII	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4,6-TRICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL10D				WL13S				WL13D				WL13D				WL16S			
LAB_EPA_NO	AA567				AA832				AA828				AA829				AA803			
Date Sampled	2/12/99				3/11/99				3/11/99				3/11/99				3/10/99			
Depth	177-187				0-10				140-145				140-145				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	21.00	U	U		20.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
2-CHLORONAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROANILINE	21.00	U	UJ	C	20.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
DIMETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,6-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3-NITROANILINE	21.00	U	U		20.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROPHENOL	21.00	U	U		20.00	U	U		22.00	U	U		20.00	U	U		20.00	U	UJ	C
DIBENZOFURAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROPHENOL	21.00	U	U		20.00	U	U		22.00	U	UJ	C	20.00	U	U		20.00	U	U	
2,4-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
FLUORENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROPHENYL PHENYL ETI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROANILINE	21.00	U	U		20.00	U	U		22.00	U	U		20.00	U	U		20.00	U	UJ	C
4,6-DINITRO-2-METHYLPHENOL	21.00	U	U		20.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
N-NITROSODIPHENYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-BROMOPHENYL PHENYL ETH	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PENTACHLOROPHENOL	21.00	U	U		20.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
PHENANTHRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBAZOLE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL10D				WL13S				WL13D				WL13D				WL16S			
LAB_EPA_NO	AA567				AA832				AA828				AA829				AA803			
Date Sampled	2/12/99				3/11/99				3/11/99				3/11/99				3/10/99			
Depth	177-187				0-10				140-145				140-145				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3,3'-DICHLOROBENZIDINE	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CHRYSENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-ETHYLHEXYL) PHTHALA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-OCTYLPHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(B)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(K)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
INDENO(1,2,3-C,D)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBENZ(A,H)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(G,H,I)PERYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL17S				WL17D				WL17D				WL18S				WL18M2			
LAB_EPA_NO	AA840				AA836				AA837				AA847				AA856			
Date Sampled	3/11/99				3/11/99				3/11/99				3/12/99				3/16/99			
Depth	0-10				197-207				197-207				0-10				170-175			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANILINE (PHENYLAMINE, AMIN	10.00	U	U		10.00	U	U		11.00	U	U		10.00	U	U		10.00	U	U	
PHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHYL) ETHER (	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-CHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL ALCOHOL	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,2'-OXYBIS(1-CHLORO)PROPAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLPHENOL (O-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROETHANE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
N-NITROSODI-N-PROPYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-METHYLPHENOL (P-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
NITROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ISOPHORONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DIMETHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHOXY) METHA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZOIC ACID	20.00	U	UJ	C	21.00	U	UJ	C	22.00	U	UJ	C	20.00	U	UJ	C	20.00	U	UJ	C
NAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROANILINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBUTADIENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLORO-3-METHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLNAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROCYCLOPENTADII	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4,6-TRICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL17S				WL17D				WL17D				WL18S				WL18M2			
LAB_EPA_NO	AA840				AA836				AA837				AA847				AA856			
Date Sampled	3/11/99				3/11/99				3/11/99				3/12/99				3/16/99			
Depth	0-10				197-207				197-207				0-10				170-175			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	20.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
2-CHLORONAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROANILINE	20.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
DIMETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,6-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3-NITROANILINE	20.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROPHENOL	20.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	UJ	C
DIBENZOFURAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROPHENOL	20.00	U	UJ	C	21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
FLUORENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROPHENYL PHENYL ETI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROANILINE	20.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
4,6-DINITRO-2-METHYLPHENOL	20.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
N-NITROSODIPHENYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-BROMOPHENYL PHENYL ETH	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PENTACHLOROPHENOL	20.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	U	
PHENANTHRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBAZOLE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL17S				WL17D				WL17D				WL18S				WL18M2			
LAB_EPA_NO	AA840				AA836				AA837				AA847				AA856			
Date Sampled	3/11/99				3/11/99				3/11/99				3/12/99				3/16/99			
Depth	0-10				197-207				197-207				0-10				170-175			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3,3'-DICHLOROBENZIDINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CHRYSENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-ETHYLHEXYL) PHTHALA	5.00	J	U	B	5.00	U	U		5.00	U	U		5.00	U	U		***3.00***	***J***	***J***	
DI-N-OCTYLPHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(B)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(K)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
INDENO(1,2,3-C,D)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBENZ(A,H)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(G,H,I)PERYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL18M1				WL18D				WL19S				WL19D				WL20			
LAB_EPA_NO	AA849				AA857				AA539				AA537				AA574			
Date Sampled	3/12/99				3/16/99				2/12/99				2/11/99				2/12/99			
Depth	178-183				223-233				0-10				251-256				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANILINE (PHENYLAMINE, AMI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
PHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHYL) ETHER (	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-CHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL ALCOHOL	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,2'-OXYBIS(1-CHLORO)PROPAN	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C
2-METHYLPHENOL (O-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROETHANE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
N-NITROSODI-N-PROPYLAMINE	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C
4-METHYLPHENOL (P-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
NITROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ISOPHORONE	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C
2-NITROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DIMETHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C
BIS(2-CHLOROETHOXY) METHA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C
BENZOIC ACID	20.00	U	UJ	C	20.00	U	UJ	C	20.00	U	U		20.00	U	U		21.00	U	U	
NAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROANILINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBUTADIENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLORO-3-METHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLNAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROCYCLOPENTADI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4,6-TRICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL18MI				WL18D				WL19S				WL19D				WL20			
LAB_EPA_NO	AA849				AA857				AA539				AA537				AA574			
Date Sampled	3/12/99				3/16/99				2/12/99				2/11/99				2/12/99			
Depth	178-183				223-233				0-10				251-256				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		21.00	U	U	
2-CHLORONAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROANILINE	20.00	U	U		20.00	U	U		20.00	U	UJ	C	20.00	U	UJ	C	21.00	U	UJ	C
DIMETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,6-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3-NITROANILINE	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		21.00	U	U	
2,4-DINITROPHENOL	20.00	U	U		20.00	U	UJ	C	20.00	U	U		20.00	U	U		21.00	U	U	
DIBENZOFURAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROPHENOL	20.00	U	UJ	C	20.00	U	U		20.00	U	U		20.00	U	U		21.00	U	U	
2,4-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
FLUORENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROPHENYL PHENYL ETI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROANILINE	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		21.00	U	U	
4,6-DINITRO-2-METHYLPHENOL	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		21.00	U	U	
N-NITROSODIPHENYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-BROMOPHENYL PHENYL ETH	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PENTACHLOROPHENOL	20.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U		21.00	U	U	
PHENANTHRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBAZOLE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL18M1				WL18D				WL19S				WL19D				WL20			
LAB_EPA_NO	AA849				AA857				AA539				AA537				AA574			
Date Sampled	3/12/99				3/16/99				2/12/99				2/11/99				2/12/99			
Depth	178-183				223-233				0-10				251-256				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3,3'-DICHLOROBENZIDINE	5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	UJ	C
CHRYSENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-ETHYLHEXYL) PHTHALA	5.00	J	U	B	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-OCTYLPHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(B)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(K)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
INDENO(1,2,3-C,D)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBENZ(A,H)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(G,H,I)PERYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL21S				WL21D				WL22				WL23S				WL23S			
LAB_EPA_NO	AA886				AA884				AA845				AA851				AA851RE			
Date Sampled	3/19/99				3/19/99				3/12/99				3/12/99				3/12/99			
Depth	0-10				130-140				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
ANILINE (PHENYLAMINE, AMI	11.00	U	U		10.00	U	U		11.00	U	U		10.00	U	U		10.00	U	R	D
PHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BIS(2-CHLOROETHYL) ETHER (	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
2-CHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BENZYL ALCOHOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	R	D
2,2'-OXYBIS(1-CHLORO)PROPAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
2-METHYLPHENOL (O-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
HEXACHLOROETHANE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
N-NITROSODI-N-PROPYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
4-METHYLPHENOL (P-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
NITROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
ISOPHORONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
2-NITROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
2,4-DIMETHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BIS(2-CHLOROETHOXY) METHA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
2,4-DICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BENZOIC ACID	22.00	U	UJ	C	21.00	U	UJ	C	22.00	U	UJ	C	20.00	U	UJ	C	20.00	U	R	D
NAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
4-CHLOROANILINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
HEXACHLOROBUTADIENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
4-CHLORO-3-METHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
2-METHYLNAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
HEXACHLOROCYCLOPENTADI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
2,4,6-TRICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL21S				WL21D				WL22				WL23S				WL23S			
LAB_EPA_NO	AA886				AA884				AA845				AA851				AA851RE			
Date Sampled	3/19/99				3/19/99				3/12/99				3/12/99				3/12/99			
Depth	0-10				130-140				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	22.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	R	D
2-CHLORONAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
2-NITROANILINE	22.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	R	D
DIMETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
ACENAPHTHYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
2,6-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
ACENAPHTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
3-NITROANILINE	22.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	R	D
2,4-DINITROPHENOL	22.00	U	UJ	C	21.00	U	UJ	C	22.00	U	U		20.00	U	U		20.00	U	R	D
DIBENZOFURAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
4-NITROPHENOL	22.00	U	U		21.00	U	U		22.00	U	U		20.00	U	UJ	C	20.00	U	R	D
2,4-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
FLUORENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
DIETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
4-CHLOROPHENYL PHENYL ETI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
4-NITROANILINE	22.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	R	D
4,6-DINITRO-2-METHYLPHENOL	22.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	R	D
N-NITROSODIPHENYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
4-BROMOPHENYL PHENYL ETH	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
HEXACHLOROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
PENTACHLOROPHENOL	22.00	U	U		21.00	U	U		22.00	U	U		20.00	U	U		20.00	U	R	D
PHENANTHRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
CARBAZOLE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
DI-N-BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL21S				WL21D				WL22				WL23S				WL23S			
LAB_EPA_NO	AA886				AA884				AA845				AA851				AA851RE			
Date Sampled	3/19/99				3/19/99				3/12/99				3/12/99				3/12/99			
Depth	0-10				130-140				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BENZYL BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BENZO(A)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
3,3'-DICHLOROBENZIDINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
CHRYSENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BIS(2-ETHYLHEXYL) PHTHALA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
DI-N-OCTYLPHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BENZO(B)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BENZO(K)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BENZO(A)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
INDENO(1,2,3-C,D)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
DIBENZ(A,H)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D
BENZO(G,H,I)PERYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	R	D

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL23D				WL23D				WL23M3				WL23M2				WL23M1			
LAB_EPA_NO	AA858				AA859				AA863				AA862				AA860			
Date Sampled	3/17/99				3/17/99				3/17/99				3/18/99				3/18/99			
Depth	146-156				146-156				153-163				63-73				99-109			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANILINE (PHENYLAMINE, AMIN	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
PHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHYL) ETHER (	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-CHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL ALCOHOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,2'-OXYBIS(1-CHLORO)PROPAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLPHENOL (O-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROETHANE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
N-NITROSODI-N-PROPYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-METHYLPHENOL (P-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
NITROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ISOPHORONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DIMETHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHOXY) METHA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZOIC ACID	20.00	U	UJ	C	20.00	U	UJ	C	21.00	U	UJ	C	21.00	U	UJ	C	21.00	U	UJ	C
NAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROANILINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBUTADIENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLORO-3-METHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLNAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROCYCLOPENTADI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4,6-TRICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL23D				WL23D				WL23M3				WL23M2				WL23M1			
LAB_EPA_NO	AA858				AA859				AA863				AA862				AA860			
Date Sampled	3/17/99				3/17/99				3/17/99				3/18/99				3/18/99			
Depth	146-156				146-156				153-163				63-73				99-109			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	20.00	U	U		20.00	U	U		21.00	U	U		21.00	U	U		21.00	U	U	
2-CHLORONAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROANILINE	20.00	U	U		20.00	U	U		21.00	U	U		21.00	U	U		21.00	U	U	
DIMETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,6-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3-NITROANILINE	20.00	U	U		20.00	U	U		21.00	U	U		21.00	U	U		21.00	U	U	
2,4-DINITROPHENOL	20.00	U	UJ	C	20.00	U	UJ	C	21.00	U	UJ	C	21.00	U	UJ	C	21.00	U	UJ	C
DIBENZOFURAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROPHENOL	20.00	U	U		20.00	U	U		21.00	U	U		21.00	U	U		21.00	U	U	
2,4-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
FLUORENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROPHENYL PHENYL ETI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROANILINE	20.00	U	U		20.00	U	U		21.00	U	U		21.00	U	U		21.00	U	U	
4,6-DINITRO-2-METHYLPHENOL	20.00	U	U		20.00	U	U		21.00	U	U		21.00	U	U		21.00	U	U	
N-NITROSODIPHENYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-BROMOPHENYL PHENYL ETH	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PENTACHLOROPHENOL	20.00	U	U		20.00	U	U		21.00	U	U		21.00	U	U		21.00	U	U	
PHENANTHRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBAZOLE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL23D				WL23D				WL23M3				WL23M2				WL23M1			
LAB_EPA_NO	AA858				AA859				AA863				AA862				AA860			
Date Sampled	3/17/99				3/17/99				3/17/99				3/18/99				3/18/99			
Depth	146-156				146-156				153-163				63-73				99-109			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3,3'-DICHLOROBENZIDINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CHRYSENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-ETHYLHEXYL) PHTHALA	5.00	U	U		***3.00***	***J***	***J***		5.00	U	U		***2.00***	***J***	***J***		5.00	U	U	
DI-N-OCTYLPHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(B)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(K)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
INDENO(1,2,3-C,D)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBENZ(A,H)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(G,H,I)PERYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL23M1				WL24				WL25				WL26				WL27			
LAB_EPA_NO	AA861				AA887				AA852				AA853				AA868			
Date Sampled	3/18/99				3/22/99				3/17/99				3/17/99				3/18/99			
Depth	99-109				0-10				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANILINE (PHENYLAMINE, AMI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
PHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHYL) ETHER (	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-CHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL ALCOHOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,2'-OXYBIS(1-CHLORO)PROPAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLPHENOL (O-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROETHANE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
N-NITROSODI-N-PROPYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-METHYLPHENOL (P-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
NITROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ISOPHORONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DIMETHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHOXY) METHA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZOIC ACID	21.00	U	UJ	C	21.00	U	UJ	C	20.00	U	UJ	C	20.00	U	UJ	C	20.00	U	UJ	C
NAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROANILINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBUTADIENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLORO-3-METHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLNAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROCYCLOPENTADI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4,6-TRICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL23MI				WL24				WL25				WL26				WL27			
LAB_EPA_NO	AA861				AA887				AA852				AA853				AA868			
Date Sampled	3/18/99				3/22/99				3/17/99				3/17/99				3/18/99			
Depth	99-109				0-10				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2-CHLORONAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROANILINE	21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
DIMETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,6-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3-NITROANILINE	21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROPHENOL	21.00	U	UJ	C	21.00	U	UJ	C	20.00	U	UJ	C	20.00	U	UJ	C	20.00	U	UJ	C
DIBENZOFURAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROPHENOL	21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
FLUORENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROPHENYL PHENYL ETI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROANILINE	21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
4,6-DINITRO-2-METHYLPHENOL	21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
N-NITROSODIPHENYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-BROMOPHENYL PHENYL ETH	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PENTACHLOROPHENOL	21.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
PHENANTHRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBAZOLE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL23M1				WL24				WL25				WL26				WL27			
LAB_EPA_NO	AA861				AA887				AA852				AA853				AA868			
Date Sampled	3/18/99				3/22/99				3/17/99				3/17/99				3/18/99			
Depth	99-109				0-10				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3,3'-DICHLOROBENZIDINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CHRYSENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-ETHYLHEXYL) PHTHALA	***2.00***	***J***	***J***		***5.00***	***J***	***J***		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-OCTYLPHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(B)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(K)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
INDENO(1,2,3-C,D)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBENZ(A,H)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(G,H,I)PERYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL28				WL29				WL47D				WL05S				WL05D			
LAB_EPA_NO	AA869				AA888				AA924				AA484				AA479			
Date Sampled	3/19/99				3/22/99				3/25/99				2/8/99				2/9/99			
Depth	0-10				0-10				100-110				0-10				220-225			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANILINE (PHENYLAMINE, AMI	10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
PHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHYL) ETHER (	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-CHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL ALCOHOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,2'-OXYBIS(1-CHLORO)PROPAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C
2-METHYLPHENOL (O-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROETHANE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
N-NITROSODI-N-PROPYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C
4-METHYLPHENOL (P-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
NITROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ISOPHORONE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C
2-NITROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DIMETHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHOXY) METHA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZOIC ACID	20.00	U	UJ	C	21.00	U	UJ	C	20.00	U	UJ	C	20.00	U	U		20.00	U	U	
NAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROANILINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBUTADIENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLORO-3-METHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLNAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROCYCLOPENTADI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4,6-TRICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL28				WL29				WL47D				WL05S				WL05D			
LAB_EPA_NO	AA869				AA888				AA924				AA484				AA479			
Date Sampled	3/19/99				3/22/99				3/25/99				2/8/99				2/9/99			
Depth	0-10				0-10				100-110				0-10				220-225			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2-CHLORONAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROANILINE	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	UJ	C	20.00	U	UJ	C
DIMETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,6-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3-NITROANILINE	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROPHENOL	20.00	U	UJ	C	21.00	U	UJ	C	20.00	U	U		20.00	U	U		20.00	U	U	
DIBENZOFURAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROPHENOL	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
FLUORENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROPHENYL PHENYL ETI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROANILINE	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
4,6-DINITRO-2-METHYLPHENOL	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
N-NITROSODIPHENYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-BROMOPHENYL PHENYL ETH	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PENTACHLOROPHENOL	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
PHENANTHRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBAZOLE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL28				WL29				WL47D				WL05S				WL05D			
LAB_EPA_NO	AA869				AA888				AA924				AA484				AA479			
Date Sampled	3/19/99				3/22/99				3/25/99				2/8/99				2/9/99			
Depth	0-10				0-10				100-110				0-10				220-225			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3,3'-DICHLOROBENZIDINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C
CHRYSENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-ETHYLHEXYL) PHTHALA	5.00	U	U		5.00	U	U		***3.00***	***J***	***J***		5.00	U	U		***2.00***	***J***	***J***	
DI-N-OCTYLPHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(B)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(K)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)PYRENE	5.00	U	U		5.00	U	U		5.00	U	UJ	*5	5.00	U	UJ	*5	5.00	U	UJ	*5
INDENO(1,2,3-C,D)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBENZ(A,H)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(G,H,I)PERYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL05M2				WL07S				WL07M2				WL07D				WL07M1			
LAB_EPA_NO	AA487				AA627				AA623				AA621				AA625			
Date Sampled	2/8/99				2/18/99				2/24/99				2/19/99				2/23/99			
Depth	95-100				0-10				137-142				227-337				67-72			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANILINE (PHENYLAMINE, AMIN	10.00	U	U		11.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U	
PHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	*5	5.00	U	U	
BIS(2-CHLOROETHYL) ETHER (	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	*5	5.00	U	U	
2-CHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	*5	5.00	U	U	
BENZYL ALCOHOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,2'-OXYBIS(1-CHLORO)PROPAN	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLPHENOL (O-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROETHANE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
N-NITROSODI-N-PROPYLAMINE	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-METHYLPHENOL (P-CRESOL)	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
NITROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ISOPHORONE	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	UJ	*5	5.00	U	U	
2-NITROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DIMETHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-CHLOROETHOXY) METHA	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4-DICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZOIC ACID	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
NAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROANILINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBUTADIENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLORO-3-METHYLPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-METHYLNAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROCYCLOPENTADII	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,4,6-TRICHLOROPHENOL	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	UJ	*5	5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL05M2				WL07S				WL07M2				WL07D				WL07M1			
LAB_EPA_NO	AA487				AA627				AA623				AA621				AA625			
Date Sampled	2/8/99				2/18/99				2/24/99				2/19/99				2/23/99			
Depth	95-100				0-10				137-142				227-337				67-72			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2-CHLORONAPHTHALENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2-NITROANILINE	20.00	U	UJ	C	21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
DIMETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
2,6-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ACENAPHTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3-NITROANILINE	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROPHENOL	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
DIBENZOFURAN	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROPHENOL	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
2,4-DINITROTOLUENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
FLUORENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIETHYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-CHLOROPHENYL PHENYL ETI	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-NITROANILINE	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
4,6-DINITRO-2-METHYLPHENOL	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
N-NITROSODIPHENYLAMINE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
4-BROMOPHENYL PHENYL ETH	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
HEXACHLOROBENZENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PENTACHLOROPHENOL	20.00	U	U		21.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U	
PHENANTHRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
CARBAZOLE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL05M2				WL07S				WL07M2				WL07D				WL07MI			
LAB_EPA_NO	AA487				AA627				AA623				AA621				AA625			
Date Sampled	2/8/99				2/18/99				2/24/99				2/19/99				2/23/99			
Depth	95-100				0-10				137-142				227-337				67-72			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZYL BUTYL PHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
3,3'-DICHLOROBENZIDINE	5.00	U	UJ	C	5.00	U	UJ	C	5.00	U	U		5.00	U	U		5.00	U	U	
CHRYSENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BIS(2-ETHYLHEXYL) PHTHALA'	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DI-N-OCTYLPHTHALATE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(B)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(K)FLUORANTHENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(A)PYRENE	5.00	U	UJ	*5	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
INDENO(1,2,3-C,D)PYRENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
DIBENZ(A,H)ANTHRACENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
BENZO(G,H,I)PERYLENE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL08				SMR-2				USFW228040				USFW241098							
LAB_EPA_NO	AA721				AA917				AA242				AA244				Intentionally blank			
Date Sampled	2/24/99				3/25/99				2/11/99				2/10/99							
Depth	0-10				0-10				20-20				42-45							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L)																				
N-NITROSODIMETHYLAMINE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
ANILINE (PHENYLAMINE, AMI	11.00	U	U		10.00	U	U		10.00	U	U		10.00	U	U					
PHENOL	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
BIS(2-CHLOROETHYL) ETHER (	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
2-CHLOROPHENOL	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
BENZYL ALCOHOL	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
2,2'-OXYBIS(1-CHLORO)PROPAN	6.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C				
2-METHYLPHENOL (O-CRESOL)	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
HEXACHLOROETHANE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
N-NITROSODI-N-PROPYLAMINE	6.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C				
4-METHYLPHENOL (P-CRESOL)	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
NITROBENZENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
ISOPHORONE	6.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C				
2-NITROPHENOL	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
2,4-DIMETHYLPHENOL	6.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	U					
BIS(2-CHLOROETHOXY) METHA	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
2,4-DICHLOROPHENOL	6.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	U					
BENZOIC ACID	22.00	U	U		20.00	U	UJ	C	20.00	U	U		20.00	U	U					
NAPHTHALENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
4-CHLOROANILINE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
HEXACHLOROBUTADIENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
4-CHLORO-3-METHYLPHENOL	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
2-METHYLNAPHTHALENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
HEXACHLOROCYCLOPENTADII	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
2,4,6-TRICHLOROPHENOL	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL08				SMR-2				USFW228040				USFW241098							
LAB_EPA_NO	AA721				AA917				AA242				AA244				Intentionally blank			
Date Sampled	2/24/99				3/25/99				2/11/99				2/10/99							
Depth	0-10				0-10				20-20				42-45							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
2,4,5-TRICHLOROPHENOL	22.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U					
2-CHLORONAPHTHALENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
2-NITROANILINE	22.00	U	U		20.00	U	U		20.00	U	UJ	C	20.00	U	UJ	C				
DIMETHYL PHTHALATE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
ACENAPHTHYLENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
2,6-DINITROTOLUENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
ACENAPHTHENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
3-NITROANILINE	22.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U					
2,4-DINITROPHENOL	22.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U					
DIBENZOFURAN	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
4-NITROPHENOL	22.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U					
2,4-DINITROTOLUENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
FLUORENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
DIETHYL PHTHALATE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
4-CHLOROPHENYL PHENYL ETI	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
4-NITROANILINE	22.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U					
4,6-DINITRO-2-METHYLPHENOL	22.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U					
N-NITROSODIPHENYLAMINE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
4-BROMOPHENYL PHENYL ETH	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
HEXACHLOROBENZENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
PENTACHLOROPHENOL	22.00	U	U		20.00	U	U		20.00	U	U		20.00	U	U					
PHENANTHRENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
ANTHRACENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
CARBAZOLE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
DI-N-BUTYL PHTHALATE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP G: SEMIVOLATILES (WATER)

LOCID	WL08				SMR-2				USFW228040				USFW241098							
LAB_EPA_NO	AA721				AA917				AA242				AA244				Intentionally blank			
Date Sampled	2/24/99				3/25/99				2/11/99				2/10/99							
Depth	0-10				0-10				20-20				42-45							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OC21B (UG/L) Continued																				
FLUORANTHENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
PYRENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
BENZYL BUTYL PHTHALATE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
BENZO(A)ANTHRACENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
3,3'-DICHLOROBENZIDINE	6.00	U	U		5.00	U	U		5.00	U	UJ	C	5.00	U	UJ	C				
CHRYSENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
BIS(2-ETHYLHEXYL) PHTHALA	6.00	U	U		***4.00***	***J***	***J***	***F***	5.00	U	U		5.00	U	U					
DI-N-OCTYLPHTHALATE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
BENZO(B)FLUORANTHENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
BENZO(K)FLUORANTHENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
BENZO(A)PYRENE	6.00	U	U		5.00	U	UJ	*5	5.00	U	U		5.00	U	UJ	*5				
INDENO(1,2,3-C,D)PYRENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
DIBENZ(A,H)ANTHRACENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
BENZO(G,H,I)PERYLENE	6.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP H: SEMIVOLATILES (SOIL)

LOCID	BRICKPIT1				BRICKPIT1				BRICKPIT2				BRICKPIT2							
LAB_EPA_NO	AA727				AA728				AA729				AA730				Intentionally blank			
Date Sampled	2/24/99				2/24/99				2/24/99				2/24/99							
Depth	0-0				0-0				0-0				0-0							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OM31B (UG/KG)																				
PHENOL	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
BIS(2-CHLOROETHYL) ETHER (	350.00	U	UJ	C,$	380.00	U	UJ	C	350.00	U	UJ	C	350.00	U	UJ	C				
2-CHLOROPHENOL	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
1,3-DICHLOROBENZENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
1,4-DICHLOROBENZENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
1,2-DICHLOROBENZENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
2,2'-OXYBIS(1-CHLORO)PROPAN	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
2-METHYLPHENOL (O-CRESOL)	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
HEXACHLOROETHANE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
N-NITROSODI-N-PROPYLAMINE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
4-METHYLPHENOL (P-CRESOL)	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
NITROBENZENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
ISOPHORONE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
2-NITROPHENOL	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
2,4-DIMETHYLPHENOL	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
BIS(2-CHLOROETHOXY) METHA	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
2,4-DICHLOROPHENOL	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
1,2,4-TRICHLOROBENZENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
NAPHTHALENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
4-CHLOROANILINE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
HEXACHLOROBUTADIENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
4-CHLORO-3-METHYLPHENOL	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
2-METHYLNAPHTHALENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
HEXACHLOROCYCLOPENTADI	350.00	U	UJ	C,$	380.00	U	UJ	C	350.00	U	UJ	C	350.00	U	UJ	C				
2,4,6-TRICHLOROPHENOL	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP H: SEMIVOLATILES (SOIL)

LOCID	BRICKPIT1				BRICKPIT1				BRICKPIT2				BRICKPIT2				
LAB_EPA_NO	AA727				AA728				AA729				AA730				Intentionally blank
Date Sampled	2/24/99				2/24/99				2/24/99				2/24/99				
Depth	0-0				0-0				0-0				0-0				
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OM31B (UG/KG) Continued																				
2,4,5-TRICHLOROPHENOL	870.00	U	U		950.00	U	U		870.00	U	U		890.00	U	U					
2-CHLORONAPHTHALENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
2-NITROANILINE	870.00	U	U		950.00	U	U		870.00	U	U		890.00	U	U					
DIMETHYL PHTHALATE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
ACENAPHTHYLENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
2,6-DINITROTOLUENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
ACENAPHTHENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
3-NITROANILINE	870.00	U	U		950.00	U	U		870.00	U	U		890.00	U	U					
2,4-DINITROPHENOL	870.00	U	U		950.00	U	U		870.00	U	U		890.00	U	U					
DIBENZOFURAN	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
4-NITROPHENOL	870.00	U	U		950.00	U	U		870.00	U	U		890.00	U	U					
2,4-DINITROTOLUENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
FLUORENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
DIETHYL PHTHALATE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
4-CHLOROPHENYL PHENYL ETI	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
4-NITROANILINE	870.00	U	U		950.00	U	U		870.00	U	U		890.00	U	U					
4,6-DINITRO-2-METHYLPHENOL	870.00	U	U		950.00	U	U		870.00	U	U		890.00	U	U					
N-NITROSODIPHENYLAMINE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
4-BROMOPHENYL PHENYL ETH	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
HEXACHLOROBENZENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
PENTACHLOROPHENOL	350.00	U	U	$	950.00	U	U		870.00	U	U		890.00	U	U					
PHENANTHRENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
ANTHRACENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
CARBAZOLE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
DI-N-BUTYL PHTHALATE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP H: SEMIVOLATILES (SOIL)

LOCID	BRICKPIT1				BRICKPIT1				BRICKPIT2				BRICKPIT2							
LAB_EPA_NO	AA727				AA728				AA729				AA730				Intentionally blank			
Date Sampled	2/24/99				2/24/99				2/24/99				2/24/99							
Depth	0-0				0-0				0-0				0-0							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OM31B (UG/KG) Continued																				
FLUORANTHENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
PYRENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
BENZYL BUTYL PHTHALATE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
BENZO(A)ANTHRACENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
3,3'-DICHLOROBENZIDINE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
CHRYSENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
BIS(2-ETHYLHEXYL) PHTHALA	***2600.00***				380.00	U	U		350.00	U	U		350.00	U	U					
DI-N-OCTYLPHTHALATE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
BENZO(B)FLUORANTHENE	350.00	U	UJ	C,$	380.00	U	UJ	C	350.00	U	UJ	C	350.00	U	UJ	C				
BENZO(K)FLUORANTHENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
BENZO(A)PYRENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
INDENO(1,2,3-C,D)PYRENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
DIBENZ(A,H)ANTHRACENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					
BENZO(G,H,I)PERYLENE	350.00	U	U	$	380.00	U	U		350.00	U	U		350.00	U	U					

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	03MW0060				28MW0106				LRMW9515				95-6				97-3			
LAB_EPA_NO	AA579				AA910				AA205				AA203				AA526			
Date Sampled	2/18/99				3/23/99				3/24/99				3/24/99				2/10/99			
Depth	35-40				0-10				80-92				62-74				36-46			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.30	U	U		2.30	U	U		2.30	U	U		2.30	U	UJ	S				
3,5-DICHLOROBENZOIC ACID	0.93	U	U		0.93	U	U		0.93	U	U		0.95	U	UJ	S				
4-NITROPHENOL	1.80	U	UJ	*4	1.80	U	U		1.80	U	UJ	*4	1.80	U	UJ	S,*4				
DICAMBA	0.09	U	U		0.09	U	U		0.09	U	U		0.10	U	UJ	C,S				
MCPP	94.00	U	U		94.00	U	U		94.00	U	UJ	C	96.00	U	UJ	C,S				
MCPA	93.00	U	U		93.00	U	UJ	C	93.00	U	UJ	C	95.00	U	UJ	S				
DICHLOROPROP	0.94	U	U		0.94	U	U		0.94	U	U		0.96	U	UJ	S				
2,4-D (DICHLOROPHENOXYACE	0.94	U	U		0.94	U	U		0.94	U	U		0.96	U	UJ	S				
PENTACHLOROPHENOL	0.10	U	UJ	*4	0.10	U	UJ	*4	0.10	U	U		0.10	U	UJ	S				
SILVEX (2,4,5-TP)	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S				
CHLORAMBEN	0.09	U	U		0.09	U	UJ	C	0.09	U	U		0.10	U	UJ	C,S				
2.4 DB	0.95	U	U		0.95	U	U		0.95	U	U		0.97	U	UJ	S				
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S				
PICLORAM	0.10	U	U		0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C,S				
BENTAZON	0.94	U	R	*4	0.94	U	U		0.94	U	U		0.96	U	UJ	S				
DINOSEB	0.47	U	R	*4	0.47	U	U		0.47	U	U		0.48	U	UJ	S				
DCPA (DACTHAL)	0.10	U	U		0.10	U	U		0.10	U	UJ	*4	0.10	U	UJ	S,*4				
ACIFLUORFEN	0.10	U	R	*4	0.10	U	UJ	C	0.10	U	U		0.10	U	UJ	C,S				
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	03MW0060				28MW0106				LRMW9515				95-6				97-3			
LAB_EPA_NO	AA579				AA910				AA205				AA203				AA526			
Date Sampled	2/18/99				3/23/99				3/24/99				3/24/99				2/10/99			
Depth	35-40				0-10				80-92				62-74				36-46			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	UJ	*5
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
TOXAPHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U		0.20	U	U	
PCB-1221 (AROCHLOR 1221)	0.40	U	U		0.41	U	U		0.42	U	U		0.40	U	U		0.40	U	U	
PCB-1232 (AROCHLOR 1232)	0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U		0.20	U	U	
PCB-1242 (AROCHLOR 1242)	0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U		0.20	U	U	
PCB-1248 (AROCHLOR 1248)	0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U		0.20	U	U	
PCB-1254 (AROCHLOR 1254)	0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U		0.20	U	U	
PCB-1260 (AROCHLOR 1260)	0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U		0.20	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	BB-703				FIELDQC				FIELDQC				FIELDQC				FIELDQC			
LAB_EPA_NO	AA524				BB033				AA525				AA527				AA535			
Date Sampled	2/10/99				2/11/99				2/10/99				2/10/99				2/10/99			
Depth	0-0				0-0				0-0				0-0				0-0			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON					2.30	U	U						2.30	U	U		2.30	U	U	
3,5-DICHLOROBENZOIC ACID					0.93	U	U						0.93	U	U		0.93	U	U	
4-NITROPHENOL					1.80	U	U						1.80	U	U		1.80	U	U	
DICAMBA					0.09	U	U						0.09	U	U		0.09	U	U	
MCPP					94.00	U	U						94.00	U	U		94.00	U	U	
MCPA					93.00	U	U						93.00	U	U		93.00	U	U	
DICHLOROPROP					0.94	U	U						0.94	U	U		0.94	U	U	
2,4-D (DICHLOROPHENOXYACE					0.94	U	U						0.94	U	U		0.94	U	U	
PENTACHLOROPHENOL					0.10	U	U						0.10	U	U		0.10	U	U	
SILVEX (2,4,5-TP)					0.10	U	U						0.10	U	U		0.10	U	U	
CHLORAMBEN					0.09	U	U						0.09	U	U		***0.38***	***P***		
2,4 DB					0.95	U	U						0.95	U	U		0.95	U	U	
2,4,5-T (TRICHLOROPHENOXYA					0.10	U	U						0.10	U	U		0.10	U	U	
PICLORAM					0.10	U	U						0.10	U	U		***0.18***	***P***		
BENTAZON					0.94	U	U						0.94	U	U		0.94	U	U	
DINOSEB					0.47	U	U						0.47	U	U		0.47	U	U	
DCPA (DACTHAL)					0.10	U	U						0.10	U	U		0.10	U	U	
ACIFLUORFEN					0.10	U	U						0.10	U	U		0.10	U	U	
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	BB-703				FIELDQC				FIELDQC				FIELDQC				FIELDQC			
LAB_EPA_NO	AA524				BB033				AA525				AA527				AA535			
Date Sampled	2/10/99				2/11/99				2/10/99				2/10/99				2/10/99			
Depth	0-0				0-0				0-0				0-0				0-0			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	UJ	*5	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.10	U	UJ	C	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
TOXAPHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.21	U	U		0.20	U	U		0.20	U	U		0.20	U	U		0.20	U	U	
PCB-1221 (AROCHLOR 1221)	0.41	U	U		0.40	U	U		0.40	U	U		0.40	U	U		0.40	U	U	
PCB-1232 (AROCHLOR 1232)	0.21	U	U		0.20	U	U		0.20	U	U		0.20	U	U		0.20	U	U	
PCB-1242 (AROCHLOR 1242)	0.21	U	U		0.20	U	U		0.20	U	U		0.20	U	U		0.20	U	U	
PCB-1248 (AROCHLOR 1248)	0.21	U	U		0.20	U	U		0.20	U	U		0.20	U	U		0.20	U	U	
PCB-1254 (AROCHLOR 1254)	0.21	U	U		0.20	U	U		0.20	U	U		0.20	U	U		0.20	U	U	
PCB-1260 (AROCHLOR 1260)	0.21	U	U		0.20	U	U		0.20	U	U		0.20	U	U		0.20	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	FIELDQC				FIELDQC				FIELDQC				FIELDQC				FIELDQC			
LAB_EPA_NO	AA581				AA842				AA911				AA914				AA919			
Date Sampled	2/16/99				3/11/99				3/23/99				3/24/99				3/25/99			
Depth	0-0				0-0				0-0				0-0				0-0			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.30	U	U		2.40	U	U		2.30	U	U		2.30	U	U		2.40	U	U	
3,5-DICHLOROBENZOIC ACID	0.93	U	U		0.96	U	U		0.93	U	U		0.93	U	U		0.96	U	U	
4-NITROPHENOL	1.80	U	U		1.80	U	U		1.80	U	U		1.80	U	U		1.80	U	U	
DICAMBA	0.09	U	U		0.10	U	U		0.09	U	U		0.09	U	U		0.10	U	U	
MCPP	94.00	U	U		97.00	U	U		94.00	U	U		94.00	U	U		97.00	U	U	
MCPA	93.00	U	U		96.00	U	U		93.00	U	U		93.00	U	U		96.00	U	U	
DICHLOROPROP	0.94	U	U		0.97	U	U		0.94	U	U		0.94	U	U		0.97	U	U	
2,4-D (DICHLOROPHENOXYACE	0.94	U	U		0.97	U	U		0.94	U	U		0.94	U	U		0.97	U	U	
PENTACHLOROPHENOL	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
SILVEX (2,4,5-TP)	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
CHLORAMBEN	0.09	U	U		0.10	U	U		0.09	U	U		0.09	U	U		0.10	U	U	
2,4 DB	0.95	U	U		0.98	U	U		0.95	U	U		0.95	U	U		0.98	U	U	
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
PICLORAM	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
BENTAZON	0.94	U	U		0.97	U	U		0.94	U	U		0.94	U	U		0.97	U	U	
DINOSEB	0.47	U	U		0.48	U	U		0.47	U	U		0.47	U	U		0.48	U	U	
DCPA (DACTHAL)	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
ACIFLUORFEN	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	FIELDQC				FIELDQC				FIELDQC				FIELDQC				FIELDQC			
LAB_EPA_NO	AA581				AA842				AA911				AA914				AA919			
Date Sampled	2/16/99				3/11/99				3/23/99				3/24/99				3/25/99			
Depth	0-0				0-0				0-0				0-0				0-0			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.10	U	U		0.11	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
TOXAPHENE	1.00	U	U		1.10	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.20	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.20	U	U	
PCB-1221 (AROCHLOR 1221)	0.40	U	U		0.43	U	U		0.41	U	U		0.40	U	U		0.40	U	U	
PCB-1232 (AROCHLOR 1232)	0.20	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.20	U	U	
PCB-1242 (AROCHLOR 1242)	0.20	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.20	U	U	
PCB-1248 (AROCHLOR 1248)	0.20	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.20	U	U	
PCB-1254 (AROCHLOR 1254)	0.20	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.20	U	U	
PCB-1260 (AROCHLOR 1260)	0.20	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.20	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	LRMW0003				WL01S				WL01D				WL01M1				WL01M1			
LAB_EPA_NO	AA916				AA495				AA500				AA715				AA716			
Date Sampled	3/25/99				2/22/99				2/8/99				2/24/99				2/24/99			
Depth	73-83				0-10				174-184				60-65				60-65			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.40	U	UJ	S	2.30	U	U		2.30	U	U		2.30	U	U		2.30	U	U	
3,5-DICHLOROBENZOIC ACID	0.99	U	UJ	S	0.93	U	U		0.93	U	U		0.94	U	U		0.94	U	U	
4-NITROPHENOL	1.90	U	UJ	S,*4	1.80	U	UJ	C	1.80	U	U		1.80	U	UJ	C	1.80	U	UJ	C
DICAMBA	0.10	U	UJ	S	0.09	U	U		0.09	U	U		0.10	U	U		0.10	U	U	
MCPP	100.00	U	UJ	S	94.00	U	UJ	C	94.00	U	UJ	C	95.00	U	UJ	C	95.00	U	UJ	C
MCPA	99.00	U	UJ	C,S	93.00	U	UJ	C	93.00	U	U		94.00	U	U		94.00	U	UJ	C
DICHLOROPROP	1.00	U	UJ	S	0.94	U	UJ	C	0.94	U	U		0.95	U	UJ	C	0.95	U	UJ	C
2,4-D (DICHLOROPHENOXYACE	1.00	U	UJ	S	0.94	U	UJ	C	0.94	U	U		0.95	U	U		0.95	U	UJ	C
PENTACHLOROPHENOL	0.10	U	UJ	S	0.10	U	U		0.10	U	UJ	*4	0.10	U	U		0.10	U	U	
SILVEX (2,4,5-TP)	0.10	U	UJ	S	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
CHLORAMBEN	0.10	U	UJ	S	0.09	U	U		0.09	U	R	*4	0.10	U	U		0.10	U	U	
2,4 DB	1.00	U	UJ	S	0.95	U	U		0.95	U	U		0.96	U	U		0.96	U	U	
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	UJ	S	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
PICLORAM	0.10	U	UJ	C,S	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C
BENTAZON	1.00	U	UJ	S	0.94	U	U		0.94	U	U		0.95	U	U		0.95	U	U	
DINOSEB	0.50	U	UJ	S	0.47	U	U		0.47	U	U		0.47	U	U		0.47	U	U	
DCPA (DACTHAL)	0.10	U	UJ	S,*4	0.10	U	UJ	*4	0.10	U	U		0.10	U	UJ	*4	0.10	U	UJ	*4
ACIFLUORFEN	0.10	U	UJ	S	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	LRMW0003				WL01S				WL01D				WL01M1				WL01M1			
LAB_EPA_NO	AA916				AA495				AA500				AA715				AA716			
Date Sampled	3/25/99				2/22/99				2/8/99				2/24/99				2/24/99			
Depth	73-83				0-10				174-184				60-65				60-65			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.11	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
TOXAPHENE	1.10	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.21	U	U	
PCB-1221 (AROCHLOR 1221)	0.44	U	U		0.41	U	U		0.40	U	U		0.42	U	U		0.41	U	U	
PCB-1232 (AROCHLOR 1232)	0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.21	U	U	
PCB-1242 (AROCHLOR 1242)	0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.21	U	U	
PCB-1248 (AROCHLOR 1248)	0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.21	U	U	
PCB-1254 (AROCHLOR 1254)	0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.21	U	U	
PCB-1260 (AROCHLOR 1260)	0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.21	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL10S				WL10M				WL10D				WL10D				WL13S			
LAB_EPA_NO	AA571				AA569				AA567				AA567RE				AA832			
Date Sampled	2/23/99				2/23/99				2/12/99				2/12/99				3/11/99			
Depth	0-10				135-140				177-187				177-187				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.30	U	UJ	S	2.30	U	U		2.30	U	U						2.30	U	U	
3,5-DICHLOROBENZOIC ACID	0.93	U	UJ	S	0.93	U	U		0.93	U	U						0.93	U	U	
4-NITROPHENOL	1.80	U	UJ	C,S	1.80	U	U		1.80	U	UJ	C					1.80	U	UJ	*4
DICAMBA	0.09	U	UJ	S	0.09	U	U		0.09	U	U						0.09	U	U	
MCPP	94.00	U	UJ	C,S	94.00	U	U		94.00	U	UJ	C					94.00	U	UJ	C,*4
MCPA	93.00	U	UJ	C,S	93.00	U	U		93.00	U	U						93.00	U	UJ	C,*4
DICHLOROPROP	0.94	U	UJ	C,S	0.94	U	U		0.94	U	UJ	C					0.94	U	U	
2,4-D (DICHLOROPHENOXYACE	0.94	U	UJ	C,S	0.94	U	U		0.94	U	U						0.94	U	UJ	C
PENTACHLOROPHENOL	0.10	U	UJ	S	0.10	U	U		0.10	U	UJ	*4					0.10	U	U	
SILVEX (2,4,5-TP)	0.10	U	UJ	S	0.10	U	U		0.10	U	U						0.10	U	U	
CHLORAMBEN	0.09	U	UJ	S	0.09	U	U		0.09	U	R	*4					0.09	U	UJ	C
2,4 DB	0.95	U	UJ	S	0.95	U	U		0.95	U	U						0.95	U	U	
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	UJ	S	0.10	U	U		0.10	U	U						0.10	U	U	
PICLORAM	0.10	U	UJ	C,S	0.10	U	U		0.10	U	R	*4					0.10	U	R	*4
BENTAZON	0.94	U	UJ	S	0.94	U	U		0.94	U	U						0.94	U	U	
DINOSEB	0.47	U	UJ	S	0.47	U	U		0.47	U	U						0.47	U	U	
DCPA (DACTHAL)	0.10	U	UJ	S,*4	0.10	U	UJ	*4	0.10	U	U						0.10	U	UJ	*4
ACIFLUORFEN	0.10	U	UJ	S	0.10	U	UJ	C	0.10	U	U						0.10	U	U	
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U		0.01	U	UJ	C
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL10S				WL10M				WL10D				WL10D				WL13S			
LAB_EPA_NO	AA571				AA569				AA567				AA567RE				AA832			
Date Sampled	2/23/99				2/23/99				2/12/99				2/12/99				3/11/99			
Depth	0-10				135-140				177-187				177-187				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	R	D	0.10	U	U		0.10	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U		0.01	U	U	
TOXAPHENE	1.00	U	U		1.00	U	U		1.00	U	R	D	1.00	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.21	U	U		0.21	U	U		0.20	U	R	D	0.20	U	U		0.20	U	U	
PCB-1221 (AROCHLOR 1221)	0.42	U	U		0.42	U	U		0.40	U	R	D	0.40	U	U		0.40	U	U	
PCB-1232 (AROCHLOR 1232)	0.21	U	U		0.21	U	U		0.20	U	R	D	0.20	U	U		0.20	U	U	
PCB-1242 (AROCHLOR 1242)	0.21	U	U		0.21	U	U		0.20	U	R	D	0.20	U	U		0.20	U	U	
PCB-1248 (AROCHLOR 1248)	0.21	U	U		0.21	U	U		0.20	U	R	D	0.20	U	U		0.20	U	U	
PCB-1254 (AROCHLOR 1254)	0.21	U	U		0.21	U	U		0.20	U	R	D	0.20	U	U		0.20	U	U	
PCB-1260 (AROCHLOR 1260)	0.21	U	U		0.21	U	U		0.20	U	R	D	0.20	U	U		0.20	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL13D				WL13D				WL16S				WL17S				WL17D			
LAB_EPA_NO	AA828				AA829				AA803				AA840				AA836			
Date Sampled	3/11/99				3/11/99				3/10/99				3/11/99				3/11/99			
Depth	140-145				140-145				0-10				0-10				197-207			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.30	U	U		2.30	U	U		2.40	U	U		2.30	U	UJ	S	2.40	U	U	
3,5-DICHLOROBENZOIC ACID	0.93	U	U		0.93	U	U		0.96	U	U		0.94	U	UJ	S	0.96	U	U	
4-NITROPHENOL	1.80	U	UJ	*4	1.80	U	UJ	*4	1.90	U	U		1.80	U	UJ	S,*4	1.80	U	UJ	*4
DICAMBA	0.09	U	U		0.09	U	U		0.10	U	U		0.10	U	UJ	S	0.10	U	U	
MCPP	94.00	U	UJ	C,*4	94.00	U	UJ	*4	97.00	U	UJ	C	95.00	U	UJ	C,S,*4	97.00	U	UJ	C,*4
MCPA	93.00	U	UJ	C,*4	93.00	U	UJ	C,*4	96.00	U	UJ	C	94.00	U	UJ	C,S,*4	96.00	U	UJ	C,*4
DICHLOROPROP	0.94	U	U		0.94	U	U		0.97	U	U		0.95	U	UJ	S	0.97	U	U	
2,4-D (DICHLOROPHENOXYACE	0.94	U	UJ	C	0.94	U	U		0.97	U	UJ	C	0.95	U	UJ	C,S	0.97	U	UJ	C
PENTACHLOROPHENOL	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S	0.10	U	U	
SILVEX (2,4,5-TP)	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S	0.10	U	U	
CHLORAMBEN	0.09	U	UJ	C	0.09	U	U		0.10	U	UJ	C	0.10	U	UJ	C,S	***0.12***	***P***	***NJ***	***C,*8,*9***
2,4 DB	0.95	U	U		0.95	U	U		0.98	U	U		0.96	U	UJ	S	0.98	U	U	
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S	0.10	U	U	
PICLORAM	0.10	U	R	*4	0.10	U	R	*4	0.10	U	UJ	C	0.10	U	R	*4	0.10	U	R	*4
BENTAZON	0.94	U	UJ	C	0.94	U	U		0.97	U	U		0.95	U	UJ	C,S	0.97	U	UJ	C
DINOSEB	0.47	U	U		0.47	U	U		0.49	U	U		0.47	U	UJ	S	0.48	U	U	
DCPA (DACTHAL)	0.10	U	UJ	*4	0.10	U	UJ	*4	0.10	U	UJ	C	0.10	U	UJ	S,*4	0.10	U	UJ	*4
ACIFLUORFEN	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S	0.10	U	U	
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	UJ	C	0.01	U	UJ	C	0.01	U	UJ	C	0.01	U	UJ	C	0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL13D				WL13D				WL16S				WL17S				WL17D			
LAB_EPA_NO	AA828				AA829				AA803				AA840				AA836			
Date Sampled	3/11/99				3/11/99				3/10/99				3/11/99				3/11/99			
Depth	140-145				140-145				0-10				0-10				197-207			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.11	U	UJ	C	0.10	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
TOXAPHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.10	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.20	U	U		0.21	U	U		0.20	U	U		0.22	U	U		0.20	U	U	
PCB-1221 (AROCHLOR 1221)	0.40	U	U		0.41	U	U		0.40	U	U		0.43	U	U		0.41	U	U	
PCB-1232 (AROCHLOR 1232)	0.20	U	U		0.21	U	U		0.20	U	U		0.22	U	U		0.20	U	U	
PCB-1242 (AROCHLOR 1242)	0.20	U	U		0.21	U	U		0.20	U	U		0.22	U	U		0.20	U	U	
PCB-1248 (AROCHLOR 1248)	0.20	U	U		0.21	U	U		0.20	U	U		0.22	U	U		0.20	U	U	
PCB-1254 (AROCHLOR 1254)	0.20	U	U		0.21	U	U		0.20	U	U		0.22	U	U		0.20	U	U	
PCB-1260 (AROCHLOR 1260)	0.20	U	U		0.21	U	U		0.20	U	U		0.22	U	U		0.20	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL17D				WL18S				WL18M2				WL18M1				WL18D			
LAB_EPA_NO	AA837				AA847				AA856				AA849				AA857			
Date Sampled	3/11/99				3/12/99				3/16/99				3/12/99				3/16/99			
Depth	197-207				0-10				170-175				178-183				223-233			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.40	U	U		2.40	U	U		2.30	U	UJ	C	2.30	U	U		2.40	U	U	
3,5-DICHLOROBENZOIC ACID	0.96	U	U		0.99	U	U		0.93	U	U		0.93	U	U		0.96	U	U	
4-NITROPHENOL	1.80	U	UJ	*4	1.90	U	UJ	*4	1.80	U	UJ	C	1.80	U	UJ	*4	1.80	U	U	
DICAMBA	0.10	U	U		0.10	U	U		0.09	U	U		0.09	U	U		0.10	U	U	
MCPP	97.00	U	UJ	C,*4	100.00	U	UJ	C,*4	94.00	U	UJ	C,*4	94.00	U	UJ	C,*4	97.00	U	UJ	C,*4
MCPA	96.00	U	UJ	C,*4	99.00	U	UJ	C,*4	93.00	U	UJ	C,*4	93.00	U	UJ	C,*4	96.00	U	UJ	C,*4
DICHLOROPROP	0.97	U	U		1.00	U	U		0.94	U	U		0.94	U	U		0.97	U	U	
2,4-D (DICHLOROPHENOXYACE	0.97	U	UJ	C	1.00	U	UJ	C	0.94	U	U		0.94	U	UJ	C	0.97	U	U	
PENTACHLOROPHENOL	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
SILVEX (2,4,5-TP)	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
CHLORAMBEN	0.10	U	UJ	C	0.10	U	UJ	C	0.09	U	U		0.09	U	UJ	C	0.10	U	U	
2,4 DB	0.98	U	U		1.00	U	U		0.95	U	U		0.95	U	U		0.98	U	U	
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
PICLORAM	0.10	U	R	*4	0.10	U	R	*4	0.10	U	UJ	C	0.10	U	R	*4	0.10	U	UJ	C
BENTAZON	0.97	U	UJ	C	1.00	U	U		0.94	U	U		0.94	U	U		0.97	U	U	
DINOSEB	0.48	U	U		0.50	U	U		0.47	U	UJ	C	0.47	U	U		0.48	U	U	
DCPA (DACTHAL)	0.10	U	UJ	*4	0.10	U	UJ	*4	0.10	U	UJ	*4	0.10	U	UJ	*4	0.10	U	UJ	*4
ACIFLUORFEN	0.10	U	U		0.10	U	U		0.10	U	UJ	C	0.10	U	U		0.10	U	UJ	C
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	UJ	C	0.01	U	U		0.01	U	UJ	C	0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL17D				WL18S				WL18M2				WL18M1				WL18D			
LAB_EPA_NO	AA837				AA847				AA856				AA849				AA857			
Date Sampled	3/11/99				3/12/99				3/16/99				3/12/99				3/16/99			
Depth	197-207				0-10				170-175				178-183				223-233			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.11	U	UJ	C	0.11	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.11	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
TOXAPHENE	1.10	U	U		1.10	U	U		1.00	U	U		1.00	U	U		1.10	U	U	
PCB-1016 (AROCHLOR 1016)	0.22	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U	
PCB-1221 (AROCHLOR 1221)	0.43	U	U		0.43	U	U		0.40	U	U		0.40	U	U		0.42	U	U	
PCB-1232 (AROCHLOR 1232)	0.22	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U	
PCB-1242 (AROCHLOR 1242)	0.22	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U	
PCB-1248 (AROCHLOR 1248)	0.22	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U	
PCB-1254 (AROCHLOR 1254)	0.22	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U	
PCB-1260 (AROCHLOR 1260)	0.22	U	U		0.22	U	U		0.20	U	U		0.20	U	U		0.21	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL19S				WL19D				WL19D				WL20				WL21S			
LAB_EPA_NO	AA539				AA537				AA537RE				AA574				AA886			
Date Sampled	2/12/99				2/11/99				2/11/99				2/12/99				3/19/99			
Depth	0-10				251-256				251-256				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.30	U	U		2.30	U	U						2.30	U	U		2.30	U	UJ	S
3,5-DICHLOROBENZOIC ACID	0.95	U	U		0.93	U	U						0.93	U	U		0.94	U	UJ	S
4-NITROPHENOL	1.80	U	U		1.80	U	UJ	C					1.80	U	U		1.80	U	UJ	S,*4
DICAMBA	0.10	U	U		0.09	U	U						0.09	U	U		0.10	U	UJ	S
MCPP	96.00	U	U		94.00	U	UJ	C					94.00	U	U		95.00	U	UJ	C,S
MCPA	95.00	U	U		93.00	U	U						93.00	U	U		94.00	U	UJ	C,S,*4
DICHLOROPROP	0.96	U	U		0.94	U	UJ	C					0.94	U	U		0.95	U	UJ	S
2,4-D (DICHLOROPHENOXYACE	0.96	U	U		0.94	U	U						0.94	U	U		0.95	U	UJ	S,*4
PENTACHLOROPHENOL	0.10	U	UJ	*4	0.10	U	UJ	*4					0.10	U	UJ	*4	0.10	U	UJ	S
SILVEX (2,4,5-TP)	0.10	U	U		0.10	U	U						0.10	U	U		0.10	U	UJ	S
CHLORAMBEN	0.10	U	R	*4	0.09	U	R	*4					0.09	U	R	*4	0.10	U	UJ	S
2,4 DB	0.97	U	U		0.95	U	U						0.95	U	U		0.96	U	UJ	S
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	U		0.10	U	U						0.10	U	U		0.10	U	UJ	S
PICLORAM	0.10	U	R	*4	0.10	U	R	*4					0.10	U	R	*4	0.10	U	UJ	C,S
BENTAZON	0.96	U	U		0.94	U	U						0.94	U	U		0.95	U	R	*4
DINOSEB	0.48	U	U		0.47	U	U						0.47	U	U		0.48	U	UJ	S
DCPA (DACTHAL)	0.10	U	U		0.10	U	U						0.10	U	U		0.10	U	UJ	S,*4
ACIFLUORFEN	0.10	U	U		0.10	U	U						0.10	U	U		0.10	U	UJ	C,S
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	R	D	0.01	U	UJ	H	0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	R	D	0.01	U	UJ	H	0.01	U	U		0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	R	D	0.01	U	UJ	H	0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	R	D	0.01	U	UJ	H	0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	R	D	0.01	U	UJ	H	0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	R	D	0.01	U	UJ	H	0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL19S				WL19D				WL19D				WL20				WL21S			
LAB_EPA_NO	AA539				AA537				AA537RE				AA574				AA886			
Date Sampled	2/12/99				2/11/99				2/11/99				2/12/99				3/19/99			
Depth	0-10				251-256				251-256				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	R	D	0.01	U	UJ	H	0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	R	D	0.01	U	UJ	H	0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	R	D	0.02	U	UJ	H	0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	R	D	0.02	U	UJ	H	0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	R	D	0.02	U	UJ	H	0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	R	D	0.02	U	UJ	H	0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	R	D	0.02	U	UJ	H	0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	R	D	0.02	U	UJ	H	0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	J	R	D	0.02	U	UJ	H	0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.10	U	UJ	C	0.10	U	R	D	0.11	U	UJ	H,C	0.10	U	UJ	C	0.10	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	R	D	0.02	U	UJ	H	0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02		R	D	0.02	U	UJ	H	0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	R	D	0.01	U	UJ	H	0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	R	D	0.01	U	UJ	H	0.01	U	U		0.01	U	U	
TOXAPHENE	1.00	U	U		1.00	U	R	D	1.10	U	UJ	H	1.00	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.20	U	U		0.21	U	R	D	0.22	U	UJ	H	0.20	U	U		0.20	U	U	
PCB-1221 (AROCHLOR 1221)	0.40	U	U		0.42	U	R	D	0.43	U	UJ	H	0.40	U	U		0.41	U	U	
PCB-1232 (AROCHLOR 1232)	0.20	U	U		0.21	U	R	D	0.22	U	UJ	H	0.20	U	U		0.20	U	U	
PCB-1242 (AROCHLOR 1242)	0.20	U	U		0.21	U	R	D	0.22	U	UJ	H	0.20	U	U		0.20	U	U	
PCB-1248 (AROCHLOR 1248)	0.20	U	U		0.21	U	R	D	0.22	U	UJ	H	0.20	U	U		0.20	U	U	
PCB-1254 (AROCHLOR 1254)	0.20	U	U		0.21	U	R	D	0.22	U	UJ	H	0.20	U	U		0.20	U	U	
PCB-1260 (AROCHLOR 1260)	0.20	U	U		0.28		R	D	0.22	U	UJ	H	0.20	U	U		0.20	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL21D				WL22				WL23S				WL23D				WL23D			
LAB_EPA_NO	AA884				AA845				AA851				AA858				AA859			
Date Sampled	3/19/99				3/12/99				3/12/99				3/17/99				3/17/99			
Depth	130-140				0-10				0-10				146-156				146-156			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.40	U	U		2.30	U	UJ	S	2.40	U	U		2.30	U	UJ	C	2.30	U	U	
3,5-DICHLOROBENZOIC ACID	0.96	U	U		0.93	U	UJ	S	0.96	U	U		0.93	U	U		0.93	U	U	
4-NITROPHENOL	1.90	U	UJ	*4	1.80	U	UJ	S,*4	1.80	U	UJ	*4	1.80	U	UJ	C	1.80	U	U	
DICAMBA	0.10	U	U		0.09	U	UJ	S	0.10	U	U		0.09	U	U		0.09	U	U	
MCPP	97.00	U	U		94.00	U	UJ	C,S,*4	97.00	U	UJ	C,*4	94.00	U	UJ	C,*4	94.00	U	UJ	*4
MCPA	96.00	U	UJ	*4	93.00	U	UJ	C,S,*4	96.00	U	UJ	C,*4	93.00	U	UJ	C,*4	93.00	U	UJ	C,*4
DICHLOROPROP	0.97	U	U		0.94	U	UJ	S	0.97	U	U		0.94	U	U		0.94	U	U	
2,4-D (DICHLOROPHENOXYACE	0.97	U	UJ	*4	0.94	U	UJ	C,S	0.97	U	UJ	C	0.94	U	U		0.94	U	U	
PENTACHLOROPHENOL	0.10	U	U		0.10	U	UJ	S	0.10	U	U		0.10	U	U		0.10	U	U	
SILVEX (2,4,5-TP)	0.10	U	U		0.10	U	UJ	S	0.10	U	U		0.10	U	U		0.10	U	U	
CHLORAMBEN	0.10	U	U		0.09	U	UJ	C,S	0.10	U	UJ	C	0.09	U	U		0.09	U	U	
2,4 DB	0.98	U	U		0.95	U	UJ	S	0.98	U	U		0.95	U	U		0.95	U	U	
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	U		0.10	U	UJ	S	0.10	U	U		0.10	U	U		0.10	U	U	
PICLORAM	0.10	U	UJ	C	0.10	U	R	*4	0.10	U	R	*4	0.10	U	UJ	C	0.10	U	UJ	C
BENTAZON	0.97	U	R	*4	0.94	U	UJ	S	0.97	U	U		0.94	U	U		0.94	U	U	
DINOSEB	0.49	U	U		0.47	U	UJ	S	0.48	U	U		0.47	U	UJ	C	0.47	U	U	
DCPA (DACTHAL)	0.10	U	UJ	*4	0.10	U	UJ	S,*4	0.10	U	UJ	*4	0.10	U	UJ	*4	0.10	U	UJ	*4
ACIFLUORFEN	0.10	U	UJ	C	0.10	U	UJ	S	0.10	U	U		0.10	U	UJ	C	0.10	U	U	
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	UJ	C	0.01	U	UJ	C	0.01	U	UJ	C	0.01	U	UJ	C
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL21D				WL22				WL23S				WL23D				WL23D			
LAB_EPA_NO	AA884				AA845				AA851				AA858				AA859			
Date Sampled	3/19/99				3/12/99				3/12/99				3/17/99				3/17/99			
Depth	130-140				0-10				0-10				146-156				146-156			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
TOXAPHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.20	U	U		0.21	U	U		0.21	U	U		0.20	U	U		0.20	U	U	
PCB-1221 (AROCHLOR 1221)	0.41	U	U		0.41	U	U		0.41	U	U		0.41	U	U		0.40	U	U	
PCB-1232 (AROCHLOR 1232)	0.20	U	U		0.21	U	U		0.21	U	U		0.20	U	U		0.20	U	U	
PCB-1242 (AROCHLOR 1242)	0.20	U	U		0.21	U	U		0.21	U	U		0.20	U	U		0.20	U	U	
PCB-1248 (AROCHLOR 1248)	0.20	U	U		0.21	U	U		0.21	U	U		0.20	U	U		0.20	U	U	
PCB-1254 (AROCHLOR 1254)	0.20	U	U		0.21	U	U		0.21	U	U		0.20	U	U		0.20	U	U	
PCB-1260 (AROCHLOR 1260)	0.20	U	U		0.21	U	U		0.21	U	U		0.20	U	U		0.20	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL23M3				WL23M2				WL23M1				WL23M1				WL24			
LAB_EPA_NO	AA863				AA862				AA860				AA861				AA887			
Date Sampled	3/17/99				3/18/99				3/18/99				3/18/99				3/22/99			
Depth	153-163				63-73				99-109				99-109				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.30	U	U		2.30	U	U		2.40	U	U		2.30	U	U		2.30	U	UJ	S
3,5-DICHLOROBENZOIC ACID	0.93	U	U		0.95	U	U		0.96	U	U		0.95	U	U		0.94	U	UJ	S
4-NITROPHENOL	1.80	U	U		1.80	U	UJ	*4	1.90	U	UJ	*4	1.80	U	UJ	*4	1.80	U	UJ	S
DICAMBA	0.09	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S
MCPP	94.00	U	UJ	*4	96.00	U	U		97.00	U	U		96.00	U	U		95.00	U	UJ	C,S
MCPA	93.00	U	UJ	C,*4	95.00	U	UJ	*4	96.00	U	UJ	*4	95.00	U	UJ	*4	94.00	U	UJ	C,S
DICHLOROPROP	0.94	U	U		0.96	U	U		0.97	U	U		0.96	U	U		0.95	U	UJ	S
2,4-D (DICHLOROPHENOXYACE	0.94	U	U		0.96	U	UJ	*4	0.97	U	UJ	*4	0.96	U	UJ	*4	0.95	U	UJ	S
PENTACHLOROPHENOL	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S,*4
SILVEX (2,4,5-TP)	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S
CHLORAMBEN	0.09	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S
2,4 DB	0.95	U	U		0.97	U	U		0.98	U	U		0.97	U	U		0.96	U	UJ	S
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S
PICLORAM	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C,S
BENTAZON	0.94	U	U		0.96	U	R	*4	0.97	U	R	*4	0.96	U	R	*4	0.95	U	UJ	S
DINOSEB	0.47	U	U		0.48	U	U		0.49	U	U		0.48	U	U		0.47	U	UJ	S
DCPA (DACTHAL)	0.10	U	UJ	*4	0.10	U	UJ	*4	0.10	U	UJ	*4	0.10	U	UJ	*4	0.10	U	UJ	S
ACIFLUORFEN	0.10	U	U		0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	S
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	UJ	C	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL23M3				WL23M2				WL23M1				WL23M1				WL24			
LAB_EPA_NO	AA863				AA862				AA860				AA861				AA887			
Date Sampled	3/17/99				3/18/99				3/18/99				3/18/99				3/22/99			
Depth	153-163				63-73				99-109				99-109				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.10	U	UJ	C	0.10	U	UJ	C	0.11	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
TOXAPHENE	1.00	U	U		1.00	U	U		1.10	U	U		1.00	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.21	U	U		0.21	U	U		0.22	U	U		0.20	U	U		0.21	U	U	
PCB-1221 (AROCHLOR 1221)	0.42	U	U		0.42	U	U		0.43	U	U		0.41	U	U		0.41	U	U	
PCB-1232 (AROCHLOR 1232)	0.21	U	U		0.21	U	U		0.22	U	U		0.20	U	U		0.21	U	U	
PCB-1242 (AROCHLOR 1242)	0.21	U	U		0.21	U	U		0.22	U	U		0.20	U	U		0.21	U	U	
PCB-1248 (AROCHLOR 1248)	0.21	U	U		0.21	U	U		0.22	U	U		0.20	U	U		0.21	U	U	
PCB-1254 (AROCHLOR 1254)	0.21	U	U		0.21	U	U		0.22	U	U		0.20	U	U		0.21	U	U	
PCB-1260 (AROCHLOR 1260)	0.21	U	U		0.21	U	U		0.22	U	U		0.20	U	U		0.21	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL25				WL26				WL27				WL28				WL29			
LAB_EPA_NO	AA852				AA853				AA868				AA869				AA888			
Date Sampled	3/17/99				3/17/99				3/18/99				3/19/99				3/22/99			
Depth	0-10				0-10				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.40	U	UJ	C	2.30	U	UJ	C	2.30	U	UJ	S	2.30	U	U		2.30	U	U	
3,5-DICHLOROBENZOIC ACID	0.95	U	U		0.93	U	U		0.93	U	UJ	S	0.93	U	U		0.95	U	U	
4-NITROPHENOL	1.80	U	UJ	C	1.80	U	UJ	C	1.80	U	UJ	Q,S,*4	1.80	U	UJ	*4	1.80	U	U	
DICAMBA	0.10	U	U		0.09	U	U		0.09	U	UJ	S	0.09	U	U		0.10	U	U	
MCPP	96.00	U	UJ	*4	94.00	U	UJ	*4	94.00	U	UJ	C,S	94.00	U	UJ	C	96.00	U	UJ	C
MCPA	95.00	U	UJ	*4	93.00	U	UJ	*4	93.00	U	UJ	C,S,*4	93.00	U	UJ	C,*4	95.00	U	UJ	C
DICHLOROPROP	0.96	U	U		0.94	U	U		0.94	U	UJ	S	0.94	U	U		0.96	U	U	
2,4-D (DICHLOROPHENOXYACE	0.96	U	U		0.94	U	U		0.94	U	UJ	S,*4	0.94	U	UJ	*4	0.96	U	U	
PENTACHLOROPHENOL	0.10	U	U		0.10	U	U		0.10	U	UJ	S	0.10	U	U		0.10	U	UJ	*4
SILVEX (2,4,5-TP)	0.10	U	U		0.10	U	U		0.10	U	UJ	S	0.10	U	U		0.10	U	U	
CHLORAMBEN	0.10	U	U		0.09	U	U		0.09	U	UJ	S	0.09	U	U		0.10	U	U	
2,4 DB	0.97	U	U		0.95	U	U		0.95	U	UJ	S	0.95	U	U		0.97	U	U	
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	U		0.10	U	U		0.10	U	UJ	S	0.10	U	U		0.10	U	U	
PICLORAM	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C,S	0.10	U	UJ	C	0.10	U	UJ	C
BENTAZON	0.96	U	U		0.94	U	U		0.94	U	R	*4	0.94	U	R	*4	0.96	U	U	
DINOSEB	0.48	U	UJ	C	0.47	U	UJ	C	0.47	U	UJ	Q,S	0.47	U	U		0.48	U	U	
DCPA (DACTHAL)	0.10	U	UJ	*4	0.10	U	UJ	*4	0.10	U	UJ	Q,S,*4	0.10	U	UJ	*4	0.10	U	U	
ACIFLUORFEN	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C,Q,S	0.10	U	UJ	C	0.10	U	U	
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	UJ	C	0.01	U	UJ	C	0.01	U	U		0.01	U	U		0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL25				WL26				WL27				WL28				WL29			
LAB_EPA_NO	AA852				AA853				AA868				AA869				AA888			
Date Sampled	3/17/99				3/17/99				3/18/99				3/19/99				3/22/99			
Depth	0-10				0-10				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.10	U	UJ	C	0.10	U	UJ	C	0.12	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
TOXAPHENE	1.00	U	U		1.00	U	U		1.20	U	U		1.00	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.20	U	U		0.20	U	U		0.24	U	U		0.20	U	U		0.21	U	U	
PCB-1221 (AROCHLOR 1221)	0.40	U	U		0.41	U	U		0.48	U	U		0.40	U	U		0.42	U	U	
PCB-1232 (AROCHLOR 1232)	0.20	U	U		0.20	U	U		0.24	U	U		0.20	U	U		0.21	U	U	
PCB-1242 (AROCHLOR 1242)	0.20	U	U		0.20	U	U		0.24	U	U		0.20	U	U		0.21	U	U	
PCB-1248 (AROCHLOR 1248)	0.20	U	U		0.20	U	U		0.24	U	U		0.20	U	U		0.21	U	U	
PCB-1254 (AROCHLOR 1254)	0.20	U	U		0.20	U	U		0.24	U	U		0.20	U	U		0.21	U	U	
PCB-1260 (AROCHLOR 1260)	0.20	U	U		0.20	U	U		0.24	U	U		0.20	U	U		0.21	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL47D				WL05S				WL05D				WL05D				WL05M2			
LAB_EPA_NO	AA924				AA484				AA479				AA479RE				AA487			
Date Sampled	3/25/99				2/8/99				2/9/99				2/9/99				2/8/99			
Depth	100-110				0-10				220-225				220-225				95-100			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.30	U	UJ	S	2.30	U	U		2.30	U	U						2.30	U	U	
3,5-DICHLOROBENZOIC ACID	0.95	U	UJ	S	0.93	U	U		0.93	U	U						0.93	U	U	
4-NITROPHENOL	1.80	U	UJ	S,*4	1.80	U	U		1.80	U	UJ	C					1.80	U	U	
DICAMBA	0.10	U	UJ	S	0.09	U	U		0.09	U	U						0.09	U	U	
MCPP	96.00	U	UJ	S	94.00	U	UJ	C	94.00	U	UJ	C					94.00	U	UJ	C
MCPA	95.00	U	UJ	S	93.00	U	U		93.00	U	U						93.00	U	U	
DICHLOROPROP	0.96	U	UJ	S	0.94	U	U		0.94	U	UJ	C					0.94	U	U	
2,4-D (DICHLOROPHENOXYACE	0.96	U	UJ	S	0.94	U	U		0.94	U	U						0.94	U	U	
PENTACHLOROPHENOL	0.10	U	UJ	S	0.10	U	UJ	*4	0.10	U	U						0.10	U	UJ	*4
SILVEX (2,4,5-TP)	0.10	U	UJ	S	0.10	U	U		0.10	U	U						0.10	U	U	
CHLORAMBEN	0.10	U	UJ	S	0.09	U	R	*4	0.09	U	U						0.09	U	R	*4
2,4 DB	0.97	U	UJ	S	0.95	U	U		0.95	U	U						0.95	U	U	
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	UJ	S	0.10	U	U		0.10	U	U						0.10	U	U	
PICLORAM	0.10	U	UJ	C,S	0.10	U	UJ	C	0.10	U	UJ	C					0.10	U	UJ	C
BENTAZON	0.96	U	UJ	S	0.94	U	U		0.94	U	U						0.94	U	U	
DINOSEB	0.48	U	UJ	S	0.47	U	U		0.47	U	U						0.47	U	U	
DCPA (DACTHAL)	0.10	U	UJ	S,*4	0.10	U	U		***0.18***								0.10	U	U	
ACIFLUORFEN	0.10	U	UJ	S	0.10	U	U		0.10	U	U						0.10	U	U	
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL47D				WL05S				WL05D				WL05D				WL05M2			
LAB_EPA_NO	AA924				AA484				AA479				AA479RE				AA487			
Date Sampled	3/25/99				2/8/99				2/9/99				2/9/99				2/8/99			
Depth	100-110				0-10				220-225				220-225				95-100			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U	
METHOXYCHLOR	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	R	D	0.10	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	R	D	0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	R	D	0.01	U	U	
TOXAPHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	R	D	1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.20	U	U		0.20	U	U		0.20	U	U		0.21	U	R	D	0.21	U	U	
PCB-1221 (AROCHLOR 1221)	0.41	U	U		0.40	U	U		0.40	U	U		0.42	U	R	D	0.41	U	U	
PCB-1232 (AROCHLOR 1232)	0.20	U	U		0.20	U	U		0.20	U	U		0.21	U	R	D	0.21	U	U	
PCB-1242 (AROCHLOR 1242)	0.20	U	U		0.20	U	U		0.20	U	U		0.21	U	R	D	0.21	U	U	
PCB-1248 (AROCHLOR 1248)	0.20	U	U		0.20	U	U		0.20	U	U		0.21	U	R	D	0.21	U	U	
PCB-1254 (AROCHLOR 1254)	0.20	U	U		0.20	U	U		0.20	U	U		0.21	U	R	D	0.21	U	U	
PCB-1260 (AROCHLOR 1260)	0.20	U	U		0.20	U	U		0.20	U	U		0.21	U	R	D	0.21	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL07S				WL07M2				WL07D				WL07MI				WL08			
LAB_EPA_NO	AA627				AA623				AA621				AA625				AA721			
Date Sampled	2/18/99				2/24/99				2/19/99				2/23/99				2/24/99			
Depth	0-10				137-142				227-337				67-72				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.30	U	U		2.30	U	U		2.30	U	U		2.30	U	UJ	S	2.30	U	UJ	S
3,5-DICHLOROBENZOIC ACID	0.94	U	U		0.93	U	U		0.94	U	U		0.94	U	UJ	S	0.93	U	UJ	S
4-NITROPHENOL	1.80	U	UJ	*4	1.80	U	UJ	C	1.80	U	UJ	*4	1.80	U	UJ	S	1.80	U	UJ	S
DICAMBA	0.10	U	U		0.09	U	U		0.10	U	U		0.10	U	UJ	S	0.09	U	UJ	S
MCPP	95.00	U	U		94.00	U	UJ	C	95.00	U	U		95.00	U	UJ	S	94.00	U	UJ	C,S
MCPA	94.00	U	U		93.00	U	U		94.00	U	U		94.00	U	UJ	S	93.00	U	UJ	C,S
DICHLOROPROP	0.95	U	U		0.94	U	UJ	C	0.95	U	U		0.95	U	UJ	S	0.94	U	UJ	S
2,4-D (DICHLOROPHENOXYACE	0.95	U	U		0.94	U	U		0.95	U	U		0.95	U	UJ	S	0.94	U	UJ	C,S
PENTACHLOROPHENOL	0.10	U	UJ	*4	0.10	U	U		0.10	U	UJ	*4	0.10	U	UJ	S	0.10	U	UJ	S
SILVEX (2,4,5-TP)	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S	0.10	U	UJ	S
CHLORAMBEN	0.10	U	U		0.09	U	U		0.10	U	U		0.10	U	UJ	S	0.09	U	UJ	S
2,4 DB	0.96	U	U		0.95	U	U		0.96	U	U		0.96	U	UJ	S	0.95	U	UJ	S
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	S	0.10	U	UJ	S
PICLORAM	0.10	U	U		0.10	U	UJ	C	0.10	U	U		0.10	U	UJ	S	0.10	U	UJ	S
BENTAZON	0.95	U	R	*4	0.94	U	U		0.95	U	R	*4	0.95	U	UJ	S	0.94	U	UJ	S
DINOSEB	0.47	U	R	*4	0.47	U	U		0.47	U	R	*4	0.47	U	UJ	S	0.47	U	UJ	S
DCPA (DACTHAL)	0.10	U	U		0.10	U	UJ	*4	0.10	U	U		0.10	U	UJ	S,*4	0.10	U	UJ	S,*4
ACIFLUORFEN	0.10	U	R	*4	0.10	U	U		0.10	U	R	*4	0.10	U	UJ	C,S	0.10	U	UJ	S
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	WL07S				WL07M2				WL07D				WL07M1				WL08			
LAB_EPA_NO	AA627				AA623				AA621				AA625				AA721			
Date Sampled	2/18/99				2/24/99				2/19/99				2/23/99				2/24/99			
Depth	0-10				137-142				227-337				67-72				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
METHOXYCHLOR	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C	0.10	U	UJ	C
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U		0.02	U	U	
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U		0.01	U	U	
TOXAPHENE	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
PCB-1016 (AROCHLOR 1016)	0.21	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U	
PCB-1221 (AROCHLOR 1221)	0.42	U	U		0.40	U	U		0.40	U	U		0.41	U	U		0.40	U	U	
PCB-1232 (AROCHLOR 1232)	0.21	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U	
PCB-1242 (AROCHLOR 1242)	0.21	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U	
PCB-1248 (AROCHLOR 1248)	0.21	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U	
PCB-1254 (AROCHLOR 1254)	0.21	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U	
PCB-1260 (AROCHLOR 1260)	0.21	U	U		0.20	U	U		0.20	U	U		0.21	U	U		0.20	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	SMR-2				USFW228040				USFW241098											
LAB_EPA_NO	AA917				AA242				AA244				Intentionally blank				Intentionally blank			
Date Sampled	3/25/99				2/11/99				2/10/99											
Depth	0-10				20-20				42-45											
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/L)																				
DALAPON	2.30	U	U		2.30	U	U		2.30	U	U									
3,5-DICHLOROBENZOIC ACID	0.93	U	U		0.93	U	U		0.93	U	U									
4-NITROPHENOL	1.80	U	UJ	*4	1.80	U	UJ	C	1.80	U	U									
DICAMBA	0.09	U	U		0.09	U	U		0.09	U	U									
MCPP	94.00	U	U		94.00	U	UJ	C	94.00	U	U									
MCPA	93.00	U	U		93.00	U	U		93.00	U	U									
DICHLOROPROP	0.94	U	U		0.94	U	UJ	C	0.94	U	U									
2,4-D (DICHLOROPHENOXYACE	0.94	U	U		0.94	U	U		0.94	U	U									
PENTACHLOROPHENOL	0.10	U	U		0.10	U	UJ	*4	0.10	U	UJ	*4								
SILVEX (2,4,5-TP)	0.10	U	U		0.10	U	U		0.10	U	U									
CHLORAMBEN	0.09	U	U		0.09	U	R	*4	0.09	U	R	*4								
2,4 DB	0.95	U	U		0.95	U	U		0.95	U	U									
2,4,5-T (TRICHLOROPHENOXYA	0.10	U	U		0.10	U	U		0.10	U	U									
PICLORAM	0.10	U	UJ	C	0.10	U	R	*4	0.10	U	R	*4								
BENTAZON	0.94	U	U		0.94	U	U		0.94	U	U									
DINOSEB	0.47	U	U		0.47	U	U		0.47	U	U									
DCPA (DACTHAL)	0.10	U	UJ	*4	0.10	U	U		0.10	U	U									
ACIFLUORFEN	0.10	U	U		0.10	U	U		0.10	U	U									
OL21P (UG/L)																				
ALPHA BHC (ALPHA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U									
BETA BHC (BETA HEXACHLOR	0.01	U	U		0.01	U	U		0.01	U	U									
DELTA BHC (DELTA HEXACHL	0.01	U	U		0.01	U	U		0.01	U	U									
GAMMA BHC (LINDANE)	0.01	U	U		0.01	U	U		0.01	U	U									
HEPTACHLOR	0.01	U	U		0.01	U	U		0.01	U	U									
ALDRIN	0.01	U	U		0.01	U	U		0.01	U	U									

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP I: PESTICIDES/HERBICIDES (WATER)

LOCID	SMR-2				USFW228040				USFW241098											
LAB_EPA_NO	AA917				AA242				AA244				Intentionally blank				Intentionally blank			
Date Sampled	3/25/99				2/11/99				2/10/99											
Depth	0-10				20-20				42-45											
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OL21P (UG/L) Continued																				
HEPTACHLOR EPOXIDE	0.01	U	U		0.01	U	U		0.01	U	U									
ALPHA ENDOSULFAN	0.01	U	U		0.01	U	U		0.01	U	U									
DIELDRIN	0.02	U	U		0.02	U	U		0.02	U	U									
DDE (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U									
ENDRIN	0.02	U	U		0.02	U	U		0.02	U	U									
BETA ENDOSULFAN	0.02	U	U		0.02	U	U		0.02	U	U									
DDD (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U									
ENDOSULFAN SULFATE	0.02	U	U		0.02	U	U		0.02	U	UJ	*5								
DDT (1,1-BIS(CHLOROPHENYL)-	0.02	U	U		0.02	U	U		0.02	U	U									
METHOXYCHLOR	0.10	U	UJ	C	0.11	U	UJ	C	0.10	U	UJ	C								
ENDRIN KETONE	0.02	U	U		0.02	U	U		0.02	U	U									
ENDRIN ALDEHYDE	0.02	U	U		0.02	U	U		0.02	U	U									
ALPHA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U									
GAMMA-CHLORDANE	0.01	U	U		0.01	U	U		0.01	U	U									
TOXAPHENE	1.00	U	U		1.10	U	U		1.00	U	U									
PCB-1016 (AROCHLOR 1016)	0.20	U	U		0.21	U	U		0.20	U	U									
PCB-1221 (AROCHLOR 1221)	0.40	U	U		0.42	U	U		0.40	U	U									
PCB-1232 (AROCHLOR 1232)	0.20	U	U		0.21	U	U		0.20	U	U									
PCB-1242 (AROCHLOR 1242)	0.20	U	U		0.21	U	U		0.20	U	U									
PCB-1248 (AROCHLOR 1248)	0.20	U	U		0.21	U	U		0.20	U	U									
PCB-1254 (AROCHLOR 1254)	0.20	U	U		0.21	U	U		0.20	U	U									
PCB-1260 (AROCHLOR 1260)	0.20	U	U		0.21	U	U		0.20	U	U									

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP J: PESTICIDES/HERBICIDES (SOIL)

LOCID	BRICKPIT1				BRICKPIT1				BRICKPIT2				BRICKPIT2							
LAB_EPA_NO	AA727				AA728				AA729				AA730				Intentionally blank			
Date Sampled	2/24/99				2/24/99				2/24/99				2/24/99							
Depth	0-0				0-0				0-0				0-0							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
8151 (UG/KG)																				
DALAPON	120.00	U	U		130.00	U	U		120.00	U	U		120.00	U	U					
3,5-DICHLOROBENZOIC ACID	49.00	U	U		53.00	U	U		49.00	U	U		50.00	U	U					
4-NITROPHENOL	95.00	U	UJ	C	100.00	U	UJ	C	95.00	U	UJ	C	97.00	U	UJ	C				
DICAMBA	4.90	U	U		5.40	U	U		4.90	U	U		5.00	U	U					
MCPP	4900.00	U	UJ	C	5400.00	U	UJ	C	4900.00	U	UJ	C	5000.00	U	UJ	C				
MCPA	4900.00	U	UJ	C	5300.00	U	UJ	C	4900.00	U	UJ	C	5000.00	U	UJ	C				
DICHLOROPROP	49.00	U	UJ	C,*4,$	54.00	U	UJ	C,*4,$	49.00	U	UJ	C,*4,$	51.00	U	UJ	C,*4,$				
2,4-D (DICHLOROPHENOXYACE	49.00	U	UJ	C	54.00	U	UJ	C	49.00	U	UJ	C	50.00	U	UJ	C				
PENTACHLOROPHENOL	5.00	U	U		5.40	U	U		5.00	U	U		5.10	U	U					
SILVEX (2,4,5-TP)	5.00	U	U		5.40	U	U		5.00	U	U		5.10	U	U					
CHLORAMBEN	4.90	U	U		5.40	U	U		4.90	U	U		5.00	U	U					
2,4,5-T (TRICHLOROPHENOXYA	5.00	U	U		5.40	U	U		5.00	U	U		5.10	U	U					
2,4 DB	50.00	U	U		54.00	U	U		50.00	U	U		51.00	U	U					
PICLORAM	4.90	U	UJ	C	5.40	U	UJ	C	4.90	U	UJ	C	5.00	U	UJ	C				
BENTAZON	49.00	U	U		54.00	U	U		49.00	U	U		50.00	U	U					
DINOSEB	25.00	U	U		27.00	U	U		25.00	U	U		25.00	U	U					
DCPA (DACTHAL)	5.00	U	U		5.50	U	U		5.00	U	U		5.20	U	U					
ACIFLUORFEN	5.00	U	R	*4	5.50	U	R	*4	5.00	U	R	*4	5.20	U	R	*4				
OM31P (UG/KG)																				
ALPHA BHC (ALPHA HEXACHL	1.80	U	U		2.00	U	U		1.80	U	U		1.80	U	U					
BETA BHC (BETA HEXACHLOR	1.80	U	U		2.00	U	U		1.80	U	U		1.80	U	U					
DELTA BHC (DELTA HEXACHL	1.80	U	U		2.00	U	U		1.80	U	U		1.80	U	U					
GAMMA BHC (LINDANE)	1.80	U	U		2.00	U	U		1.80	U	U		1.80	U	U					
HEPTACHLOR	1.80	U	U		2.00	U	U		1.80	U	U		1.80	U	U					
ALDRIN	1.80	U	U		2.00	U	U		1.80	U	U		1.80	U	U					

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP J: PESTICIDES/HERBICIDES (SOIL)

LOCID	BRICKPIT1				BRICKPIT1				BRICKPIT2				BRICKPIT2							
LAB_EPA_NO	AA727				AA728				AA729				AA730				Intentionally blank			
Date Sampled	2/24/99				2/24/99				2/24/99				2/24/99							
Depth	0-0				0-0				0-0				0-0							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
OM31P (UG/KG) Continued																				
HEPTACHLOR EPOXIDE	1.80	U	U		2.00	U	U		1.80	U	U		1.80	U	U					
ALPHA ENDOSULFAN	1.80	U	U		2.00	U	U		1.80	U	U		1.80	U	U					
DIELDRIN	3.50	U	U		3.80	U	U		3.50	U	U		3.50	U	U					
DDE (1,1-BIS(CHLOROPHENYL)-	3.50	U	U		3.80	U	U		3.50	U	U		3.50	U	U					
ENDRIN	3.50	U	U		3.80	U	U		3.50	U	U		3.50	U	U					
BETA ENDOSULFAN	3.50	U	U		3.80	U	U		3.50	U	U		3.50	U	U					
DDD (1,1-BIS(CHLOROPHENYL)-	3.50	U	U		3.80	U	U		3.50	U	U		3.50	U	U					
ENDOSULFAN SULFATE	3.50	U	U		3.80	U	U		3.50	U	U		3.50	U	U					
DDT (1,1-BIS(CHLOROPHENYL)-	3.50	U	U		3.80	U	U		3.50	U	U		3.50	U	U					
METHOXYCHLOR	18.00	U	UJ	C	20.00	U	UJ	C	18.00	U	UJ	C	18.00	U	UJ	C				
ENDRIN KETONE	3.50	U	U		3.80	U	U		3.50	U	U		3.50	U	U					
ENDRIN ALDEHYDE	3.50	U	U		3.80	U	U		3.50	U	U		3.50	U	U					
ALPHA-CHLORDANE	1.80	U	U		2.00	U	U		1.80	U	U		1.80	U	U					
GAMMA-CHLORDANE	1.80	U	U		2.00	U	U		1.80	U	U		1.80	U	U					
TOXAPHENE	180.00	U	U		200.00	U	U		180.00	U	U		180.00	U	U					
PCB-1016 (AROCHLOR 1016)	35.00	U	U		38.00	U	U		35.00	U	U		35.00	U	U					
PCB-1221 (AROCHLOR 1221)	70.00	U	U		77.00	U	U		70.00	U	U		72.00	U	U					
PCB-1232 (AROCHLOR 1232)	35.00	U	U		38.00	U	U		35.00	U	U		35.00	U	U					
PCB-1242 (AROCHLOR 1242)	35.00	U	U		38.00	U	U		35.00	U	U		35.00	U	U					
PCB-1248 (AROCHLOR 1248)	35.00	U	U		38.00	U	U		35.00	U	U		35.00	U	U					
PCB-1254 (AROCHLOR 1254)	35.00	U	U		38.00	U	U		35.00	U	U		35.00	U	U					
PCB-1260 (AROCHLOR 1260)	35.00	U	U		38.00	U	U		35.00	U	U		35.00	U	U					

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	03MW0060				28MW0106				LRMW95I5				95-6				LRMW0003			
LAB_EPA_NO	AA579				AA9I0				AA205				AA203				AA916			
Date Sampled	2/I8/99				3/23/99				3/24/99				3/24/99				3/25/99			
Depth	35-40				0-10				80-92				62-74				73-83			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***7.60***				***8.20***				***8.90***				***7.60***				***6.80***			
SULFATE (AS SO4)	***7.40***				***9.90***				***4.50***				***4.60***				***3.30***			
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***11.00***				***12.50***				***2.50***		***J***	***F***	***4.50***		***J***	***F***	***14.00***			
ALKALINITY, CARBONATE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, HYDROXIDE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, TOTAL (AS CACO	***11.00***				***12.50***				***2.50***		***J***	***F***	***4.50***		***J***	***F***	***14.00***			
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	***0.03***				0.02	U	UJ	*2	0.02	U	UJ	*2	***0.02***		***J***	****2***	0.02	U	UJ	*2
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	***0.08***				***0.04***				***0.03***				***0.10***				***0.19***			
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOPI	***0.18***		***J***	***R***	***0.12***		***J***	***R***	***0.05***		***J***	***F,R***	***0.06***		***J***	***F,R***	***0.01***		***J***	***F,R***
CYAN (UG/L)																				
CYANIDE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOC (MG/L)																				
TOTAL ORGANIC CARBON	I.20		R	R	***0.96***		***J***	***F***	0.50	U	U		0.50	U	U		0.50	U	U	
IM40HD (MG/L)																				
HARDNESS (AS CACO3)					40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY					0.10	U	UJ	B	0.10	U	U		0.10	U	U		0.10	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID		28MW0106				LRMW9515				95-6				LRMW0003			
LAB_EPA_NO	AA579	AA910				AA205				AA203				AA916			
Date Sampled		3/23/99				3/24/99				3/24/99				3/25/99			
Depth		0-10				80-92				62-74				73-83			
Method Analyte	ANALYTICAL RESULT	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																	
ALUMINUM		22.60	B	UJ	B	33.90	B	UJ	B	118.00	B	UJ	B	20.40	B	UJ	B
ANTIMONY		2.20	U	U		2.20	U	U		2.20	U	U		2.20	U	U	
ARSENIC		1.80	U	U		1.80	U	U		1.80	U	U		1.80	U	U	
BARIUM		***27.40***	***B***			6.50	U	U		6.50	U	U		6.50	U	U	
BERYLLIUM		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
CADMIUM		0.30	U	U		0.30	U	U		0.30	U	U		0.30	U	U	
CALCIUM		***2550.00***	***B***			***1360.00***	***B***			***1410.00***	***B***			***2940.00***	***B***		
CHROMIUM, TOTAL		0.70	U	U		0.70	U	U		***1.30***	***B***	***J***	****10***	0.70	U	U	
COBALT		1.50	U	U		1.50	U	U		1.50	U	U		1.50	U	U	
COPPER		1.00	U	U		1.00	U	U		1.00	U	U		***1.10***	***B***	***J***	***F,*10***
IRON		***6970.00***				54.00	B	UJ	B	***305.00***		***J***	***F***	30.80	B	UJ	B
LEAD		***8.90***				0.90	U	U		0.90	U	U		0.90	U	U	
MAGNESIUM		***1860.00***	***B***			***970.00***	***B***			***1050.00***	***B***			***1390.00***	***B***		
MANGANESE		***20.50***				***0.65***	***B***	***J***	***F,*10***	***10.10***	***B***			***77.10***			
NICKEL		***1.80***	***B***	***J***	****10***	1.40	U	U		1.40	U	U		***1.80***	***B***	***J***	****10***
POTASSIUM		***994.00***	***B***			***559.00***	***B***			***603.00***	***B***			***642.00***	***B***		
SELENIUM		1.80	U	U		1.80	U	U		1.80	U	U		1.80	U	U	
SILVER		0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B
SODIUM		***5430.00***				***5800.00***				***5430.00***				***7550.00***			
THALLIUM		1.90	U	U		1.90	U	U		1.90	U	U		1.90	U	U	
VANADIUM		1.60	U	U		1.60	U	U		1.60	U	U		1.60	U	U	
ZINC		16.60	B	UJ	B	3.60	B	UJ	B	3.10	B	UJ	B	8.20	B	UJ	B
MOLYBDENUM		1.20	U	U		1.20	U	U		1.20	U	U		1.20	U	U	
BORON		***36.60***	***B***			8.20	B	UJ	B	8.30	B	UJ	B	8.70	B	UJ	B

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL01S				WL01S				WL01D				WL01D				WL01M1			
LAB_EPA_NO	AA495				AA496				AA500				AA501				AA715			
Date Sampled	2/22/99				2/22/99				2/8/99				2/8/99				2/24/99			
Depth	0-10				0-10				174-184				174-184				60-65			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***5.90***								***6.90***								***7.60***			
SULFATE (AS SO4)	***6.80***								***6.60***								***6.40***			
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***5.00***								***15.00***								***8.50***			
ALKALINITY, CARBONATE (AS	1.00	U	U						1.00	U	U						1.00	U	U	
ALKALINITY, HYDROXIDE (AS	1.00	U	U						1.00	U	U						1.00	U	U	
ALKALINITY, TOTAL (AS CACO	***5.00***								***15.00***								***8.50***			
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	0.02	U	U						***0.02***		***J***	****2***					0.02	U	UJ	*2
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	***0.05***								***0.02***								***0.04***			
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOP	0.01	U	U						***0.66***		***J***	***R***					***0.01***		***J***	***R***
CYAN (UG/L)																				
CYANIDE	5.00	U	U						5.00	U	U						5.00	U	U	
TOC (MG/L)																				
TOTAL ORGANIC CARBON	0.90		R	R					0.50	U	U						0.50	U	U	
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	B	0.10	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL01S				WL01S				WL01D				WL01D				WL01M1			
LAB_EPA_NO	AA495				AA496				AA500				AA501				AA715			
Date Sampled	2/22/99				2/22/99				2/8/99				2/8/99				2/24/99			
Depth	0-10				0-10				174-184				174-184				60-65			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	11.90	U	U		11.90	U	U		***809.00***				***616.00***				51.70	B	UJ	B
ANTIMONY	3.10	U	U		3.10	U	U		3.10	U	U		3.10	U	U		3.10	U	U	
ARSENIC	2.30	U	UJ	B	2.30	U	UJ	B	2.90	U	U		2.90	U	U		2.30	U	UJ	B
BARIUM	***6.60***	***B***	***J***	****10***	***6.60***	***B***	***J***	****10***	4.10	U	U		4.10	U	U		4.10	U	U	
BERYLLIUM	0.10	U	U		0.10	U	U		0.20	B	UJ	B	0.13	B	UJ	B	0.10	U	U	
CADMIUM	0.20	U	U		0.20	U	U		0.20	U	UJ	B	0.20	U	UJ	B	***0.47***	***B***		
CALCIUM	***1280.00***	***B***			***1280.00***	***B***			***3440.00***	***B***			***3560.00***	***B***			***2700.00***	***B***		
CHROMIUM, TOTAL	0.80	U	U		0.80	U	U		0.70	U	U		0.70	U	U		0.80	U	U	
COBALT	1.40	U	U		1.40	U	U		1.40	U	U		***1.80***	***B***	***J***	****10***	1.40	U	U	
COPPER	1.20	B	UJ	B	1.60	B	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	U	
IRON	11.90	U	U		11.90	U	U		***917.00***				***606.00***				***68.00***	***B***		
LEAD	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
MAGNESIUM	***1240.00***	***B***			***1220.00***	***B***			***1680.00***	***B***			***1680.00***	***B***			***1110.00***	***B***		
MANGANESE	***16.10***				***16.40***				***10.30***	***B***			***10.20***	***B***			***40.80***			
NICKEL	***2.30***	***B***	***J***	****10***	***2.40***	***B***	***J***	****10***	1.90	U	U		1.90	U	U		1.90	U	U	
POTASSIUM	***556.00***	***B***			***591.00***	***B***			***985.00***	***B***			***945.00***	***B***			***812.00***	***B***		
SELENIUM	3.60	U	U		3.60	U	U		3.60	U	UJ	*2	3.60	U	UJ	*2	3.60	U	U	
SILVER	1.00	U	U		1.00	U	U		1.00	U	UJ	B	1.00	U	UJ	B	1.00	U	U	
SODIUM	***5460.00***				***4560.00***	***B***			***7020.00***				***7720.00***				***6060.00***			
THALLIUM	3.60	U	U		3.60	U	U		3.10	U	UJ	B,*2	3.10	U	UJ	B,*2	3.60	U	U	
VANADIUM	1.50	U	U		1.50	U	U		***2.50***	***B***			***2.20***	***B***	***J***	****10***	1.50	U	U	
ZINC	10.40	B	UJ	B	7.10	B	UJ	B	***5.10***	***B***			***3.20***	***B***			8.90	B	UJ	B
MOLYBDENUM	1.40	U	UJ	B	1.40	U	UJ	B	1.40	U	U		1.40	U	U		1.40	U	UJ	B
BORON	8.50	B	UJ	B	8.40	B	UJ	B	***4.30***	***B***			***6.70***	***B***			7.00	B	UJ	B

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL01M1				WL10S				WL10M				WL10D				WL10D			
LAB_EPA_NO	AA716				AA571				AA569				AA567				AA568			
Date Sampled	2/24/99				2/23/99				2/23/99				2/12/99				2/12/99			
Depth	60-65				0-10				135-140				177-187				177-187			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***7.60***				***7.90***				***6.50***				***7.20***							
SULFATE (AS SO4)	***6.40***				***4.40***				***3.80***				***11.70***							
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***8.50***				***6.00***				***6.00***				***13.00***							
ALKALINITY, CARBONATE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U					
ALKALINITY, HYDROXIDE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U					
ALKALINITY, TOTAL (AS CACO	***8.50***				***6.00***				***6.00***				***13.00***							
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	0.02	U	UJ	*2	***0.03***				0.02	U	U		***0.02***		***J***	***2***				
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	***0.03***				***0.16***				***0.06***				***0.01***							
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOP	***0.02***		***J***	***R***	0.01	U	U		***0.36***				***0.09***		***J***	***R***				
CYAN (UG/L)																				
CYANIDE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U					
TOC (MG/L)																				
TOTAL ORGANIC CARBON	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	R	R				
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL01M1				WL10S				WL10M				WL10D				WL10D			
LAB_EPA_NO	AA716				AA571				AA569				AA567				AA568			
Date Sampled	2/24/99				2/23/99				2/23/99				2/12/99				2/12/99			
Depth	60-65				0-10				135-140				177-187				177-187			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	61.90	B	UJ	B	13.30	B	UJ	B	25.70	B	UJ	B	166.00	B	UJ	B	11.10	U	U	
ANTIMONY	3.10	U	U		3.10	U	U		3.10	U	U		3.10	U	U		3.10	U	U	
ARSENIC	2.30	U	UJ	B	2.30	U	UJ	B	2.30	U	UJ	B	2.90	U	U		***4.70***	***B***	***J***	****10***
BARIUM	4.10	U	U		4.10	U	U		4.10	U	U		***7.90***	***B***	***J***	****10***	***5.10***	***B***	***J***	****10***
BERYLLIUM	0.10	U	U		0.10	U	U		0.10	U	U		0.14	B	UJ	B	0.10	U	U	
CADMIUM	***0.38***	***B***	***J***	****10***	0.20	U	U		0.20	U	U		0.20	U	UJ	B	0.20	U	UJ	B
CALCIUM	***2680.00***	***B***			***2050.00***	***B***			***1660.00***	***B***			***4080.00***	***B***			***4020.00***	***B***		
CHROMIUM, TOTAL	0.80	U	U		0.80	U	U		0.80	U	U		0.70	U	U		0.70	U	U	
COBALT	1.40	U	U		1.40	U	U		1.40	U	U		1.40	U	U		1.40	U	U	
COPPER	1.60	B	UJ	B	2.30	B	UJ	B	0.90	U	U		0.90	U	UJ	B	0.90	U	UJ	B
IRON	***67.70***	***B***			11.90	U	U		***132.00***				***3390.00***				***2800.00***			
LEAD	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
MAGNESIUM	***1120.00***	***B***			***1350.00***	***B***			***733.00***	***B***			***1690.00***	***B***			***1630.00***	***B***		
MANGANESE	***40.20***				***16.10***				***1.40***	***B***			***154.00***				***147.00***			
NICKEL	1.90	U	U		***2.50***	***B***	***J***	****10***	1.90	U	U		1.90	U	UJ	B	1.90	U	UJ	B
POTASSIUM	***867.00***	***B***			***676.00***	***B***			***538.00***	***B***			***1010.00***	***B***			***968.00***	***B***		
SELENIUM	3.60	U	U		3.60	U	U		3.60	U	U		3.60	U	UJ	*2	3.60	U	UJ	*2
SILVER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	UJ	B	1.00	U	UJ	B
SODIUM	***6000.00***				***5560.00***				***5290.00***				***7180.00***				***7270.00***			
THALLIUM	3.60	U	U		3.60	U	U		3.60	U	U		3.10	U	UJ	*2	3.10	U	UJ	*2
VANADIUM	1.50	U	U		1.50	U	U		1.50	U	U		1.20	U	U		1.20	U	U	
ZINC	3.00	B	UJ	B	2.10	B	UJ	B	8.60	B	UJ	B	***5.90***	***B***			1.10	U	U	
MOLYBDENUM	1.40	U	UJ	B	1.40	U	UJ	B	1.40	U	UJ	B	***3.40***	***B***			***3.90***	***B***		
BORON	6.90	B	UJ	B	8.00	B	UJ	B	5.40	B	UJ	B	***6.30***	***B***			***5.80***	***B***		

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL13S				WL13D				WL13D				WL16S				WL17S			
LAB_EPA_NO	AA832				AA828				AA829				AA803				AA840			
Date Sampled	3/11/99				3/11/99				3/11/99				3/10/99				3/11/99			
Depth	0-10				140-145				140-145				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***12.70***				***3.80***				***3.60***				***6.70***				***10.10***			
SULFATE (AS SO4)	***4.20***				***6.00***				***5.80***				***2.90***				***5.60***			
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***7.00***				***28.00***				***28.00***				***58.00***				***9.00***			
ALKALINITY, CARBONATE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, HYDROXIDE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, TOTAL (AS CACO	***7.00***				***28.00***				***28.00***				***58.00***				***9.00***			
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	0.02	U	UJ	*2	0.02	U	UJ	*2	***0.02***		***J***	*2	***0.03***		***J***	*2	0.02	U	UJ	*2
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	0.01	U	U		***0.06***				***0.06***				0.01	U	U		***0.53***			
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOPI	0.01	U	U		***0.05***				***0.04***				***0.07***				***0.02***			
CYAN (UG/L)																				
CYANIDE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOC (MG/L)																				
TOTAL ORGANIC CARBON	***0.61***		***J***	***R***	***0.75***		***J***	***R***	***0.52***		***J***	***R***	***1.10***				0.50	U	U	
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	UJ	B	0.10	U	UJ	B	0.10	U	UJ	B	0.10	U	UJ	B	0.10	U	UJ	B

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL13S				WL13D				WL13D				WL16S				WL17S			
LAB_EPA_NO	AA832				AA828				AA829				AA803				AA840			
Date Sampled	3/11/99				3/11/99				3/11/99				3/10/99				3/11/99			
Depth	0-10				140-145				140-145				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	12.80	B	UJ	B	***1180.00***				***1460.00***				108.00	B	UJ	B	11.90	U	U	
ANTIMONY	3.90	U	U		4.60	B	UJ	B	3.90	U	U		3.90	U	U		3.90	U	U	
ARSENIC	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	U		1.80	U	U		1.80	U	U	
BARIUM	***10.00***	***B***	***J***	****10***	***34.40***	***B***			***34.40***	***B***			***25.80***	***B***			6.50	U	U	
BERYLLIUM	0.13	B	UJ	B	0.17	B	UJ	B	***0.12***	***B***	***J***	****10***	0.10	U	U		0.10	U	U	
CADMIUM	0.50	U	U		0.50	U	U		0.72	B	UJ	B	0.57	B	UJ	B	0.50	U	U	
CALCIUM	***3290.00***	***B***			***6550.00***				***6340.00***				***6850.00***				***4190.00***	***B***		
CHROMIUM, TOTAL	0.70	U	U		3.10	B	UJ	B	2.70	B	UJ	B	1.60	B	UJ	B	0.70	U	U	
COBALT	1.40	U	U		***1.40***	***B***	***J***	****10***	***2.30***	***B***	***J***	****10***	1.40	U	U		1.40	U	U	
COPPER	1.00	U	U		***2.60***	***B***	***J***	***F,*10***	***2.50***	***B***	***J***	***F,*10***	1.00	U	U		1.00	U	U	
IRON	***88.80***	***B***			***1430.00***				***1500.00***				***2790.00***				***45.90***	***B***		
LEAD	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2
MAGNESIUM	***1200.00***	***B***			***1150.00***	***B***			***1060.00***	***B***			***1380.00***	***B***			***1840.00***	***B***		
MANGANESE	***111.00***				***155.00***				***151.00***				***460.00***				***188.00***			
NICKEL	3.30	B	UJ	B	3.60	B	UJ	B	3.30	B	UJ	B	3.70	B	UJ	B	2.10	B	UJ	B
POTASSIUM	***861.00***	***B***			***1970.00***	***B***			***2080.00***	***B***			***2360.00***	***B***			***845.00***	***B***		
SELENIUM	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B
SILVER	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B
SODIUM	***6590.00***				***7200.00***				***7430.00***				***18600.00***				***5860.00***			
THALLIUM	***1.90***	***B***	***J***	****10***	1.90	U	U		1.90	U	U		3.70	B	UJ	B	3.40	B	UJ	B
VANADIUM	1.20	U	U		1.20	U	U		2.50	B	UJ	B	1.40	B	UJ	B	1.20	U	U	
ZINC	***22.80***		***J***	****2***	***54.50***		***J***	****2***	***47.70***		***J***	****2***	***20.60***		***J***	****2***	8.80	B	UJ	B
MOLYBDENUM	1.20	U	U		***11.00***				***12.10***		***J***	****2***	***21.00***		***J***	****2***	***2.50***	***B***	***J***	****2***
BORON	***6.50***	***B***			***8.20***	***B***			***9.60***	***B***			***13.40***	***B***			***6.60***	***B***		

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL17D				WL17D				WL18S				WL18M2				WL18M1			
LAB_EPA_NO	AA836				AA837				AA847				AA856				AA849			
Date Sampled	3/11/99				3/11/99				3/12/99				3/16/99				3/12/99			
Depth	197-207				197-207				0-10				170-175				178-183			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***8.80***				***8.80***				***9.20***				***9.80***				***8.60***			
SULFATE (AS SO4)	***12.00***				***11.90***				***8.10***				***5.10***				***2.50***			
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***31.00***				***31.00***				***14.00***				***5.00***				***16.00***			
ALKALINITY, CARBONATE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, HYDROXIDE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, TOTAL (AS CACO	***31.00***				***31.00***				***14.00***				***5.00***				***16.00***			
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	0.02	U	UJ	*2	***0.03***		***J***	*2	***0.03***		***J***	*2	0.02	U	U		***0.02***		***J***	*2
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	0.01	U	U		0.01	U	U		***1.00***				***0.03***				***2.40***			
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOP	***0.18***				***0.17***				0.01	U	U		***0.03***		***J***	***R***	***0.01***			
CYAN (UG/L)																				
CYANIDE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOC (MG/L)																				
TOTAL ORGANIC CARBON	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	UJ	B	0.10	U	UJ	B	0.10	U	UJ	B	0.10	U	UJ	B	0.10	U	UJ	B

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL17D				WL17D				WL18S				WL18M2				WL18M1			
LAB_EPA_NO	AA836				AA837				AA847				AA856				AA849			
Date Sampled	3/11/99				3/11/99				3/12/99				3/16/99				3/12/99			
Depth	197-207				197-207				0-10				170-175				178-183			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	108.00	B	UJ	B	94.40	B	UJ	B	11.90	U	U		16.60	B	UJ	B	13.10	B	UJ	B
ANTIMONY	3.90	U	U		6.80	B	UJ	B	3.90	U	U		3.90	U	U		3.90	U	U	
ARSENIC	1.80	U	U		1.80	U	U		1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B
BARIUM	***14.00***	***B***			***13.90***	***B***			***19.60***	***B***			6.50	U	U		6.50	U	U	
BERYLLIUM	***0.10***	***B***	***J***	****10***	0.10	U	U		0.10	U	U		0.10	U	UJ	B	0.10	U	U	
CADMIUM	0.50	U	U		0.50	U	U		0.50	U	U		2.30	B	UJ	B	0.50	U	U	
CALCIUM	***7680.00***				***7850.00***				***3910.00***	***B***			***1900.00***	***B***			***4340.00***	***B***		
CHROMIUM, TOTAL	1.40	B	UJ	B	1.20	B	UJ	B	0.70	U	U		0.70	U	U		0.70	U	U	
COBALT	1.40	U	U		1.40	U	U		***2.70***	***B***	***J***	****10***	1.40	U	U		1.40	U	U	
COPPER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
IRON	***1330.00***				***1320.00***				14.90	U	U		***38.50***	***B***			***110.00***			
LEAD	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2
MAGNESIUM	***3240.00***	***B***			***3340.00***	***B***			***2310.00***	***B***			***1100.00***	***B***			***1860.00***	***B***		
MANGANESE	***235.00***				***240.00***				***544.00***				***1.70***	***B***			***2.80***	***B***		
NICKEL	1.10	B	UJ	B	0.80	U	U		4.70	B	UJ	B	0.80	U	U		0.80	U	U	
POTASSIUM	***1420.00***	***B***			***1400.00***	***B***			***851.00***	***B***			***475.00***	***B***			***776.00***	***B***		
SELENIUM	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B
SILVER	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B
SODIUM	***8230.00***				***8360.00***				***7660.00***				***6210.00***				***8780.00***			
THALLIUM	1.90	U	U		2.60	B	UJ	B	***2.30***	***B***	***J***	****10***	1.90	U	U		1.90	U	U	
VANADIUM	1.20	U	U		1.20	U	U		1.20	U	U		1.20	U	U		1.20	U	U	
ZINC	***20.80***		***J***	****2***	9.30	B	UJ	B	6.80	B	UJ	B	4.90	B	UJ	B	13.90	B	UJ	B
MOLYBDENUM	***2.30***	***B***	***J***	****2,*10***	***2.80***	***B***	***J***	****2***	1.20	U	U		1.20	U	U		1.20	U	U	
BORON	***9.80***	***B***			***9.30***	***B***			***9.30***	***B***			***7.60***	***B***			***6.30***	***B***		

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL18D				WL19S				WL19S				WL19D				WL19D			
LAB_EPA_NO	AA857				AA539				AA540				AA537				AA538			
Date Sampled	3/16/99				2/12/99				2/12/99				2/11/99				2/11/99			
Depth	223-233				0-10				0-10				251-256				251-256			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***8.00***				***3.10***								***8.40***							
SULFATE (AS SO4)	***10.80***				***12.90***								***9.20***							
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***23.00***				***5.00***								***30.00***							
ALKALINITY, CARBONATE (AS	1.00	U	U		1.00	U	U						1.00	U	U					
ALKALINITY, HYDROXIDE (AS	1.00	U	U		1.00	U	U						1.00	U	U					
ALKALINITY, TOTAL (AS CACO	***23.00***				***5.00***								***30.00***							
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	***0.03***				***0.02***		***J***	*2					0.02	U	UJ	*2				
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	0.01	U	U		***2.00***								***0.04***							
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOPI	***0.02***		***J***	***R***	0.01	U	UJ	R					***0.20***		***J***	***R***				
CYAN (UG/L)																				
CYANIDE	5.00	U	U		5.00	U	U						5.00	U	U					
TOC (MG/L)																				
TOTAL ORGANIC CARBON	0.50	U	U		0.50	U	R	R					0.50	U	U					
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	UJ	B	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL18D				WL19S				WL19S				WL19D				WL19D			
LAB_EPA_NO	AA857				AA539				AA540				AA537				AA538			
Date Sampled	3/16/99				2/12/99				2/12/99				2/11/99				2/11/99			
Depth	223-233				0-10				0-10				251-256				251-256			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	59.10	B	UJ	B	11.10	U	U		11.10	U	U		***1570.00***				172.00	B	UJ	B
ANTIMONY	3.90	U	U		3.10	U	U		3.10	U	U		3.10	U	U		3.10	U	U	
ARSENIC	1.80	U	UJ	B	2.90	U	U		2.90	U	U		2.90	U	U		2.90	U	U	
BARIUM	***9.20***	***B***	***J***	****10***	***51.70***	***B***			***52.40***	***B***			***18.30***	***B***			***7.30***	***B***	***J***	****10***
BERYLLIUM	0.10	U	U		0.18	B	UJ	B	0.16	B	UJ	B	0.40	B	UJ	B	0.25	B	UJ	B
CADMIUM	0.98	B	UJ	B	0.20	U	UJ	B	0.20	U	UJ	B	0.20	U	UJ	B	0.20	U	UJ	B
CALCIUM	***6910.00***				***4090.00***	***B***			***4210.00***	***B***			***6190.00***				***5730.00***			
CHROMIUM, TOTAL	0.70	U	U		0.70	U	U		0.70	U	U		***1.10***	***B***	***J***	****10***	0.70	U	U	
COBALT	1.40	U	U		1.40	U	U		1.40	U	U		1.40	U	U		1.40	U	U	
COPPER	1.00	U	U		0.90	U	UJ	B	0.90	U	UJ	B	***1.90***	***B***	***J***	***B,F***	***1.40***	***B***	***J***	***B,*10,F***
IRON	***778.00***				11.90	U	U		11.90	U	U		***2060.00***				***189.00***			
LEAD	0.90	U	UJ	B,*2	1.00	U	U		1.00	U	U		***1.90***	***B***	***J***	****10***	1.00	U	U	
MAGNESIUM	***2910.00***	***B***			***1650.00***	***B***			***1700.00***	***B***			***2350.00***	***B***			***1970.00***	***B***		
MANGANESE	***95.00***				***57.40***				***58.40***				***42.00***				***20.70***			
NICKEL	0.80	U	U		1.90	U	UJ	B	1.90	U	UJ	B	1.90	U	UJ	B	1.90	U	U	
POTASSIUM	***902.00***	***B***			***2090.00***	***B***			***1970.00***	***B***			***1630.00***	***B***			***1300.00***	***B***		
SELENIUM	1.80	U	UJ	B	3.60	U	UJ	*2	3.60	U	UJ	*2	3.60	U	U		3.60	U	U	
SILVER	0.90	U	UJ	B	1.00	U	UJ	B	1.00	U	UJ	B	1.00	U	UJ	B	1.00	U	UJ	B
SODIUM	***6550.00***				***3260.00***	***B***			***3550.00***	***B***			***11900.00***				***12100.00***			
THALLIUM	1.90	U	U		3.10	U	UJ	*2	3.10	U	UJ	*2	3.10	U	UJ	*2	***3.10***	***B***	***J***	****2,*10***
VANADIUM	1.20	U	U		1.20	U	U		1.20	U	U		***2.90***	***B***			1.20	U	U	
ZINC	13.90	B	UJ	B	1.10	U	U		***3.60***	***B***			***13.80***	***B***			3.40	B	UJ	B
MOLYBDENUM	***2.40***	***B***			1.40	U	U		1.40	U	U		***2.90***	***B***			***3.20***	***B***		
BORON	***5.70***	***B***	***J***	****10***	***17.30***	***B***			***18.30***	***B***			***6.50***	***B***			***6.60***	***B***		

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL20				WL20				WL21S				WL21D				WL22			
LAB_EPA_NO	AA574				AA575				AA886				AA884				AA845			
Date Sampled	2/12/99				2/12/99				3/19/99				3/19/99				3/12/99			
Depth	0-10				0-10				0-10				130-140				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***6.20***								***14.90***				***8.10***				***9.20***			
SULFATE (AS SO4)	***5.40***								***7.50***				***6.10***				***8.10***			
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***6.00***								***6.00***				***3.00***				***9.00***			
ALKALINITY, CARBONATE (AS	1.00	U	U						1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, HYDROXIDE (AS (	1.00	U	U						1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, TOTAL (AS CACO	***6.00***								***6.00***				***3.00***				***9.00***			
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	0.02	U	UJ	*2					0.02	U	UJ	R,*2	0.02	U	UJ	R,*2	***0.02***		***J***	****2***
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	***1.30***								***0.05***				***0.01***				***0.12***			
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOPI	***0.01***		***J***	***R***					***0.02***				***0.03***				***0.02***			
CYAN (UG/L)																				
CYANIDE	5.00	U	U						5.00	U	U		5.00	U	U		5.00	U	U	
TOC (MG/L)																				
TOTAL ORGANIC CARBON	0.50	U	R	R					0.50	U	U		0.50	U	U		0.50	U	U	
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	U		0.10	U	U		***0.16***	***B***	***J***	****10***	0.10	U	U		0.10	U	UJ	B

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL20				WL20				WL21S				WL21D				WL22			
LAB_EPA_NO	AA574				AA575				AA886				AA884				AA845			
Date Sampled	2/12/99				2/12/99				3/19/99				3/19/99				3/12/99			
Depth	0-10				0-10				0-10				130-140				0-10			
Method / Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	11.10	U	U		11.10	U	U		10.90	B	UJ	B	37.10	B	UJ	B	11.90	U	U	
ANTIMONY	3.10	U	U		3.10	U	U		2.20	U	U		2.20	U	U		3.90	U	U	
ARSENIC	2.90	U	U		2.90	U	U		1.80	U	U		1.80	U	U		1.80	U	UJ	B
BARIUM	4.10	U	U		4.10	U	U		6.50	U	U		6.50	U	U		6.50	U	U	
BERYLLIUM	0.14	B	UJ	B	0.14	B	UJ	B	0.12	B	UJ	B	0.10	U	U		0.12	B	UJ	B
CADMIUM	0.20	U	UJ	B	0.20	U	UJ	B	0.30	U	U		0.30	U	U		0.52	B	UJ	B
CALCIUM	***2280.00***	***B***			***2270.00***	***B***			***2220.00***	***B***			***4020.00***	***B***			***3050.00***	***B***		
CHROMIUM, TOTAL	0.70	U	U		0.70	U	U		0.70	U	U		0.70	U	U		0.70	U	U	
COBALT	1.40	U	U		1.40	U	U		1.50	U	U		1.50	U	U		1.40	U	U	
COPPER	0.90	U	UJ	B	0.90	U	UJ	B	1.00	U	U		1.00	U	U		1.00	U	U	
IRON	11.90	U	U		11.90	U	U		34.10	B	UJ	B	59.50	B	UJ	B	14.90	U	U	
LEAD	1.00	U	U		1.00	U	U		0.90	U	U		0.90	U	U		0.90	U	UJ	B,*2
MAGNESIUM	***1430.00***	***B***			***1400.00***	***B***			***1160.00***	***B***			***1880.00***	***B***			***2190.00***	***B***		
MANGANESE	***7.70***	***B***			***8.00***	***B***			***38.00***				***9.10***	***B***			***8.20***	***B***		
NICKEL	1.90	U	U		1.90	U	UJ	B	1.40	U	U		1.40	U	U		1.40	B	UJ	B
POTASSIUM	***634.00***	***B***			***584.00***	***B***			***876.00***	***B***			***1010.00***	***B***			***932.00***	***B***		
SELENIUM	3.60	U	UJ	*2	3.60	U	UJ	*2	1.80	U	U		1.80	U	U		1.80	U	UJ	B
SILVER	1.00	U	UJ	B	1.00	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B
SODIUM	***5080.00***				***4970.00***	***B***			***9930.00***				***6560.00***				***5840.00***			
THALLIUM	3.10	U	UJ	B,*2	3.10	U	UJ	*2	1.90	U	UJ	B	1.90	U	UJ	B	1.90	U	U	
VANADIUM	1.20	U	U		1.20	U	U		1.60	U	U		1.60	U	U		1.20	U	U	
ZINC	1.10	U	U		***1.40***	***B***	***J***	****10***	9.60	B	UJ	B	6.60	B	UJ	B	4.80	B	UJ	B
MOLYBDENUM	1.40	U	U		1.40	U	U		1.20	U	U		1.20	U	U		1.20	U	U	
BORON	***7.90***	***B***			***7.10***	***B***			10.50	B	UJ	B	6.40	B	UJ	B	***8.20***	***B***		

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL23S				WL23D				WL23D				WL23M3				WL23M2			
LAB_EPA_NO	AA851				AA858				AA859				AA863				AA862			
Date Sampled	3/12/99				3/17/99				3/17/99				3/17/99				3/18/99			
Depth	0-10				146-156				146-156				153-163				63-73			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***8.80***				***7.60***				***7.40***				***11.70***				***8.50***			
SULFATE (AS SO4)	***6.80***				***10.10***				***4.50***				***5.00***				***5.40***			
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***6.00***				***5.00***				***10.50***				***3.50***				***3.50***			
ALKALINITY, CARBONATE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, HYDROXIDE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, TOTAL (AS CACO	***6.00***				***5.00***				***10.50***				***3.50***				***3.50***			
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	0.02	U	UJ	*2	0.02	U	UJ	R	0.02	U	UJ	R,*2	0.02	U	UJ	R,*2	0.02	U	U	
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	***0.16***				***0.03***				***0.09***				***0.02***				***0.25***			
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOPI	***0.01***				***0.05***		***J***	***R***	***0.05***		***J***	***R***	***0.02***		***J***	***R***	***0.04***			
CYAN (UG/L)																				
CYANIDE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOC (MG/L)																				
TOTAL ORGANIC CARBON	0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U		0.50	U	U	
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	UJ	B	0.10	U	UJ	B	0.10	U	UJ	B	0.10	U	UJ	B	***0.14***	***B***		

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL23S				WL23D				WL23D				WL23M3				WL23M2			
LAB_EPA_NO	AA851				AA858				AA859				AA863				AA862			
Date Sampled	3/12/99				3/17/99				3/17/99				3/17/99				3/18/99			
Depth	0-10				146-156				146-156				153-163				63-73			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	14.70	B	UJ	B	52.70	B	UJ	B	55.60	B	UJ	B	11.90	U	U		10.40	U	U	
ANTIMONY	3.90	U	U		3.90	U	U		3.90	U	U		3.90	U	U		2.20	U	U	
ARSENIC	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B
BARIUM	***10.80***	***B***	***J***	****10***	6.50	U	U		6.50	U	U		6.50	U	U		6.50	U	U	
BERYLLIUM	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	
CADMIUM	0.50	U	U		0.50	U	U		0.60	B	UJ	B	0.50	U	U		0.30	U	U	
CALCIUM	***1830.00***	***B***			***2760.00***	***B***			***2680.00***	***B***			***1980.00***	***B***			***1710.00***	***B***		
CHROMIUM, TOTAL	0.70	U	U		0.70	U	U		***0.96***	***B***	***J***	****10***	0.70	U	U		0.70	U	U	
COBALT	1.40	U	U		1.40	U	U		1.40	U	U		1.40	U	U		1.50	U	U	
COPPER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.10	B	UJ	B
IRON	***30.00***	***B***			***110.00***				***126.00***				14.90	U	U		23.40	B	UJ	B
LEAD	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2	0.90	U	UJ	B,*2	0.90	U	U	
MAGNESIUM	***1550.00***	***B***			***1470.00***	***B***			***1420.00***	***B***			***1240.00***	***B***			***1180.00***	***B***		
MANGANESE	***33.70***				***13.60***	***B***			***13.50***	***B***			***1.40***	***B***	***J***	****10***	***1.60***	***B***		
NICKEL	1.20	B	UJ	B	1.80	B	UJ	B	2.40	B	UJ	B	1.50	B	UJ	B	1.40	U	U	
POTASSIUM	***967.00***	***B***			***739.00***	***B***			***720.00***	***B***			***653.00***	***B***			***596.00***	***B***		
SELENIUM	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	U	
SILVER	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B
SODIUM	***6170.00***				***5620.00***				***5480.00***				***6220.00***				***6240.00***			
THALLIUM	1.90	U	U		1.90	U	U		3.20	B	UJ	B	1.90	U	U		1.90	U	UJ	B
VANADIUM	1.20	U	U		1.20	U	U		1.20	U	U		1.20	U	U		1.60	U	U	
ZINC	7.60	B	UJ	B	6.70	B	UJ	B	***32.40***		***J***	****2***	6.60	B	UJ	B	16.40	B	UJ	B
MOLYBDENUM	1.20	U	U		1.20	U	U		1.20	U	U		1.20	U	U		1.20	U	U	
BORON	***6.60***	***B***			***5.10***	***B***	***J***	****10***	***5.30***	***B***	***J***	****10***	***8.20***	***B***			9.30	B	UJ	B

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL23M1				WL23M1				WL24				WL25				WL26			
LAB_EPA_NO	AA860				AA861				AA887				AA852				AA853			
Date Sampled	3/18/99				3/18/99				3/22/99				3/17/99				3/17/99			
Depth	99-109				99-109				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***6.50***				***6.50***				***9.30***				***5.70***				***9.60***			
SULFATE (AS SO4)	***4.20***				***4.20***				***11.50***				***4.60***				***5.80***			
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***5.00***				***4.00***				1.00	U	U		***2.00***				***2.50***			
ALKALINITY, CARBONATE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, HYDROXIDE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, TOTAL (AS CACO	***5.00***				***4.00***				1.00	U	U		***2.00***				***2.50***			
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	0.02	U	U		0.02	U	U		0.02	U	UJ	R,*2	0.02	U	UJ	R,*2	***0.03***		***J***	***R,*2***
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	***0.06***				***0.06***				0.01	U	U		***0.05***				***0.06***			
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOPI	***0.03***				***0.02***				***0.01***				0.01	U	UJ	R	***0.01***		***J***	***R***
CYAN (UG/L)																				
CYANIDE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOC (MG/L)																				
TOTAL ORGANIC CARBON	0.50	U	U		0.50	U	U		***0.95***				0.50	U	U		0.50	U	U	
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	UJ	B	0.10	U	UJ	B

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL23M1				WL23M1				WL24				WL25				WL26			
LAB_EPA_NO	AA860				AA861				AA887				AA852				AA853			
Date Sampled	3/18/99				3/18/99				3/22/99				3/17/99				3/17/99			
Depth	99-109				99-109				0-10				0-10				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	24.20	B	UJ	B	11.80	B	UJ	B	***484.00***				11.90	U	U		***139.00***	***B***		
ANTIMONY	2.20	U	U		2.20	U	U		2.20	U	U		3.90	U	U		***4.80***	***B***	***J***	****10***
ARSENIC	1.80	U	UJ	B	1.80	U	UJ	B	1.80	U	U		1.80	U	UJ	B	1.80	U	UJ	B
BARIUM	6.50	U	U		6.50	U	U		***13.20***	***B***			6.50	U	U		***7.90***	***B***	***J***	****10***
BERYLLIUM	0.10	U	U		0.10	U	U		0.36	B	UJ	B	0.12	B	UJ	B	***1.10***	***B***		
CADMIUM	0.30	U	U		0.30	U	U		0.30	U	U		0.50	U	U		***3.10***	***B***		
CALCIUM	***1690.00***	***B***			***1680.00***	***B***			***245.00***	***B***	***J***	****10***	***718.00***	***B***			***2080.00***	***B***		
CHROMIUM, TOTAL	0.70	U	U		0.70	U	U		0.70	U	U		0.70	U	U		***1.10***	***B***	***J***	****10***
COBALT	1.50	U	U		1.50	U	U		1.50	U	U		1.40	U	U		***1.50***	***B***		
COPPER	1.00	U	U		1.40	B	UJ	B	1.00	U	U		1.00	U	U		1.00	U	U	
IRON	18.90	B	UJ	B	23.70	B	UJ	B	***1140.00***				14.90	U	U		***47.30***	***B***		
LEAD	0.90	U	U		0.90	U	U		0.90	U	U		0.90	U	UJ	B,*2	0.90	U	UJ	B,*2
MAGNESIUM	***772.00***	***B***			***752.00***	***B***			***332.00***	***B***			***879.00***	***B***			***1160.00***	***B***		
MANGANESE	***16.00***				***15.00***				***146.00***				***1.90***	***B***			***43.70***			
NICKEL	1.40	U	U		1.40	U	U		***1.50***	***B***	***J***	****10***	1.50	B	UJ	B	***6.10***	***B***		
POTASSIUM	***525.00***	***B***			***539.00***	***B***			***388.00***	***B***			***467.00***	***B***			***725.00***	***B***		
SELENIUM	1.80	U	U		1.80	U	U		1.80	U	U		1.80	U	UJ	B	1.80	U	UJ	B
SILVER	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B
SODIUM	***5220.00***				***5120.00***				***5090.00***				***3890.00***	***B***			***5260.00***			
THALLIUM	1.90	U	UJ	B	1.90	U	UJ	B	1.90	U	UJ	B	1.90	U	U		4.00	B	UJ	B
VANADIUM	1.60	U	U		1.60	U	U		1.60	U	U		1.20	U	U		***1.30***	***B***	***J***	****10***
ZINC	23.20		UJ	B	15.20	B	UJ	B	9.40	B	UJ	B	6.40	B	UJ	B	***40.00***		***J***	****2***
MOLYBDENUM	1.20	U	U		1.20	U	U		1.20	U	U		1.20	U	U		1.20	U	U	
BORON	7.60	B	UJ	B	7.80	B	UJ	B	9.80	B	UJ	B	***5.90***	***B***	***J***	****10***	***13.50***	***B***		

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2.0

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL27				WL28				WL29				WL47D				WL05S			
LAB_EPA_NO	AA868				AA869				AA888				AA924				AA484			
Date Sampled	3/18/99				3/19/99				3/22/99				3/25/99				2/8/99			
Depth	0-10				0-10				0-10				100-110				0-10			
Method / Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***7.50***				***5.20***				***10.50***				***7.60***				***6.70***			
SULFATE (AS SO4)	***4.40***				***8.90***				***4.00***				***4.90***				***5.10***			
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***8.50***				***5.00***				***7.00***				***10.00***				***5.00***			
ALKALINITY, CARBONATE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, HYDROXIDE (AS	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, TOTAL (AS CACO	***8.50***				***5.00***				***7.00***				***10.00***				***5.00***			
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	0.02	U	U		0.02	U	UJ	R,*2	0.02	U	UJ	R,*2	0.02	U	UJ	*2	0.02	U	UJ	*2
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	***0.02***				***0.03***				***0.02***				***1.10***				***0.01***			
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOPI	***0.04***				***0.03***				***0.02***				***0.04***		***J***	***R***	***0.03***		***J***	***R***
CYAN (UG/L)																				
CYANIDE	5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U		5.00	U	U	
TOC (MG/L)																				
TOTAL ORGANIC CARBON	0.50	U	U		***0.60***				0.50	U	U		0.50	U	U		***0.60***			
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	U		0.10	U	U		0.10	U	U		0.12	B	UJ	B	0.10	U	UJ	B

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL27				WL28				WL29				WL47D				WL05S			
LAB_EPA_NO	AA868				AA869				AA888				AA924				AA484			
Date Sampled	3/18/99				3/19/99				3/22/99				3/25/99				2/8/99			
Depth	0-10				0-10				0-10				100-110				0-10			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	10.90	B	UJ	B	15.40	B	UJ	B	10.40	U	U		***954.00***				***330.00***			
ANTIMONY	2.20	U	U		2.20	U	U		2.20	U	U		2.20	U	U		3.10	U	U	
ARSENIC	1.80	U	UJ	B	1.80	U	U		1.80	U	U		1.80	U	U		2.90	U	U	
BARIUM	6.50	U	U		6.50	U	U		6.50	U	U		***8.50***	***B***	***J***	****10***	***5.50***	***B***	***J***	****10***
BERYLLIUM	0.10	U	U		0.10	U	U		0.10	U	U		0.10	B	UJ	B	0.14	B	UJ	B
CADMIUM	0.30	U	U		0.30	U	U		0.30	U	U		0.30	U	U		0.20	U	UJ	B
CALCIUM	***2420.00***	***B***			***1430.00***	***B***			***2000.00***	***B***			***2030.00***	***B***			***1550.00***	***B***		
CHROMIUM, TOTAL	0.70	U	U		0.70	U	U		0.70	U	U		***1.50***	***B***			0.70	U	U	
COBALT	1.50	U	U		1.50	U	U		1.50	U	U		1.50	U	U		1.40	U	U	
COPPER	1.00	U	U		1.00	U	U		1.00	U	U		***9.60***	***B***	***J***	***F***	0.90	U	UJ	B
IRON	14.90	U	U		16.80	B	UJ	B	14.90	U	U		***1320.00***				***288.00***			
LEAD	0.90	U	U		0.90	U	U		0.90	U	U		0.90	U	U		1.00	U	U	
MAGNESIUM	***1250.00***	***B***			***1310.00***	***B***			***1250.00***	***B***			***1550.00***	***B***			***873.00***	***B***		
MANGANESE	0.40	U	U		***0.73***	***B***	***J***	****10***	0.40	U	U		***12.20***	***B***			***38.30***			
NICKEL	***1.70***	***B***	***J***	****10***	1.40	U	U		1.40	U	U		***2.70***	***B***	***J***	****10***	1.90	U	U	
POTASSIUM	***583.00***	***B***			***516.00***	***B***			***534.00***	***B***			***1030.00***	***B***			***434.00***	***B***		
SELENIUM	1.80	U	U		1.80	U	U		1.80	U	U		1.80	U	U		3.60	U	UJ	*2
SILVER	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	1.00	U	UJ	B
SODIUM	***5320.00***				***4990.00***	***B***			***6700.00***				***6520.00***				***4660.00***	***B***		
THALLIUM	1.90	U	UJ	B	1.90	U	UJ	B	1.90	U	UJ	B	1.90	U	U		3.10	U	UJ	B,*2
VANADIUM	1.60	U	U		1.60	U	U		1.60	U	U		***1.70***	***B***	***J***	****10***	1.20	U	U	
ZINC	12.40	B	UJ	B	5.50	B	UJ	B	5.80	B	UJ	B	8.00	B	UJ	B	1.10	U	U	
MOLYBDENUM	1.20	U	U		1.20	U	U		1.20	U	U		1.20	U	U		1.40	U	U	
BORON	8.00	B	UJ	B	11.00	B	UJ	B	7.50	B	UJ	B	7.50	B	UJ	B	***6.60***	***B***		

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL05S				WL05D				WL05D				WL05M2				WL05M2			
LAB_EPA_NO	AA485				AA479				AA480				AA487				AA488			
Date Sampled	2/8/99				2/9/99				2/9/99				2/8/99				2/8/99			
Depth	0-10				220-225				220-225				95-100				95-100			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)					***9.60***								***6.20***							
SULFATE (AS SO4)					***8.00***								***3.60***							
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A					***29.00***								4.00		UJ	B				
ALKALINITY, CARBONATE (AS					***2.00***								1.00	U	U					
ALKALINITY, HYDROXIDE (AS					1.00	U	U						1.00	U	U					
ALKALINITY, TOTAL (AS CACO					***31.00***								4.00		UJ	B				
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)					***0.02***		***J***	****2***					0.02	U	UJ	*2				
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)					0.01	U	U						0.01	U	U					
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOPI					***0.29***		***J***	***R***					***0.01***		***J***	***R***				
CYAN (UG/L)																				
CYANIDE					5.00	U	U						5.00	U	U					
TOC (MG/L)																				
TOTAL ORGANIC CARBON					***0.70***								0.50	U	U					
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	UJ	B	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL05S				WL05D				WL05D				WL05M2				WL05M2			
LAB_EPA_NO	AA485				AA479				AA480				AA487				AA488			
Date Sampled	2/8/99				2/9/99				2/9/99				2/8/99				2/8/99			
Depth	0-10				220-225				220-225				95-100				95-100			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
1M40MB (UG/L)																				
ALUMINUM	110.00	B	UJ	B	***496.00***				13.90	B	UJ	B	11.10	U	U		11.10	U	U	
ANTIMONY	3.10	U	U		3.10	U	U		3.10	U	U		3.10	U	U		3.10	U	U	
ARSENIC	2.90	U	U		2.90	U	U		2.90	U	U		2.90	U	U		2.90	U	U	
BARIUM	***4.40***	***B***	***J***	****10***	***50.60***	***B***			***26.50***	***B***			4.10	U	U		4.10	U	U	
BERYLLIUM	0.10	B	UJ	B	0.12	B	UJ	B	0.14	B	UJ	B	0.11	B	UJ	B	0.20	B	UJ	B
CADMIUM	0.20	U	UJ	B	0.20	U	UJ	B	0.20	U	UJ	B	0.20	U	UJ	B	0.20	U	UJ	B
CALCIUM	***1540.00***	***B***			***7530.00***				***6530.00***				***1310.00***	***B***			***1340.00***	***B***		
CHROMIUM, TOTAL	0.70	U	U		***3.60***	***B***			0.70	U	U		0.70	U	U		0.70	U	U	
COBALT	1.40	U	U		1.40	U	U		1.40	U	U		1.40	U	U		1.40	U	U	
COPPER	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B
IRON	***68.50***	***B***			***1620.00***				11.90	U	U		***28.80***	***B***			11.90	U	U	
LEAD	1.00	U	U		***1.30***	***B***	***J***	****10***	1.00	U	U		1.00	U	U		1.00	U	U	
MAGNESIUM	***834.00***	***B***			***2850.00***	***B***			***2410.00***	***B***			***658.00***	***B***			***674.00***	***B***		
MANGANESE	***36.50***				***141.00***				***54.50***				***6.20***	***B***			***6.10***	***B***		
NICKEL	1.90	U	U		1.90	U	UJ	B	1.90	U	UJ	B	1.90	U	U		1.90	U	U	
POTASSIUM	***501.00***	***B***			***1710.00***	***B***			***1590.00***	***B***			***455.00***	***B***			***418.00***	***B***		
SELENIUM	3.60	U	UJ	*2	3.60	U	UJ	*2	3.60	U	UJ	*2	3.60	U	UJ	*2	3.60	U	UJ	*2
SILVER	1.00	U	UJ	B	1.00	U	UJ	B	1.00	U	UJ	B	1.00	U	UJ	B	1.00	U	UJ	B
SODIUM	***4850.00***	***B***			***10500.00***				***10500.00***				***4890.00***	***B***			***5140.00***			
THALLIUM	3.10	U	UJ	B,*2	3.10	U	UJ	*2	3.10	U	UJ	*2	3.10	U	UJ	B,*2	3.10	U	UJ	B,*2
VANADIUM	1.20	U	U		***1.30***	***B***	***J***	****10***	1.20	U	U		1.20	U	U		1.20	U	U	
ZINC	***1.40***	***B***	***J***	****10***	***22.90***				1.10	U	U		***1.40***	***B***	***J***	****10***	***2.00***	***B***	***J***	****10***
MOLYBDENUM	1.40	U	U		***4.10***	***B***			***8.60***	***B***			1.40	U	U		***1.60***	***B***	***J***	****10***
BORON	***6.20***	***B***			***11.40***	***B***			***10.50***	***B***			***6.40***	***B***			***6.40***	***B***		

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL07S				WL07S				WL07M2				WL07D				WL07D			
LAB_EPA_NO	AA627				AA628				AA623				AA621				AA622			
Date Sampled	2/18/99				2/18/99				2/24/99				2/19/99				2/19/99			
Depth	0-10				0-10				137-142				227-337				227-337			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***6.60***								***6.40***				***5.80***							
SULFATE (AS SO4)	***6.30***								***4.70***				***2.10***							
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***4.00***								***2.50***				***10.00***							
ALKALINITY, CARBONATE (AS	1.00	U	U						1.00	U	U		1.00	U	U					
ALKALINITY, HYDROXIDE (AS	1.00	U	U						1.00	U	U		1.00	U	U					
ALKALINITY, TOTAL (AS CACO	***4.00***								***2.50***				***10.00***							
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	***0.02***								0.02	U	UJ	*2	0.02	U	U					
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	***0.02***								***0.02***				***0.01***							
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOP	0.01	U	UJ	R					0.01	U	UJ	R	***0.09***							
CYAN (UG/L)																				
CYANIDE	5.00	U	U						5.00	U	U		5.00	U	U					
TOC (MG/L)																				
TOTAL ORGANIC CARBON	0.50	U	R	R					***0.70***				0.50	U	R	R				
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver. 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL07S				WL07S				WL07M2				WL07D				WL07D			
LAB_EPA_NO	AA627				AA628				AA623				AA621				AA622			
Date Sampled	2/18/99				2/18/99				2/24/99				2/19/99				2/19/99			
Depth	0-10				0-10				137-142				227-337				227-337			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	11.90	U	U		11.90	U	U		***108.00***	***B***			***522.00***				***173.00***	***B***		
ANTIMONY	3.10	U	U		3.10	U	U		3.10	U	U		3.10	U	U		3.10	U	U	
ARSENIC	2.30	U	UJ	B	2.30	U	UJ	B	2.30	U	UJ	B	2.30	U	UJ	B	2.30	U	UJ	B
BARIUM	***8.90***	***B***			***8.70***	***B***			4.10	U	U		***6.50***	***B***	***J***	****10***	4.10	U	U	
BERYLLIUM	0.10	U	U		0.10	U	U		***0.16***	***B***	***J***	****10***	***0.12***	***B***	***J***	****10***	0.10	U	U	
CADMIUM	0.20	U	U		0.20	U	U		***0.45***	***B***			0.20	U	U		0.20	U	U	
CALCIUM	***1120.00***	***B***			***1110.00***	***B***			***1310.00***	***B***			***2200.00***	***B***			***2100.00***	***B***		
CHROMIUM, TOTAL	0.80	U	U		0.80	U	U		***1.10***	***B***	***J***	****10***	***2.00***	***B***			***1.10***	***B***	***J***	****10***
COBALT	***1.70***	***B***	***J***	****10***	***2.60***	***B***	***J***	****10***	1.40	U	U		1.40	U	U		1.40	U	U	
COPPER	1.80	B	UJ	B	0.90	U	U		1.80	B	UJ	B	1.50	B	UJ	B	1.20	B	UJ	B
IRON	11.90	U	U		11.90	U	U		***204.00***				***851.00***				***250.00***			
LEAD	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
MAGNESIUM	***1070.00***	***B***			***1050.00***	***B***			***803.00***	***B***			***1190.00***	***B***			***1080.00***	***B***		
MANGANESE	***51.50***				***52.10***				***40.10***				***22.30***				***11.80***	***B***		
NICKEL	***6.80***	***B***			***5.70***	***B***			***2.00***	***B***	***J***	****10***	1.90	U	U		1.90	U	U	
POTASSIUM	***641.00***	***B***			***666.00***	***B***			***562.00***	***B***			***898.00***	***B***			***741.00***	***B***		
SELENIUM	3.60	U	U		3.60	U	U		3.60	U	U		3.60	U	U		***3.70***	***B***	***J***	****10***
SILVER	1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U		1.00	U	U	
SODIUM	***5470.00***				***5390.00***				***4820.00***	***B***			***5000.00***				***4900.00***	***B***		
THALLIUM	3.60	U	U		3.60	U	U		***4.40***	***B***	***J***	****10***	3.60	U	U		3.60	U	U	
VANADIUM	1.50	U	U		1.50	U	U		1.50	U	U		***2.30***	***B***	***J***	****10***	1.50	U	U	
ZINC	***19.50***	***B***			7.30	B	UJ	B	***17.90***	***B***			5.50	B	UJ	B	2.60	B	UJ	B
MOLYBDENUM	1.40	U	UJ	B	1.40	U	UJ	B	1.40	U	UJ	B	1.40	U	UJ	B	1.40	U	UJ	B
BORON	10.70	B	UJ	B	10.40	B	UJ	B	9.20	B	UJ	B	6.00	B	UJ	B	5.10	B	UJ	B

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL07M1				WL07M1				WL08				SMR-2				USFW228040			
LAB_EPA_NO	AA625				AA626				AA721				AA917				AA242			
Date Sampled	2/23/99				2/23/99				2/24/99				3/25/99				2/11/99			
Depth	67-72				67-72				0-10				0-10				20-20			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)	***7.10***								***5.30***				***7.80***				***9.70***			
SULFATE (AS SO4)	***10.50***								***5.20***				***6.10***				***7.60***			
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A	***31.00***								***2.00***				***5.00***				***6.00***			
ALKALINITY, CARBONATE (AS	1.00	U	U						1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, HYDROXIDE (AS	1.00	U	U						1.00	U	U		1.00	U	U		1.00	U	U	
ALKALINITY, TOTAL (AS CACO	***31.00***								***2.00***				***5.00***				***6.00***			
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)	***0.04***								0.02	U	UJ	*2	0.02	U	UJ	*2	0.02	U	UJ	*2
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)	***0.02***								***0.03***				***0.02***				***1.60***			
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOPI	***0.67***								0.01	U	UJ	R	***0.07***		***J***	***F,R***	***0.02***		***J***	***R***
CYAN (UG/L)																				
CYANIDE	5.00	U	U						5.00	U	U		5.00	U	U		5.00	U	U	
TOC (MG/L)																				
TOTAL ORGANIC CARBON	0.50	U	U						0.50	U	U		0.50	U	U		0.50	U	U	
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U		40.00	U	U	
IM40HG (UG/L)																				
MERCURY	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U	

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	WL07M1				WL07M1				WL08				SMR-2				USFW228040			
LAB_EPA_NO	AA625				AA626				AA721				AA917				AA242			
Date Sampled	2/23/99				2/23/99				2/24/99				3/25/99				2/11/99			
Depth	67-72				67-72				0-10				0-10				20-20			
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	***1700.00***				***236.00***				53.60	B	UJ	B	133.00	B	UJ	B	11.10	U	U	
ANTIMONY	3.10	U	U		3.10	U	U		3.10	U	U		2.20	U	U		3.10	U	U	
ARSENIC	***13.60***				***14.70***				2.30	U	UJ	B	1.80	U	U		2.90	U	U	
BARIUM	***14.80***	***B***			***4.90***	***B***	***J***	****10***	4.10	U	U		6.50	U	U		4.10	U	U	
BERYLLIUM	0.10	U	U		0.10	U	U		0.10	U	U		0.10	U	U		0.33	B	UJ	B
CADMIUM	0.20	U	U		0.20	U	U		***0.95***	***B***			0.30	U	U		0.20	U	UJ	B
CALCIUM	***7900.00***				***7650.00***				***863.00***	***B***			***1660.00***	***B***			***2670.00***	***B***		
CHROMIUM, TOTAL	***4.50***	***B***			0.80	U	U		0.80	U	U		***0.99***	***B***	***J***	****10***	0.70	U	U	
COBALT	1.40	U	U		1.40	U	U		1.40	U	U		1.50	U	U		1.40	U	U	
COPPER	4.20	B	UJ	B	1.10	B	UJ	B	0.90	U	U		***3.70***	***B***	***J***	***F***	0.90	U	UJ	B
IRON	***2880.00***				***309.00***				20.80	B	UJ	B	***308.00***		***J***	***F***	15.80	B	UJ	B
LEAD	***2.00***	***B***			1.00	U	U		1.00	U	U		***1.00***	***B***	***J***	****10***	1.00	U	U	
MAGNESIUM	***3820.00***	***B***			***3280.00***	***B***			***872.00***	***B***			***1300.00***	***B***			***2700.00***	***B***		
MANGANESE	***564.00***				***345.00***				***0.58***	***B***	***J***	****10***	***3.90***	***B***	***J***	***F***	***3.40***	***B***		
NICKEL	***4.80***	***B***			1.90	U	U		1.90	U	U		***1.60***	***B***	***J***	****10***	1.90	U	UJ	B
POTASSIUM	***2490.00***	***B***			***2030.00***	***B***			***458.00***	***B***			***524.00***	***B***			***752.00***	***B***		
SELENIUM	3.60	U	U		3.60	U	U		3.60	U	U		***2.40***	***B***	***J***	****2,*10***	3.60	U	U	
SILVER	1.00	U	U		1.00	U	U		1.00	U	U		0.90	U	UJ	B	1.00	U	UJ	B
SODIUM	***9230.00***				***9100.00***				***4030.00***	***B***			***5440.00***				***5750.00***			
THALLIUM	***4.10***	***B***	***J***	****10***	3.60	U	U		3.60	U	U		***2.00***	***B***	***J***	***F,*10***	3.10	U	UJ	*2
VANADIUM	***6.20***	***B***			1.50	U	U		1.50	U	U		1.60	U	U		1.20	U	U	
ZINC	12.00	B	UJ	B	***14.60***	***B***			***16.40***	***B***			21.20		UJ	B	***10.30***	***B***	***J***	***F***
MOLYBDENUM	***5.10***	***B***	***J***	***B***	***6.20***	***B***	***J***	***B***	1.40	U	UJ	B	1.20	U	U		1.40	U	U	
BORON	11.90	B	UJ	B	12.60	B	UJ	B	8.70	B	UJ	B	7.70	B	UJ	B	***12.40***	***B***		

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	USFW228040				USFW241098				USFW241098											
LAB_EPA_NO	AA243				AA244				AA245				Intentionally blank				Intentionally blank			
Date Sampled	2/11/99				2/10/99				2/10/99											
Depth	20-20				42-45				42-45											
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
300.0 (MG/L)																				
CHLORIDE (AS CL)					***13.50***															
SULFATE (AS SO4)					***6.90***															
310.1 (MG/L)																				
ALKALINITY, BICARBONATE (A					***5.00***		***J***	***F***												
ALKALINITY, CARBONATE (AS					1.00	U	U													
ALKALINITY, HYDROXIDE (AS					1.00	U	U													
ALKALINITY, TOTAL (AS CACO					***5.00***		***J***	***F***												
350.2M (MG/L)																				
NITROGEN, AMMONIA (AS N)					0.02	U	UJ	*2												
353.2M (MG/L)																				
NITRATE/NITRITE (AS N)					***0.91***															
365.2 (MG/L)																				
PHOSPHORUS, TOTAL ORTHOP					***0.03***		***J***	***R***												
CYAN (UG/L)																				
CYANIDE					5.00	U	U													
TOC (MG/L)																				
TOTAL ORGANIC CARBON					0.50	U	R	R												
IM40HD (MG/L)																				
HARDNESS (AS CACO3)	40.00	U	U		40.00	U	U		40.00	U	U									
IM40HG (UG/L)																				
MERCURY	0.10	U	U		0.10	U	U		0.10	U	U									

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP K: METALS/WET CHEMISTRY (WATER)

LOCID	USFW228040				USFW241098				USFW241098											
LAB_EPA_NO	AA243				AA244				AA245				Intentionally blank				Intentionally blank			
Date Sampled	2/11/99				2/10/99				2/10/99											
Depth	20-20				42-45				42-45											
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (UG/L)																				
ALUMINUM	11.10	U	U		11.10	U	U		11.10	U	U									
ANTIMONY	3.10	U	U		3.10	U	U		3.10	U	U									
ARSENIC	2.90	U	U		2.90	U	U		2.90	U	U									
BARIUM	4.10	U	U		***4.40***	***B***	***J***	****10***	4.10	U	U									
BERYLLIUM	0.25	B	UJ	B	0.21	B	UJ	B	0.19	B	UJ	B								
CADMIUM	0.20	U	UJ	B	0.20	U	UJ	B	0.20	U	UJ	B								
CALCIUM	***2670.00***	***B***			***2820.00***	***B***			***2870.00***	***B***										
CHROMIUM, TOTAL	0.70	U	U		0.70	U	U		0.70	U	U									
COBALT	1.40	U	U		1.40	U	U		1.40	U	U									
COPPER	0.90	U	UJ	B	0.90	U	UJ	B	0.90	U	UJ	B								
IRON	11.90	U	U		55.10	B	UJ	B	11.90	U	U									
LEAD	1.00	U	U		1.00	U	U		1.00	U	U									
MAGNESIUM	***2680.00***	***B***			***2640.00***	***B***			***2670.00***	***B***										
MANGANESE	***2.50***	***B***			2.00	B	UJ	B	2.30	B	UJ	B								
NICKEL	1.90	U	UJ	B	1.90	U	UJ	B	1.90	U	UJ	B								
POTASSIUM	***726.00***	***B***			***618.00***	***B***			***638.00***	***B***										
SELENIUM	3.60	U	U		3.60	U	U		3.60	U	U									
SILVER	1.00	U	UJ	B	1.00	U	UJ	B	1.00	U	UJ	B								
SODIUM	***5760.00***				***6630.00***				***6730.00***											
THALLIUM	3.10	U	UJ	*2	3.10	U	UJ	*2	3.10	U	UJ	*2								
VANADIUM	1.20	U	U		1.20	U	U		1.20	U	U									
ZINC	***10.70***	***B***	***J***	***F***	***13.20***	***B***	***J***	***F***	***11.60***	***B***										
MOLYBDENUM	1.40	U	U		1.40	U	U		1.40	U	U									
BORON	***11.50***	***B***			***12.40***	***B***			***12.60***	***B***										

Depths are measured in feet below the water table.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP L: METALS/WET CHEMISTRY (SOIL)

LOCID	BRICKPIT1				BRICKPIT1				BRICKPIT2				BRICKPIT2							
LAB_EPA_NO	AA727				AA728				AA729				AA730				Intentionally blank			
Date Sampled	2/24/99				2/24/99				2/24/99				2/24/99							
Depth	0-0				0-0				0-0				0-0							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
350.2M (MG/KG)																				
NITROGEN, AMMONIA (AS N)	2.50	U	UJ	*2	2.60	U	UJ	*2	2.40	U	UJ	*2	2.50	U	UJ	*2				
353.2M (MG/KG)																				
NITRATE/NITRITE (AS N)	0.01	U	U		***0.01***				***0.02***				***0.03***							
365.2 (MG/KG)																				
PHOSPHORUS, TOTAL ORTHOPI	***123.00***				***97.00***				***135.00***				***134.00***							
CYAN (MG/KG)																				
CYANIDE	0.56	U	U		0.61	U	U		0.62	U	U		0.62	U	U					
IM40HG (MG/KG)																				
MERCURY	0.05	U	U		0.06	U	U		0.05	U	U		0.05	U	U					
IM40MB (MG/KG)																				
ALUMINUM	***2560.00***				***3860.00***				***2180.00***				***3210.00***							
ANTIMONY	0.62	U	U		0.62	U	U		0.55	U	U		0.65	U	U					
ARSENIC	***1.50***	***B***	***J***	***B***	***1.60***	***B***	***J***	***B***	***1.30***	***B***	***J***	***B***	***1.30***	***B***	***J***	***B***				
BARIUM	***5.00***	***B***			***6.90***	***B***			***21.50***	***B***			***15.80***	***B***						
BERYLLIUM	***0.17***	***B***			***0.19***	***B***			0.02	U	U		0.02	U	U					
CADMIUM	0.04	U	U		0.04	U	U		0.04	U	U		0.04	U	U					
CALCIUM	***187.00***	***B***			***153.00***	***B***			***103.00***	***B***			***229.00***	***B***						
CHROMIUM, TOTAL	***3.30***				***5.40***				***3.30***				***4.50***							
COBALT	***1.80***	***B***			***2.50***	***B***			***3.00***	***B***			***2.70***	***B***						
COPPER	***3.80***	***B***			***3.90***	***B***			***5.60***				***4.70***	***B***						
IRON	***4870.00***				***5100.00***				***3730.00***				***4610.00***							
LEAD	***3.50***				***3.50***				***3.80***				***3.80***							
MAGNESIUM	***788.00***	***B***			***815.00***	***B***			***501.00***	***B***			***719.00***	***B***						
MANGANESE	***94.30***				***80.60***				***914.00***				***635.00***							
NICKEL	***2.70***	***B***			***3.80***	***B***			***3.00***	***B***			***3.40***	***B***						

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

VALIDATED MMR DATA, JUNE 1999

GROUP L: METALS/WET CHEMISTRY (SOIL)

LOCID	BRICKPIT1				BRICKPIT1				BRICKPIT2				BRICKPIT2							
LAB_EPA_NO	AA727				AA728				AA729				AA730				Intentionally blank			
Date Sampled	2/24/99				2/24/99				2/24/99				2/24/99							
Depth	0-0				0-0				0-0				0-0							
Method Analyte	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE	ANALYTICAL RESULT	LAB QUAL	REV QUAL	QUAL CODE
IM40MB (MG/KG) Continued																				
POTASSIUM	***260.00***	***B***			***303.00***	***B***			***284.00***	***B***			***244.00***	***B***						
SELENIUM	0.72	U	U		0.72	U	U		0.64	U	U		0.75	U	U					
SILVER	0.20	U	U		0.20	U	U		0.18	U	U		0.21	U	U					
SODIUM	52.26	U	U		52.71	U	U		46.50	U	U		54.76	U	U					
THALLIUM	0.72	U	U		0.72	U	U		***1.50***	***B***			***1.10***	***B***	***J***	****10***				
VANADIUM	***7.80***	***B***			***8.10***	***B***			***5.90***	***B***			***7.00***	***B***						
ZINC	***13.80***				***9.70***				***17.60***				***12.20***							
MOLYBDENUM	0.28	U	U		***0.41***	***B***	***J***	****10***	***0.61***	***B***			***0.71***	***B***						
BORON	0.26	U	U		0.26	U	U		0.23	U	U		0.27	U	U					
TOC (MG/KG)																				
TOTAL ORGANIC CARBON	105.00	U	U		***350.00***				***220.00***				***631.00***							

Depths are measured in feet below the ground surface.

OEES Technical Information Systems RGEN Ver 2u

JONATHAN BOURNE PUBLIC LIBRARY
0 0113 0091900 5

ADA
7597

Jonathan Bourn Public Library
19 Sandwich Road
Bourne, MA 02532

For Reference
Not to be taken from this room